



Rajasthan State Gas Limited

(A JV of RSPCL and GAIL Gas Limited)
2nd Floor, Khaniz Bhawan
Tilak Marg C-Scheme
Jaipur-300205

TENDER DOCUMENT

TENDER DOCUMENT FOR CONSTRUCTION OF DE-COMPRESSION UNIT (DCU) AT RSGL SIROL, SITE GWALIOR

(OPEN DOMESTIC COMPETITIVE BIDDING)

VOL.-I


Tender No.: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 DATED: 06-08-2025

DUE DATE & TIME FOR

BID SUBMISSION : 21-08-2025 14:00 HRS (IST)

DUE DATE & TIME FOR UN-PRICED

BID OPENING : 21-08-2025 15:00 HRS. IST





INVITATION FOR BID (IFB)

Ref No: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 DATED: 06-08-2025

To,

[PROSPECTIVE BIDDERS]

SUB: TENDER DOCUMENT FOR CONSTRUCTION OF DE-COMPRESSION UNIT (DCU) AT RSGL SIROL, SITE GWALIOR.

Dear Sir/Madam,

- 1.0 Rajasthan state Gas Limited a State Govt. IIncorporated, JV of RSPCL and GAIL Gas Limited having registered and corporate office at room No. 303, KhanizBhawan, Tilak Marg, C-Scheme, Jaipur-302005, India, invites bids from bidders for the subject works/services, in complete accordance with the following details and enclosed Tender Documents.
- 2.0 The brief details of the tender are asunder:

(A)		Tender Document for Construction of De- Compression Unit (DCU) at RSGL Sirol, Site Gwalior	
(B)	TENDER NO. & DATE	Tender No.: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 DATED: 06-08-2025	
С	TYPE OF BIDDING SYSTEM	TWO BID SYSTEM	
D	TYPE OF TENDER	MANUAL	
Е	COMPLETION/CONTRACT PERIOD	As defined in Scope of Work / SCC	
	BID SECURITY/EARNEST MONEY DEPOSIT	Rs. 1,40,000/- (Rs One Lac Forty Thousand only)	
(G)	AVAILABILITY OF TENDER DOCUMENT ON WEBSITE(S)	From 06-08-2025 on following websites:	
		 Rajasthan State Gas Limited Tender Website: https://rsgl.rajasthan.gov.in/Tenders.aspx Govt. of Rajasthan state public procurement Tender 	

G	
3	

हंगन राज्य ग्रेंच जि

a٧	ID				
में	(H)	DATE, TIME & VENUE OF PRE-BID MEETING	Date: 12-08-2025 Time: 15:00 Hrs. Venue: Rajasthan State Gas Limited Khaniz Bhawan, Tilak Marg C- Scheme		
	(I)	DUE DATE AND TIME FOR BID SUBMISSION	Date: 21-08-2025 Time: on or before 14:00 hrs		
	(J)	DATE AND TIME OF UN-PRICEDBID OPENING	Date: 21-08-2025 Time: at 15:00 hrs.		
		CONTACT DETAILS	Name: Vivek Srivastava Designation: DGM (C&P) Phone No. & Extn: 0141-2994081 e-mail: viveks.rsgl@rajasthan.gov.in		

In case of the days specified above happens to be a holiday in Rajasthan state Gas Limited, the next working day shall be implied.

- 3.0 Bids must be submitted strictly in accordance with Clause No. 11 of ITB of Tender document.
- 4.0 The following documents shall also be submitted in Original (in physical form) within the Due Date & Time of Bid Submission:
 - i) EMD/Bid Security (if applicable)
 [Note: Submission of original is not applicable for online banking transaction]
 - ii) Power of Attorney
- 5.0 Clarification(s)/Corrigendum(s) if any shall also be available on above referred websites. Any revision, clarification, addendum, corrigendum, time extension, etc. to this Tender Document will be hosted on the above-mentioned website(s) only. Bidders are requested to visit the website regularly to keep themselves updated.

Bidders are advised to submit their bid strictly as per terms and conditions of tender documents and not to stipulate any deviation/exceptions.

- Any bidder, who meets the Bid Evaluation Criteria (BEC) and wishes to quote against this Tender Document, may download the complete Tender Document along with its amendment(s) if any from websites as mentioned at 2.0 (G) of IFB and submit their Bid complete in all respect as per terms & conditions of Tender Document on or before the Due Date & Time of Bid Submission.
- 7.0 Bid(s) received from bidders to whom tender/information regarding this Tender Document has been issued as well as offers received from the bidder(s) by downloading Tender Document from above mentioned website(s) shall be taken into consideration for evaluation & award provided that the Bidder is found responsive subject to provisions contained in Clause No. 2 of ITB. The Tender Document calls for offers on single point "Sole Bidder" responsibility basis (except where JV/Consortium bid is allowed pursuant to clause no. 3.0 of ITB) and in total compliance of Scope of Works as specified in Tender Document.
- 8.0 Rajasthan state Gas Limited reserves the right to reject any or all the bids received at its






discretion without assigning any reason whatsoever.

For & on behalf of Rajasthan state Gas Limited

(Authorized Signatory)
Vivek Srivastava
DGM (C&P)
e-mail: viveks.rsgl@rajasthan.gov.in





SBD for Procurement of Services/Works

Summary

PART-I BIDDING PROCEDURES

SECTION 1: INSTRUCTIONS TO BIDDERS (ITB)

This Section provides information necessary for Bidders to prepare responsive bids in accordance with the requirements of the Owner. It regulates the bidding process and gives information on bid submission,

opening and evaluation methodology.

SECTION 1.1: BID EVALUATION CRITERIA (BEC)

This section contains the criteria and requirements that the interested party must comply without which the Owner shall not consider their Bid for the

purpose of evaluation and/ or further processing.

SECTION 1.2: BID EVALUATION METHODOLOGY

This section specifies the methodology that the Owner shall use to evaluate

the Bids and to determine the successful Bidder.

ANNEXURE-I BID DATA SHEET (BDS)

This Annexure contains information and provisions that are specific to each procurement and that supplement the information/requirements included in

Section 1, Instructions to Bidders.

ANNEXURE-II PROCEDURE FOR ACTION IN CASE OF CORRUPT/ FRAUDULENT/

COLLUSIVE/ COERCIVE PRACTICES

This Annexure contains procedure for putting a Vendor/ Supplier/

Contractor/ Consultant on Suspension and/or banning list if any agency

indulges in corrupt/ fraudulent/ collusive/ coercive practice.

ANNEXURE-III PROCEDURE FOR EVALUATION OF PERFORMANCE OF

VENDORS/ SUPPLIERS/ CONTRACTORS/ CONSULTANTS

This Annexure contains procedure to recognize, and develop reliable Vendors/ Suppliers/ Contractors/ Consultants so that they consistently meet

or exceed expectations and requirements.

ANNEXURE-IV FORMS AND FORMAT

This Section contains the forms and formats which are to be completed by Bidders and submitted as part of the bid. The forms of Contract Performance Guarantee, Mobilization Advance, and Contract Agreement, when required, shall only be completed by the successful Bidder after award of contract.



CONDITIONS OF CONTRACT

SECTION 2: GENERAL CONDITIONS OF CONTRACT (GCC)

This Section contains standard provisions.

SECTION 3: SPECIAL CONDITIONS OF CONTRACT (SCC)

The content of this Section supplements the General Conditions of Contract.


PART-III SERVICES REQUIREMENTS

SECTION 4: SPECIFICATIONS, DRAWINGS AND SCOPE OF SERVICES

This Section contains the Specifications, the Drawings, and supplementary information including Scope of Works/Services that describe the

Works/Services to be procured.

SECTION 5: SCHEDULE OF RATES





PART-I – BIDDING PROCEDURES



1.1

Section 1: Instructions to Bidders

TO BE READ IN CONJUNCTION WITH BID DATA SHEET (BDS)

INDEX

1.2	BID EVALUATION METHODOLOGY
	TABLE OF CLAUSES
A]	GENERAL
1.0	SCOPE OF BID
2.0	ELIGIBLE BIDDERS
3.0	BIDS FROM CONSORTIUM /JOINT VENTURE
4.0	ONE BID PER BIDDER
5.0	COST OF BIDDING
6.0	SITE VISIT
B]	BIDDING DOCUMENTS
7.0	CONTENTS OF BIDDING DOCUMENTS
8.0	CLARIFICATION OF BIDDING DOCUMENTS
9.0	AMENDMENT OF BIDDING DOCUMENTS
C]	PREPARATION OF BIDS
10.0	
11.0	DOCUMENTS COMPRISING THE BID
12.0	SCHEDULE OF RATES / BID PRICES
13.0	GST (CGST & SGST/ UTGST or IGST)
14.0	BID CURRENCIES
15.0	BID VALIDITY
16.0	EARNEST MONEY / BID SECURITY
17.0	PRE-BID MEETING
18.0	FORMAT AND SIGNING OF BID
19.0	ZERO DEVIATION & REJECTION CRITERIA
20.0	e-PAYMENT

BID EVALUATION CRITERIA (BEC)

D] SUBMISSION OF BIDS:

- 21.0 BID SUBMISSION
- 22.0 DUE DATE AND TIME OF BID SUBMISSION
- 23.0 LATE BIDS
- 24.0 MODIFICATION AND WITHDRAWAL OF BIDS

E] BID OPENING AND EVALUATION:




- 25.0 EMPLOYER'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS
- 26.0 BID OPENING
- 27.0 CONFIDENTIALITY
- 28.0 CONTACTING THE EMPLOYER
- 29.0 EXAMINATION OF BIDS AND DETERMINATION OF RESPONSIVENESS
- 30.0 CORRECTION OF ERRORS
- 31.0 EVALUATION AND COMPARISON OF BIDS

F] AWARD OF CONTRACT:

- 32.0 AWARD
- 33.0 NOTIFICATION OF AWARD / FAX OF ACCEPTANCE [FOA]
- 34.0 SIGNING OF AGREEMENT
- 35.0 CONTRACT PERFORMANCE GUARANTEE / SECURITY DEPOSIT
- 36.0 PROCEDURE FOR ACTION IN CASE CORRUPT/ FRAUDULENT/ COLLUSIVE/ COERCIVE PRACTICES
- 37.0 AHR ITEMS
- 38.0 VENDOR EVALUATION PROCEDURE
- 39.0 INCOME TAX & CORPORATE TAX

Gl ANNEXURES:

- 1. ANNEXURE-I: BID DATA SHEET (BDS)
- 2. ANNEXURE-II: PROCEDURE FOR ACTION IN CASE CORRUPT/ FRAUDULENT/ COLLUSIVE/COERCIVE PRACTICES
- 3. ANNEXURE-III: VENDOR PERFORMANCE EVALUATIONPROCEDURE
- 4. ANNEXURE-IV: FORMS AND FORMATS





Section 1.1: Bid Evaluation Criteria



[A] <u>Technical Criteria:</u>

- a) Bidder must have successfully executed at-least one single work order of minimum value of Rs. 10.35 Lacs in the preceding 7 (seven) years reckoned from the last date for submission of Un-Priced Bid as per following:
- Construct at least one single retail outlets for dispensing of CNG (Compressed Natural Gas) Involving civil, mechanical and electrical works (including supply of materials, equipment's, tools and tackles etc.)

Or

• Construct a CNG (Compressed Natural Gas) station for any CGD Company Involving civil, mechanical and electrical works (including supply of materials, equipment's, tools and tackles etc.).

Or

• Construct a foundation of equipment used in CGD like Compressor, Dispenser etc. involving civil, mechanical and electrical works (including supply of materials, equipment's, tools and tackles etc.).

Or

• Construct at least One De Compression Unit(DCU) involving civil, mechanical and electrical works (including supply of materials, equipment's, tools and tackles etc.).

(*)

- (i) In case more than one contract are emanating against one tender, all such individual contracts are to be considered as single contract for evaluation of credential of a bidder formeeting their experience criteria.
- (ii) Further in case of rate contract, cumulative value of all release orders emanating from one rate contract shall be considered as single contract for evaluation of credential of a bidder for meeting their experience criteria.

Note 1:

- (i) A Job executed by a Bidder for its own plant/project cannot be considered as experience for the purpose of meeting BEC of the tender. However, jobs executed for subsidiary/Fellow subsidiary/Holding company will be considered as experience for the purpose of meeting BEC subject to submission of tax paid invoice(s) duly certified by Statutory Auditor of the Bidder towards payments of statutory tax in support of the job executed for subsidiary/Fellow subsidiary/Holding company. Such Bidders to submit these documents in addition to the documents specified to meet BEC.
- (ii) Execution certificate issued by the end user/owner/authorized consultant submitted by a bidder against work contracts can also be considered in place of completion certificate for meeting the stipulated experience criteria provided that the asset for which the said execution certificate has been issued is ready for commercial



(iii) In case the bidder has an experience as a consortium member and such member has executed earlier a job with in its scope as a member of the consortium, which is required as experience as per the qualification criteria in clause no. A (Technical Criteria), will be considered. Documentary evidence as stipulated in bidding document is to be submitted to establish such experience.

NOTE: All documents in support of Technical Criteria of Bid Evaluation Criteria (BEC) to be furnished by the bidders shall be duly certified/ attested by Chartered Engineer and notary public with legible stamp.

[B] <u>Financial Criteria:</u>

B.1 Annual Turnover

The minimum annual turnover achieved by the bidder as per their audited financial results in any one of the 3 (three) immediately preceding financial years shall be not less than **Rs.35 Lakhs.(Thirty five Lacs Only)**

B.2 Net worth

Net worth of the bidder should be positive as per the immediate preceding year's audited financial results.

B.3 Working Capital

The minimum working capital of the bidder as per the immediate preceding year's audited financial results shall be not less than **Rs.6.92 Lacs**

C. Documents required to be submitted by bidder along with the bid for qualification of BEC:

BEC		Documents required for qualification
Clause no.	Description	
Α.	Documents Required for Technic	cal Criteria
		(a) Copy of PO/WO/LOA of the job executed, issued by the end user/owner/client.
A	Experience criteria	(b) Copy of successful Completion certificate having cross reference to the PO/WO/LOA submitted mentioning executed amount against the PO.
		(c) In case of running contract - Execution Certificate against Order/LOA/Contract for the running contract as mentioned at point "a" above must be submitted clearly mentioning the executed VALUE till one day prior to unpriced bid opening, which must be equal to or more than the minimum prescribed value mentioned in BEC The execution certificate must contain the detailed information like Order/ LOA/ Contract/ Agreement No. with date, Brief



		Scope of work / Name of work, Order value, Total
		executed value, etc. The Execution should have been
		issued by the end-user/owner/authorized consultant.
		Documents required for qualification
Clause no.	Description	
All the submit	ted documents should be duly certif	I ied / attested by Chartered Engineer and notary public with
legible stamp	. In absence of requisite documents,	Rajasthan state Gas Limited reserves the right to reject the
bid without m	aking any reference to the bidder.	
B. Documents Required for Financial Criteria		ial Criteria
		Bidder shall furnish details of financial capability in the
		prescribed format (Form F-16 of the tender) in the tender
B.1	Annual Turn Over	duly signed & stamped by chartered accountant. Further
		copy of audited financial statements, including Balance
		Sheets, Profit & Loss Account for last three preceding
B.2		financial years shall be submitted duly certified / attested
	Net Worth	by Chartered accountant and Notary Public / with legible
		stamp. In the absence of such requisite documents.
B.3	Working Capital	Rajasthan state Gas Limited reserves the right to reject
		the bid without any reference to the bidder.
		,

Note 1: If the bidder's working capital is **negative or inadequate**, the bidder shall submit a letter (as per format F-15) from the bank having net worth not less than **Rs. 100 crores (or equivalent in USD)** as mentioned in ITB of tender document, confirming the availability of line of credit for at least working capital requirement as stated above.


Note 2: (i) Annual Turnover:

In case the tenders having the bid closing date up to **30**th **September** of the relevant financial year and audited financial results of the immediate 3 preceding financial years are not available, the bidder has an option to submit the audited financial results of the 3 years immediately prior to that. Wherever the closing date of the bid is after **30**th **September** of the relevant financial year, bidder has to compulsorily submit the audited financial results for the immediate 3 preceding financial years.

(ii) Net Worth/Working Capital:

In case the tenders having the bid closing date up to **30**th **September** of the relevant financial year and audited financial results of the immediate preceding financial year is not available, in such case the audited financial results of the year immediately prior to that year will be considered as last financial year for Net worth/ Working Capital calculation. Wherever the closing date of the bid is after 30th September of the relevant financial year, Bidder has to compulsorily submit the audited financial results for the immediate preceding financial year.

D. The Bidder should not be blacklisted/ banned/put on Holiday list by M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited as on Bid due Date.





BID EVALUATION METHODOLOGY FOR AWARD

BID EVALUATION METHODOLOGY FOR AWARD

- 1.2.1 Qualified Bid as per BEC shall be evaluated on overall L1 basis.
- 1.2.2 Rajasthan State Gas Limited (RSGL) intends to distribute the tendered scope of work to techno-commercially acceptable bidders.
- 1.2.3 The "Schedule of Rates" including GST quoted for complete scope of work shall be taken up for evaluation purpose on overall lowest cost basis.
- In case, any unregistered bidder [i.e. not registered with statutory authority for GST] is submitting their bid, their prices will be loaded with applicable GST (CGST&SGST/UTGST or IGST) during evaluation of bid. In case any cess on GST is applicable, the same shall also be considered in evaluation.
- 1.2.5 The ranking of bidders (L-1, L-2, L-3 ...) shall be determined by the bidder's evaluated price in ascending order. (The bids will be evaluated based on total price including applicable GST (CGST &SGST/UTGST or IGST)
- 1.2.6 In case of tie i.e. more than one bidder quotes the same price arrived at based on evaluation, the rank will be decided based on the turnover of the preceding audited financial year. As an example, in case two bidders become L-2, bidder having higher turnover in the preceding audited financial year will be considered as L2 and other bidder will be L3.
- 1.2.7 Purchase Preferences not available being works contract.
- 1.2.8 Price Preference- Not Applicable for this tender.

1.2.1 **AWARD CRITERIA:**

The Purchaser will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid (Least Cost Basis) as per Bid evaluation methodology, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.



INSTRUCTIONS TO BIDDERS [ITB]

(TO BE READ IN CONJUNCTION WITH BID DATA SHEET (BDS)

[A] – GENERAL

1.0 SCOPE OF BID

- 1.1 The Employer/ Owner/ Rajasthan state Gas Limited as defined in the "General Conditions of Contract [GCC]", wishes to receive Bids as described in the Bidding Document/ Tender Document.
- **1.2** SCOPE OF BID: The Scope of Services shall be as defined in Section 4 of the Bidding documents.
- 1.3 The successful bidder is expected to complete the scope of Bid within the period stated in Special Conditions of Contract.
- 1.4 Throughout the Bidding Documents,
 - a The terms 'Bid', 'Tender' & 'Offer' and their derivatives [Bidder/ Tenderer, Bid/ Tender/ Offer etc.] are synonymous.
 - b. 'Day' means 'Calendar Day'
 - c. The singular shall include the plural and vice versa wherever the context so requires.

2.0 ELIGIBLE BIDDERS

- 2.1 The Bidder or their allied agency (ies) shall not be under a declaration of ineligibility by Employer for Corrupt/ Fraudulent/ Collusive/ Coercive practices, as defined in "Instructions to Bidders [ITB], Clause No. 38" (Action in case Corrupt/ Fraudulent/ Collusive/ Coercive Practices).
- 2.2 The Bidder is not put on 'blacklisted/ banned/put on Holiday list by M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited due to "poor performance" or "corrupt and fraudulent practices") or banned/ blacklisted by Government department/ Public Sector on due date of Bid Submission.

If the bidding documents were issued inadvertently/ downloaded fromwebsite, offers submitted by such bidders shall not be considered for opening/ evaluation/Award.

In case there is any change in status of the declaration prior to award of contract, the same has to be promptly informed to Rajasthan state Gas Limited by the bidder.

It shall be the sole responsibility of the bidder to inform Rajasthan state Gas Limited in case the bidder is put on blacklisted/ banned/put on Holiday list by M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited due to "poor performance" or "corrupt and fraudulent



practices") or banned/blacklisted by Government department/ Public Sectoron due date of submission of bid and during the course of finalization of the tender. Concealment of the facts shall tantamount to misrepresentation of facts and shall lead to action against such Bidders as per clause 38 of ITB.

2.3 The Bidder should not be under any liquidation, court receivership or similar proceedings on Due Date of Bid Submission.

In case there is any change in status of the declaration prior to award of contract, the same has to be promptly informed to Rajasthan state Gas Limited by the bidder.

It shall be the sole responsibility of the bidder to inform Rajasthan state Gas Limited in case the bidder is under any liquidation, court receivership or similar proceedings on Due Date of Bid Submission and during the course of finalization of the tender. Concealment of the facts shall tantamount to misrepresentation of facts and shall lead to action against such Bidders as per clause no. 38 of ITB.

- **2.4** Bidder shall not be affiliated with a firm or entity:
 - (i) that has provided consulting services related to the work to the Employer during the preparatory stages of the work or of the project of which the works/ services forms a part of or
 - (ii) that has been hired (proposed to be hired) by the Employer as an Engineer/ Consultant for the contract.
- 2.5 Neither the firm/ entity appointed as the Project Management Consultant (PMC) for a contract nor its affiliates/ JV's/ subsidiaries shall be allowed toparticipate in the tendering process unless it is the sole Licensor/ Licensor nominated agent/ vendor.
- 2.6 Pursuant to qualification criteria set forth in the bidding document, the Bidder shall furnish all necessary supporting documentary evidence to establish Bidder's claim of meeting qualification criteria.

2.7 Power of Attorney:

In case of a Single Bidder, Power of Attorney issued by the Board of Directors/CEO/Chairman/ MD / Company Secretary of the Bidder/ all partners in case of Partnership firm/any person authorized in terms of Deed of LLP/Proprietorin favour of the authorised employee(s) of the Bidder, in respect of the particular tender for signing the Bid and all subsequent communications, agreements, documents etc. pertaining to the tender and to act and take anyand all decision on behalf of the Bidder, is to be submitted.

In case of a Consortium/JV, Power of Attorney issued by Board of Directors/CEO /Chairman MD / Company Secretary of the Consortium Leader as well as Consortium Member(s) of the Consortium/ partners of JV, in favour of the authorised employee(s) of the Consortium Leader/Lead member of JV, for signing the documents on behalf of the Bidder, in respect of this particular tender, to sign the Bid and all subsequent communications, agreements, documents etc. pertaining to the tender and act and take any and all decision on behalf of the Consortium/JV, are to be submitted.

The authorized employee(s) of the Bidder shall be signing the Bid and any consequence resulting due to such signing shall be binding on the Bidder.



The authorized employee(s) of the Bidder shall be signing the Bid and any consequence resulting due to such signing shall be binding on the Bidder.

The person holding Power of Attorney shall be also be authorized to nominate "Contractor's Representative" for execution of Contract in case of award.

- 2.8 Bids shall be evaluated as per Bid Evaluation Criteria (BEC) as provided in Section 1.1
- 3.0 <u>BIDS FROM "JOINT VENTURE"/"CONSORTIUM" (FOR APPLICABILITY OF THIS CLAUSE REFER BIDDING DATA SHEET(BDS))</u>
- 3.1 Bids from consortium/ JV of two or more members (maximum three including leader) are acceptable provided that they fulfill the qualification criteria and requirements stated in the Bidding Documents. Participating Consortium/ JV shall submit the Agreement as per the format F-17 clearly defining the scope and responsibility of each member. Members of consortium/ JV shall assume responsibility jointly & severally. The EMD shall be submitted by the Bidder (Consortium/ JV).
- 3.2 The Consortium/ JV Agreement must clearly define the leader/ lead partner, who shall be responsible for timely completion of work/ services and shall receive/ send instructions for and on behalf of the consortium during the period the bid is under evaluation as well as during the execution of contract.
- 3.3 All the members shall authorize the representative from the lead partner bysubmitting a Power of attorney (on a non-judicial stamp paper of appropriate value) signed by legally authorized signatories of all the member(s). Such authorization must be accompanied with the bid. The authorized signatory shall sign all the documents relating to the tender/ contract. However, in case of award, payment shall be made to the consortium.
- 3.4 A consortium/ JV once established at the time of submitting the Bid shall not be allowed to be altered with respect to constituting members of the JV/ Consortium or their respective roles/ scope of work, except if and when required in writing by owner. If during the evaluation of bids, a consortium/JV proposes any alteration/ changes in the orientation of consortium/JV or replacements or inclusions or exclusions of any partner(s)/ member(s) which had originally submitted the bid, bid from such a consortium/JV shall be liable for rejection.
- 3.5 Any member of the consortium/ JV shall not be eligible either in an individual capacity or be a part of any other consortium/JV to participate in this tender. Further, no member of the consortium/ JV shall be on 'Holiday' by blacklisted/ banned/put on Holiday list by M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited due to "poor performance" or "corrupt and fraudulent practices") or banned/blacklisted by Government department/ Public Sector on due date of submission of bid. Offer submitted by such consortium/ JV shall not be considered for opening/ evaluation/Award.

4.0 ONE BID PER BIDDER



- 4.1 A Firm/ Bidder shall submit only 'one [01] Bid' in the same Bidding Process. A Bidder who submits more than 'one [01] Bid' will cause all the proposals in which the Bidder has participated to be disqualified.
- 4.2 Alternative Bids shall not be considered.

5.0 COST OF BIDDING

5.1 COST OF BIDDING: The Bidder shall bear all costs associated with the preparation and submission of the Bid including but not limited to Bank charges, all courier charges including taxes & duties etc. incurred thereof. Further, Rajasthan state Gas Limited will in no case, be responsible or liable for these costs, regardless of the outcome of the bidding process.

6.0 <u>SITE VISIT</u>

- 6.1 The Bidder is advised to visit and examine the site of Works/Services and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid and entering into aContract for the required job. The costs of visiting the site shall be borne by the Bidder.
- 6.2 The Bidder or any of its personnel or agents shall be granted permission by the Employer to enter upon its premises and land for the purpose of such visits, but only upon the express conditions that the Bidder, its personnel and agents will release and indemnify the Employer and its personnel, agents from and against all liabilities in respect thereof, and will be responsible for death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of inspection.
- 6.3 The intending bidders shall be deemed to have visited the SITE and familiarised submitting the tender. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying outthe Works/Services in strict conformity with the DRAWINGS and SPECIFICATIONS or for any delay in performance
- 6.4 The Bidder shall not be entitled to hold any claim against Rajasthan state GasLimited for non-compliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

|B| <u>BIDDING DOCUMENTS</u>

7.0 <u>CONTENTS OF BIDDING DOCUMENTS</u>

- 7.1 The contents of Bidding Documents / Tender Documents are those stated below, and should be read in conjunction with any 'Clarifications' or 'Addendum / Corrigendum' issued in accordance with "ITB 8.0"
 - ➤ Information for Bidder [IFB]
 - ➤ Instructions to Bidders [ITB]



>	Bid Evaluation Criteria [BEC]	Section 1.1
>	Bid Evaluation Methodology	Section 1.2
>	General Condition of Contract [GCC]	Section 2
>	Special Conditions of Contract [SCC]	Section 3
>	Specifications, Drawing (wherever applicable) and	Section 4
	Scope of Services (wherever applicable)	
	Price Schedule/ Schedule of Rates	Section 5

- 7.2 The Bidder is expected to examine all instructions, forms, terms & conditions in the Bidding Documents. The Instructions to Bidders together with all its attachments thereto, shall be considered to be read, understood and accepted by the Bidders. Failure to furnish all information required by the Bidding Documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect will be at Bidder's risk and may result in the rejection of his Bid.
- 7.3 The Invitation for Bids (IFB), as provided in this document issued by the Owner, is also part of the Bidding Documents

8.0 <u>CLARIFICATION OF BIDDING DOCUMENTS</u>

- 8.1 A prospective Bidder requiring any clarification(s) of the Bidding Documents may notify Rajasthan state Gas Limited in writing or by fax or email at Rajasthan state Gas Limited' mailing address indicated in the **BDS** no later than 02 (two) days prior to pre-bid meeting (in cases where pre-bidmeeting is scheduled) or 05 (five) days prior to the bid closing date in caseswhere pre-bid meeting is not held. Rajasthan state Gas Limited reserves theright to ignore the bidders request for clarification if received after the
 - aforesaid period. Rajasthan state Gas Limited may respond in writing to therequest for clarification. Rajasthan state Gas Limited' response including anexplanation of the query, but without identifying the source of the query will be uploaded on Rajasthan state Gas Limited' and Government tendering websites, as mentioned in **BDS** / communicated to prospective bidders by e- mail/ fax.
- 8.2 Any clarification or information required by the Bidder but same not received by the Employer by way of above is liable to be considered as "no clarification / information required".
- **8.3** The Bidder shall submit their queries / clarifications to Rajasthan state GasLimited in the

format "F-18".

9.0 AMENDMENT OF BIDDING DOCUMENTS

9.1 At any time prior to the Due Date and Time of Bid Submission, Owner may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bidding Documents by addenda/ corrigendum.



- 9.2 Any addendum/ corrigendum thus issued shall be part of the Bidding Documents and shall be hosted on Rajasthan state Gas Limited' and Government tendering websites, as provided in **BDS**. Bidders have to take into account all such addendum/ corrigendum before submitting their bid.
- 9.3 The Employer, if it considers necessary, may extend the date of submissions of Bid in order to allow the Bidders a reasonable time to furnish their most competitive bid taking into account the amendment issued thereof.

[C]

– PREPARATION OF BIDS

10.0 LANGUAGE OF BID:

The bid prepared by the Bidder and all correspondence, drawing(s), document(s), certificate(s) etc. relating to the Bid exchanged by Bidder and Rajasthan state Gas Limited shall be written in English language only. In case a document, certificate, printed literature etc. furnished by the Bidder in in a language other than English, the same should be accompanied by an English translation duly authenticated by the Chamber of Commerce of Bidders Country, in which case, for the purpose of interpretation of the Bid, the English translation shall govern.



11.0 <u>DOCUMENTS COMPRISING THE BID</u>

11.1 In case the Bids are invited under the two Bid system, the Bid prepared by the Bidder shall comprise the following components.

11.1.1 PART-I: TECHNO-COMMERCIAL / UN-PRICED BID

11.1.1.1 PART-I: "TECHNO-COMMERCIAL / UN-PRICED BID"

Shall contain the following:

- a) 'Covering Letter' on Bidder's 'Letterhead' clearly specifying the enclosed contents.
- b) 'Bidder's General Information', as per 'Form F-1'.
- c) 'Bid Form', as per 'Form F-2'
- d) Copies of documents, as required in 'Form F-3'
- e) As a confirmation that the prices are quoted in requisite format complying with the requirements copy of Schedule of Rate (SOR) with prices blanked out mentioning quoted / not quoted (as applicable) written against each item.
- f) 'Letter of Authority' on the Letter Head, as per 'Form F-5'
- g) 'No Deviation Confirmation', as per 'Form F-6'
- h) 'Bidder's Declaration regarding Holiday/ Banning, Anti-Corruption, Conflict of Interest, Liquidation, Court Receivership and Bankruptcy', in 'Form F-7'
- i) 'Certificate for Non-Involvement of Government of India ' from Bidder, as per 'Form F-8'
- i) 'Agreed Terms and Conditions', as per 'Form F-10'
- k) ACKNOWLEDGEMENT CUM CONSENT LETTER', as per 'Form F-11'
- l) Duly attested [wherever attestation required] documents in accordance with the "BID EVALUATION CRITERIA [BEC]" establishing the qualification.
- m) Undertaking on the Letter head, as per the Form F-12.
- n) Power of Attorney /copy of Board Resolution, in favour of the authorized signatory of the Bid, as per clause no.2.7 of ITB
- o) Any other information/details required as per Bidding Document.
- p) EMD/ Bid Security in original as per Clause 16 of ITB [Note: Submission of Original is not applicable for online banking Transaction]
- q) All forms and Formats including Annexures.
- r) 'Indemnity Bond' as per 'Form F-19'
- s) All documents of Tender Document signed by the Authorized Signatory.
- t) Additional document specified in Bid Data Sheet (BDS), Special Conditions of Contract (SCC), Scope of Services, if any



11.1.1.2 PART-I of the bid must be submitted manually to Rajasthan state Gas Limited' as follows:

All the documents mentioned above at 11.1.1 should be submitted .The "authorized signatory" of the Bidder holding Power of Attorney must sign on all pages

bidders must submit the original "Bid Security / EMD (if applicable; submission of original is not applicable for online banking transaction), Power of Attorney, and any other documents specified in the bidding documents to address mentioned in Bid Data Sheet [BDS], Annexure-II of ITB in a sealed envelope, super scribing the Tender details & number within 7 days from the date of un-priced bid opening.

11.1.2 PART-II: PRICE BID

- 11.121 PART-II: PRICE BID of the Bid shall be submitted in separate sealed envelope along with tender document and shall contain Price Bid only. The Prices are to be submitted strictly in the Price Schedule/ Schedule of Rate (SOR) format of the Tender Document.
- i) Prices are to be submitted strictly as per the Schedule of Rate of the bidding documents The Price bid to be submitted in accordance with the SOR.
 - ii) Submission of prices in Unpriced bid shall lead to rejection of the bid. Rajasthan state Gas Limited shall not be responsible for any failure on the part of the bidder to follow the instructions.
 - iii) Bidders are advised NOT to mention Rebate/ Discount separately, either in the SOR format or anywhere else in the offer. In case Bidder(s) intend to offer any Rebate/ Discount, they should include the same in the item rate(s) itself under the "Schedule of Rates (SOR)" and indicate the discounted unit rate(s) only.
 - iv) If any unconditional rebate has been offered in the quoted rate, the same shall be considered in arriving at evaluated price. However, no cognizance shall be taken for any conditional discount for the purpose of evaluation of the bids.
 - v) In case, it is observed that any of the bidder(s) has/ have offered Suo-moto Discount/ Rebate after opening of un priced bid but before opening of price bids such discount /rebate(s) shall not be considered for evaluation. However, in the event of the bidder emerging as the lowest evaluated bidder without considering the discount/ rebate(s), then such discount/ rebate(s) offered by the bidder shall be considered for Award of Services and the same will be conclusive and binding on the bidder.
 - vi) In the event as a result of techno-commercial discussions or pursuant to seeking clarifications / confirmations from bidders, while evaluating the unpriced part of the bid, any of the bidders submits a sealed envelope stating that it contains revised prices;



- such bidder(s) will be requested to withdraw the revised pricesfailing which the bid will not be considered for further evaluation.
- vii) In case any bidder does not quote for any item(s) of "Schedule of Rates" and the estimated price impact is more than 10% of the quoted price, then the bid will be rejected. If such price impact of unquoted items is 10% or less of his quoted price, then the unquoteditem(s) shall be loaded highest of the price quoted by the other bidders. If such bidder happens to be lowest evaluated bidder, price of unquoted items shall be considered as included in the quoted bid price.
- 11.123 Bidders are requested to refer instructions for participating in Tendering.
- In case of bids invited under single bid system, a single envelope containing all documents specified at Clause 11.1.1 & 11.1.2 of ITB above form the bid. All corresponding conditions specified at Clause 11.1.1 & 11.1.2 of ITB shall become applicable in such a case.

12.0 SCHEDULE OF RATES / BID PRICES

- 12.1 Unless stated otherwise in the Bidding Documents, the Contract shall be for the whole works as described in Bidding Documents, based on the rates and prices submitted by the Bidder and accepted by the Employer. The prices quoted by the Bidders will be inclusive of all taxes except GST (CGST & SGST/UTGST or IGST).
- 12.2 Prices must be filled in format for "Schedule of Rates [SOR]" enclosed as part of Tender document. If quoted in separate typed sheets and any variation in item description, unit or quantity is noticed; the Bid is liable tobe rejected.
- 12.3 Bidder shall quote for all the items of "SOR" after careful analysis of cost involved for the performance of the completed item considering all parts of the Bidding Document. In case any activity though specifically not covered description of item under "SOR" but is required to complete the works as per Specifications, Scope of Work / Service, Standards, General Conditions of Contract ("GCC"), Special Conditions of Contract ("SCC") or any other part of Bidding Document, the prices quoted shall deemed to be inclusive of cost incurred for such activity.
- All duties, taxes and other levies [if any] payable by the Contractor under the Contract, or for any other cause except final GST (CGST & SGST/ UTGST or IGST) shall be included in the rates / prices and the total bid-price submitted by the Bidder. Applicable rate of GST (CGST & SGST/ UTGST or IGST) on the contract value shall be indicated in Agreed Terms & Conditions (Format given in the bidding document) and SOR. Rajasthan state Gas Limited GST numbers shall be provided on award.
- Prices quoted by the Bidder, shall remain firm and fixed and valid until completion of the Contract and will not be subject to variation on any



account. Any new taxes & Duties, if imposed by the State/ Govt. of India after due date of bid submission but before the Contractual Delivery Date, shall be reimbursed to the contractor on submission of documentary evidence for proof of payment to State/ Govt. Authorities and after ascertaining it's applicability with respect to the contract.

- 12.6 The Bidder shall quote the prices in 'figures' & words. There should not be any discrepancy between the prices indicated in figures and the priceindicated in words. In case of any discrepancy, the same shall be dealt as stipulated in ITB of bidding document.
- 12.7 Further, Bidder shall also mention the Service Accounting Codes (SAC) at the designated place in SOR.
- 12.8 The quantities shown against the various items are only approximate. Any increase or decrease in the quantities shall not form the basis of alteration of the rates quoted and accepted.
- 12.9 The EMPLOYER reserves the right to interpolate the rates for such items of work/service falling between similar items of lower and higher magnitude.

13.0 GST (CGST & SGST/ UTGST or IGST)

- 13.1 Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever GST (CGST & SGST/UTGST or IGST) is applicable.
- 13.2 Quoted prices should be inclusive of all taxes and duties, except GST (CGST & SGST or IGST or UTGST). Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods / Services only. Supplier of Goods / Services (Service Provider) providing taxable service shall issue an Invoice/Bill, as the case may be as per rules/ regulation of GST. Further, returns and details required to be filled under GST laws & rules should be timely filed by Supplier of Goods / Services (Service Provider) with requisite details.

Payments to Service Provider for claiming GST (CGST & SGST/UTGST or IGST) amount will be made provided the above formalities are fulfilled. Further, Rajasthan state Gas Limited may seek copies of challan and certificate from Chartered Accountant for deposit of GST (CGST & SGST/UTGST or IGST) collected from Owner.

In case CBEC (Central Board of Excise and Customs)/ any equivalent government agency brings to the notice of Rajasthan state Gas Limited thatthe Supplier of Goods / Services (Service Provider) has not remitted the amount towards GST (CGST & SGST/UTGST or IGST) collected from Rajasthan state Gas Limited to the government exchequer, then, that Supplier of Goods / Services (Service Provider) shall be put under Holiday



list of Rajasthan state Gas Limited for period of six months as mentioned in Procedure for Evaluation of Performance of Vendors/Suppliers/Contractors/ Consultants.

13.4 In case of statutory variation in GST (CGST & SGST/UTGST or IGST), other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods / Services (Service Provider)shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.

Beyond the contract period, any increase in the rate of GST (CGST & SGST/UTGST or IGST) beyond the contractual delivery period shall be to Service Provider's account whereas any decrease in the rate GST (CGST & SGST/UTGST or IGST) shall be passed on to the Owner.

Claim for payment of GST (CGST & SGST/UTGST or IGST)/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST (CGST & SGST/UTGST or IGST), otherwise claim in respect of above shall not be entertained for payment of arrears.

The base date for the purpose of applying statutory variation shall be the Bid Due Date.

13.5 Owner/Rajasthan state Gas Limited will reimburse GST (CGST & SGST/UTGST or IGST) to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of GST subject to the ceiling amount of GST (CGST &SGST/UTGST or IGST) as quoted by the bidder, subject to any statutory variations, except variations arising due to change in turnover. In case of any variation in the executed quantities (If directed and/or certified by the Engineer-In-Charge) the ceiling amount on which GST (CGST & SGST/UTGST or IGST) is applicable will be modified on pro-rata basis.

The bids will be evaluated based on total price including applicable GST(CGST & SGST/UTGST or IGST).

13.6 Rajasthan state Gas Limited will prefer to deal with registered supplier of goods/ services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.

However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST (CGST & SGST/UTGST or IGST) while evaluation of bid. .

13.7 In case Rajasthan state Gas Limited is required to pay entire/certain portion of applicable GST (CGST & SGST/UTGST or IGST) and remaining portion, if any, is to be deposited by Bidder directly as per GST (CGST & SGST/UTGST or IGST) laws, entire applicable rate/amount of GST (CGST & SGST/UTGST or IGST) to be indicated by bidder in the SOR.

Where Rajasthan state Gas Limited has the obligation to discharge GST (CGST & SGST/UTGST or IGST) liability under reverse charge mechanism and Rajasthan state Gas Limited has paid or is /liable to pay GST (CGST & SGST/UTGST or IGST) to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to Rajasthan state Gas Limited or ITC with



respect to such payments is not available to Rajasthan state Gas Limited for any reason which is not attributable to Rajasthan state Gas Limited, then Rajasthan state Gas Limited shall be entitled to deduct/ setoff /recover such amounts against any amounts paid or payable by Rajasthan state Gas Limited to Contractor / Supplier.

- 13.8 Contractor shall ensure timely submission of invoice(s) as per rules/ regulations of GST with all required supporting document(s) within a period specified in Contracts/ LOA to enable Rajasthan state Gas Limited to avail input tax credit. Further, returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.
- 13.9 In case the GST rating of vendor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by Rajasthan state Gas Limited. Further, in case rating of bidder is negative / black listed afteraward of work for supply of goods / services, then Rajasthan state Gas Limited shall not be obligated or liable to pay or reimburse GST to such vendor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by Rajasthan state Gas Limited.

13.10 Anti-profiteering clause

As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices. The Supplier of Goods may note the above and quote their prices accordingly.

- 13.11 In case the GST rating of vendor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by Rajasthan state Gas Limited. Further, in case rating of bidder is negative / black listed afteraward of work for supply of goods / services, then RAJASTHAN STATE shall not be obligated or liable to pay or reimburse GST to such vendor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by Rajasthan state Gas Limited.
- 13.12 GST (CGST & SGST/UTGST or IGST) is implemented w.e.f. 01.07.2017 which subsumed various indirect taxes and duties applicable before 01.07.2017. Accordingly, the provisions of General Condition of Contract relating to taxes and duties which are subsumed in GST are modified to aforesaid provisions mentioned in clause no. 12 and 13 of ITB.



14.0 **BID CURRENCIES:**

Bidders must submit bid in Indian Rupees only.

15.0 **BID VALIDITY**

- 15.1 Bids shall be kept valid for a period of 90 days from the Due Date of Bid Submission. A Bid valid for a shorter period may be rejected by Rajasthan state Gas Limited as 'non-responsive'.
- In exceptional circumstances, prior to expiry of the original 'Bid Validity Period', the Employer may request the Bidders to extend the 'Period of Bid Validity' for a specified additional period. The request and the responses thereto shall be made in writing or by fax/ email. A Bidder may refuse the request without forfeiture of his 'Bid Security'. A Bidder agreeing to the request will not be required or permitted to modify his Bid, but will be required to extend the validity of its 'Bid Security' for the period of the extension and in accordance with "ITB: Clause-16" in all respects.
- **16.0** EARNEST MONEY DEPOSIT/ BID SECURITY (FOR APPLICABILITY OF THIS CLAUSE REFER BID DATA SHEET(BDS))
- 16.1 Bids must be accompanied with 'Earnest Money Deposit/ Bid Security'in the form of 'Online Banking transaction', 'Demand Draft' or 'Banker's Cheque' [in favour of Rajasthan state Gas Limited, payable atthe place as defined in BDS)] or 'Bank Guarantee' or 'Letter of Credit' as per the format given in Form -4/4A of the bidding documents or) [in favour of Rajasthan state Gas Limited]. Please refer BDS for further details. Bidders shall ensure that 'Bid Security', having a validity of at least' two [02] months' beyond the validity of the bid, must accompany the Bid in the format(s) made available in the Bidding Document. Bid not accompanied with 'Bid Security', or 'Bid Security' not in requisite formshall be liable for rejection. The Bid Security shall be submitted in Indian Rupees only.

To enable the bidders to utilize online transaction option, Bank details of Rajasthan state Gas Limited is as specified in Bid Data Sheet [BDS].

Bidder is required to upload the successful Transaction Details along with their e-bid. In case of online transaction, submission of EMD in original isnot applicable.

- 16.2 The 'Bid Security' is required to protect Rajasthan state Gas Limited against the risk of Bidder's conduct, which would warrant the 'Bid Security's' forfeiture, pursuant to "ITB: Clause-16.7".
- 16.3 Rajasthan state Gas Limited shall not be liable to pay any Bank charges, commission or interest etc. on the amount of 'Bid Security'. In case 'Bid Security' is in the form of a 'Bank Guarantee', the same shall be from any



Indian scheduled Bank or a branch of an International Bank situated in India and registered with 'Reserve Bank of India' as Scheduled Foreign Bank. However, in case of 'Bank Guarantee' from Banks other than the Nationalized Indian Banks, the Bank must be commercial Bank having net worth in excess of Rs.100Crores [Rupees One Hundred Crores] or its equivalent in foreign currency and a declaration to this effect should be made by such commercial Bank either in the 'Bank Guarantee' itself or separately on its letterhead. 'Earnest Money / Bid Security' shall be valid for 'two [02] months' beyond the 'Bid Validity Period'

- Any Bid not secured in accordance with "ITB: Clause-16.1 & Clause-16.3" may be rejected by Rajasthan state Gas Limited as non-responsive.
- 16.5 Unsuccessful Bidder's 'Earnest Money Deposit' Bid Security' will be discharged' returned as promptly as possible, but not later than 'thirty [30] days' after finalization of tender.
- 16.6 The successful Bidder's 'Bid Security' will be discharged upon the Bidder's acknowledging the 'Award' and signing the 'Agreement' and furnishing the 'Contract Performance Guarantee / Security Deposit' pursuant to clause 36 & 37 of ITB.
- 16.7 Notwithstanding anything contained herein, the 'Bid Security' may also be forfeited in any of the following cases:
 - a) If a Bidder withdraws his Bid during the 'Period of Bid Validity'
 - b) If a Bidder has indulged in corrupt/fraudulent /collusive/coercive practice
 - c) If the Bidder modifies bids during the period of bid validity (after Due Date and Time for Bid Submission).
 - d) Violates any other condition, mentioned elsewhere in the tender document, which may lead to forfeiture of EMD.
 - e) In the case of a successful Bidder, if the Bidder fails to:
 - i) to furnish "Contract Performance Guarantee / Security Deposit", in accordance with "ITB: Clause-37"
 - ii) to accept 'arithmetical corrections' as per provision of the clause 30 of ITB.
- 16.8 Bid Security should be in favour of Rajasthan state Gas Limited and addressed to Rajasthan state Gas Limited. In case Bid Security is in the form of 'Bank Guarantee' or 'Letter of Credit', the same must indicate the Bid Document No. and the Services for which the Bidder is quoting. This is essential to have proper correlation at a later date. The 'Bid Security' should be in the form provided at 'Form F-4'/'Form F-4A'.
- 16.9 MSEs (Micro & Small Enterprises) are exempted from submission of EMD/ Bid Security as stipulated in Clause 39 of ITB. However, Traders/Dealers/ Distributors /Stockiest /Wholesaler are not entitled for exemption of EMD. The Government Departments/ PSUs are also exempted from the payment of Bid Security.



17.0 PRE-BID MEETING

- 17.1 The Bidder(s) or his designated representative are invited to attend a "Pre- Bid Meeting" which will be held at the time and address as specified in BDS. It is expected that a bidder shall not depute more than 02 representatives for the meeting.
- 17.2 Purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage and give hands-on tendering process. The Bidder must submit their queries / clarifications to Rajasthan state Gas Limited in the format "F-18", as mentioned at clause no. 8.0 of ITB.
- 17.3 Text of the questions raised and the responses given, together with any responses prepared after the meeting, will be uploaded on Rajasthan state Gas Limited tendering website against the Tender. Any modification of the Contents of Bidding Documents listed in "ITB: Clause-7.1", that may become necessary as a result of the Pre-Bid Meeting shall be made by the Employer exclusively through the issue of an Addendum / Corrigendum pursuant to "ITB: Clause-9", and not through the minutes of the Pre-Bid Meeting.
- 17.4 Non-attendance of the Pre-Bid Meeting will not be a cause for disqualification of Bidder.

18.0 FORMAT AND SIGNING OF BID

- 18.1 The Bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Bidder (as per POA). The name and position held by each person signing, must be typed or printed below the signature. All pages of the Bid except for un-amended printed literature where entry(s) or amendment(s) have been made shall be initialled by the person or persons signing the Bid.
- 18.2 The Bid shall contain no alterations, omissions, or additions, unless such corrections are initialled by the person or persons signing the Bid.

19.0 ZERO DEVIATION AND REJECTION CRITERIA

19.1 ZERO DEVIATION: Deviation to terms and conditions of "Bidding Documents" may lead to rejection of bid. Rajasthan state Gas Limited will accept bids based on terms & conditions of "Bidding Documents" only. Rajasthan state Gas Limited will determine the substantial responsiveness of each bid to the Bidding Documents pursuant to provision contained in clause 29 of ITB. For purpose of this, a substantially responsive bid is one which conforms to all terms and conditions of the Bidding Documents without deviations or reservations. Rajasthan state Gas Limited' determination of a bid's responsiveness is based on the content of the bid



itself without recourse to extrinsic evidence. Rajasthan state Gas Limited reserves the right to raise technical and/or commercial query(s), if required, on the bidder(s). The response(s) to the same shall be submitted in writing within the permitted time frame and no change in the price(s) or substance of the bids shall be sought, offered or permitted. The substance of the bid includes but not limited to prices, completion, scope, technical specifications, etc. Bidders are requested not to take any deviation/exception to the terms and conditions laid down in this "Tender Documents", and submit all requisite documents as mentioned in this "Tender Documents", failing which their offer will be liable for rejection. If a bidder does not reply to the queries in the permitted time frame then its bid shall be evaluated based on the documents available in the bid.

- **19.2 REJECTION CRITERIA:** Notwithstanding the above, deviation to the following clauses of Tender document shall lead to summarily rejection of Bid:
 - a) Firm Price
 - b) Earnest Money Deposit / Bid Security
 - c) Specifications & Scope of Services
 - d) Schedule of Rates / Price Schedule / Price Basis
 - e) Duration / Period of Contract/ Completion schedule
 - f) Period of Validity of Bid
 - g) Price Reduction Schedule
 - h) Contract Performance Bank Guarantee / Security Deposit
 - i) Guarantee / Defect Liability Period
 - j) Arbitration / Resolution of Dispute/Jurisdiction of Court
 - k) Force Majeure & Applicable Laws
 - 1) Payment terms
 - m) Any other condition specifically mentioned in the tender document elsewhere that non-compliance of the clause lead to rejection of bid
 - n) Submission of prices in un priced /technical Bid

Note: Further, it is once again reminded not to mention any condition in the Bidwhich is contradictory to the terms and conditions of Tender document.

20.0 E-PAYMENT

- 20.1 Rajasthan state Gas Limited has introduced payments to Suppliers and Contractors electronically, through 'e-banking'. The successful bidder should give the details of his bank account as per the bank mandate form.
- **20.2** Further, to promote cashless transactions, the onward payments by Contractors to their employees, service providers, sub-contractors and suppliers may be made through Cards and Digital means to the extent possible.

[D] <u>- SUBMISSION OF BIDS</u>

21.0 <u>BID SUBMISSION</u>



- 21.1 Bids shall be submitted through manual mode/hard copy in the manner specified elsewhere in tender document.
- 21.2 <u>Bidders are required to submit original Bid Security/ EMD, tender fee (as applicable)</u>, Power of Attorney and any other documents (as specified in the tender) at the address specified in BDS
- **21.3** Bids submitted under the name of AGENT/ CONSULTANT/REPRESENTATIVE/ RETAINER/ ASSOCIATE etc. on behalf of abidder/ affiliate shall not be accepted.

22.0 <u>DUE DATE AND TIME OF BID SUBMISSION</u>

- 22.1 The bids must be submitted through Manual mode/hard copy not later than the date and time specified in the tender documents/ BDS.
- 22.2 Rajasthan state Gas Limited may, in exceptional circumstances and at its discretion, extend the deadline for submission of Bids (clause 9 of ITB refers). In which case all rights and obligations of Rajasthan state Gas Limited and the Bidders, previously subject to the original deadline will thereafter be subject to the deadline as extended. Notice for extension of bid submission date will be uploaded on Rajasthan state Gas Limited' website/ Rajasthan state Gas Limited tender portal /communicated to the bidders.

23.0 LATE BIDS

23.1 Bidders must ensure submission of bids within the Due Date and Time of Bid Submission., Tendering system of Rajasthan state Gas Limited shall close immediately after the deadline for submission of bid and no bids can be submitted thereafter. Where the bid bond/ physical documents has been received but the bid is not submitted by the bidder in the e- tendering portal, such bid bond/ physical documents shall be returned/Rejected immediately.

24.0 MODIFICATION AND WITHDRAWAL OF BIDS

- 24.1 The bidder may withdraw or modify its bid after bid submission but before the Due Date and Time of Bid Submission as per tender document.
- 24.2 The modification shall also be prepared and uploaded in accordance with the provision of the clause 22 of ITB. No bid shall be modified/ withdrawn after the Due Date and Time of Bid Submission.
- 24.3 Withdrawal/ Modification/Substitution of a bid during the interval between the Due Date and Time for Bid Submission and the expiration of the Bid Validity Period shall result in



the bidder's forfeiture of his bid security pursuant to clause 16 of ITB andrejection of bid.

- 24.4 The latest bid submitted shall be considered for evaluation and all other bids shall be considered to be unconditionally withdrawn.
- In case after price bid opening the lowest evaluated bidder (L1) is not awarded the job for any mistake committed by him in bidding or withdrawal of bid or modification of bid or varying any term in regard thereof leading to re-tendering, Rajasthan state Gas Limited shall forfeit EMD paid by the bidder and such bidders shall be debarred from participation in re-tendering of the same job(s)/item(s). Further, such bidder will be put on holiday for a period of six months after following the due procedure as per Annexure-IV of ITB.

25.0 EMPLOYER'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS

Rajasthan state Gas Limited reserves the right to accept or reject any Bid, and to annul the Bidding process and reject all Bids, at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligations to inform the affected Bidder or Bidders of the ground for Rajasthan state Gas Limited' action. However, Bidder if so, desire may seek the reason (in writing) for rejection of their Bid to which Rajasthan state Gas Limited shall reserve the right to respond or reject.

BID OPENING AND EVALUATION

26.0 BID OPENING

26.1 *Unpriced Bid Opening:* Rajasthan state Gas Limited will open bids, in the presence of bidders' designated representatives who choose to attend, at date, time and location stipulated in the BDS. The bidders' representatives, who are present shall sign a bid opening statement/ register evidencing their attendance.

26.2 Price Bid Opening:

- Rajasthan state Gas Limited will open the price bids of those bidders who meet the qualification requirement and whose bids are determined to be technically and commercially responsive. Bidders selected for opening of their price bids shall be informed about the date of price bid opening. Bidders may depute their authorized representative to attend the bid opening. The bidders' representatives, who are present shall sign a register evidencing their attendance and may be required to be present on a short notice.
- 2622 The price bids of those bidders who were not found to be techno-commercially responsive shall be unopened.
- 26.3 In case of bids invited under the single bid system, bid shall be opened on the specified due date & time.



27.0 <u>CONFIDENTIALITY</u>:

- **During Bid Process:** Information relating to the examination, clarification, evaluation,
 - and comparison of Bids, and recommendations for the award of a Contract, shall not be disclosed to any person(s) not officially concerned with such process.
- **Post Award of Contract**: The CONTRACTOR shall not communicate or use in advertising, publicity, sales releases or in any other medium, photographs, or other reproduction of the work/services under this CONTRACT or description of the site dimensions, quantity, quality or other information, concerning the work/services unless prior written permission has been obtained from the EMPLOYER.

28.0 CONTACTING THE EMPLOYER

- **28.1** From the time of Bid opening to the time of award of Contract, if any Bidder wishes to contact the Employer on any matter related to the Bid, it should do so in writing.
- Any effort by the Bidder to influence the Employer in the Employer's 'Bid Evaluation', 'Bid Comparison', or 'Contract Award' decisions may result in the rejection of the Bidder's Bid and action shall be initiated as per procedure in this regard.

29.0 EXAMINATION OF BIDS AND DETERMINATION OF RESPONSIVENESS

- 29.1 The Owner's determination of a bid's responsiveness is based on the content of the bid only. Prior to the detailed evaluation of Bids, the Employer will determine whether each Bid
 - a) Meets the "Bid Evaluation Criteria" of the Bidding Documents;
 - b) Has been properly signed;
 - c) Is accompanied by the required 'Earnest Money / Bid Security';
 - d) Is substantially responsive to the requirements of the Bidding Documents; and
 - e) Provides any clarification and/or substantiation that the Employer may require to determine responsiveness pursuant to "ITB: Clause-29.2"



- 29.2 A substantially responsive Bid is one which conforms to all the terms, conditions and specifications of the Bidding Documents without material deviations or reservations or omissions. For this purpose, Employer definesthe foregoing terms below:
 - a) "Deviation" is departure from the requirement specified in the tender documents.
 - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirement in the tender documents.
 - c) "Omission" is the failure to submit part or all of the information or documentation required in the tender document.
- 29.3 A material deviation, reservation or omission is one that,
 - a) If accepted would,
 - i) Affect in any substantial way the scope, quality, or performance of the job as specified in tender documents.
 - ii) Limit, in any substantial way, inconsistent with the Tender Document, the Employer's rights or the tenderer's obligations under the proposed Contract.
 - b) If rectified, would unfairly affect the competitive position of other bidders presenting substantially responsive bids.
- 29.4 The Employer shall examine all aspects of the bid to confirm that all requirements have been met without any material deviation, reservation or omission.
- 29.5 If a Bid is not substantially responsive, it may be rejected by the Employer and may not subsequently be made responsive by correction or withdrawal of the material deviation, reservation or omission.

30.0 CORRECTION OF ERRORS

- 30.1 Bids determined to be substantially responsive will be checked by the Employer for any arithmetic errors. Errors will be corrected by the Employer as follows:
 - i) When there is a difference between the rates in figures and words, the rate which corresponds to the amount worked out by the contractor (by multiplying the quantity and rate) shall be taken as correct.
 - ii) When the rate quoted by the contractor in figures and words tallies but the amount is incorrect, the rate quoted by the contractor shall be taken as correct and not the amount and the amount will be corrected accordingly.
 - When it is not possible to ascertain the correct rate, in the manner prescribed above, the rate as quoted in words shall be taken as correct and the amount will be corrected accordingly.
 - iv) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall becorrected
- 30.2 The amount stated in the bid will be adjusted by the Employer in accordance with the above procedure for the correction of errors. If the bidder does not accept the corrected amount of bid, its bid will be rejected, and the bid security shall be forfeited.



31.0 EVALUATION AND COMPARISON OF BIDS

Bid shall be evaluated as per evaluation criteria mentioned in Section 1.1 of bidding documents.

32.0 <u>COMPENSATION FOR EXTENDED STAY (FOR APPLICABILITY OF THIS CLAUSE REFER BDS):-</u>

32.1 In the event of the time of completions of work getting delayed beyond the time schedule indicated in the bidding document plus a grace period equivalent to 1/5th of the time schedule or 2 months whichever is more, due to reasons solely attributable to Employer, the Contractor shall be paid compensation for extended stay (ESC) to maintain necessary organizational set up and construction tools, tackles, equipment etc. at site of work.

The bidder is required to specify the rate for ESC on per month basis in the "PRICE PART" of his bid, which shall be considered for loading on total quoted price during price bid evaluation. The loading shall be done of a period of 1/5th of the time schedule or 1 month whichever is less. In case bidder does not indicate the rate for ESC in price part of

his bid, it will be presumed that no ESC is required by the bidder and evaluation shall be carried out accordingly.

[F] <u>- AWARD OF CONTRACT</u>

33.0 AWARD

Subject to "ITB: Clause-29", Rajasthan state Gas Limited will award the Contract to the successful Bidder whose Bid has been determined to be substantially responsive and has been determined as the lowest evaluated Bid.

34.0 NOTIFICATION OF AWARD / FAX OF ACCEPTANCE

- 34.1 Prior to the expiry of 'Period of Bid Validity', Notification of Award for acceptance of the Bid will be intimated to the successful Bidder by Rajasthan state Gas Limited either by Fax / E mail / Letter or like means defined as the "Fax of Acceptance (FOA)". The Contract shall enter into force on the date of FOA and the same shall be binding on Rajasthan state Gas Limited and successful Bidder (i.e. Supplier/Seller). The Notification of Award/FOA will constitute the formation of a Contract. The detailed Letter of Acceptance (LOA) / Purchase Order /Contract shall be issued thereafter incorporating terms & conditions of Tender Document, Corrigendum, Clarification(s), Bid and agreed variation(s)/acceptable deviation(s), if any. Rajasthan state Gas Limited may choose to issue Notification of Award in form of detailed LOA / Purchase Order without issuing FOA and in such case the Contract shall enter into force on the date of detailed Purchase Order only.
- 34.2 Contract period shall commence from the date of "Notification of Award" /"Fax of Acceptance" or as mentioned in the Notification of Award / Fax of Acceptance. The "Notification of Award" will constitute the formation of a Contract, until the Contract



has been effected pursuant to signing of Contract as per "ITB: Clause-36".

Upon the successful Bidder's / Contractor's furnishing of 'Contract Performance Guarantee / Security Deposit', pursuant to "ITB: Clause-37", Rajasthan state Gas Limited will promptly discharge his 'Earnest Money / Bid Security', pursuant to "ITB: Clause-16"

33 <u>SIGNING OF AGREEMENT</u>

- 33.1 Rajasthan state Gas Limited will award the Contract to the successful Bidder, who, within 'fifteen [15] days' of receipt of the same, shall sign and return the acknowledged copy to Rajasthan state Gas Limited.
- 33.2 The successful Bidder/ Contractor shall be required to execute an 'Agreement' in the proforma given in this Bidding Document on a 'non- judicial stamp paper' of appropriate value [cost of the 'stamp-paper' shall beborne by the successful Bidder/ Contractor] and of 'state' specified in Bid Data Sheet (BDS) only, within 'fifteen [15] days' of receipt of the "Letter of Acceptance [LOA]" of the Tender by the successful Bidder/ Contractor. Failure on the part of the successful Bidder/ Contractor to sign the 'Agreement' within the above stipulated period, shall constitute sufficient grounds for forfeiture of EMD/ Security Deposit.

34 <u>CONTRACT PERFORMANCE GUARANTEE/ SECURITY DEPOSIT</u>

- 34.1 Within 30 days of the receipt of the notification of award/ FOA from Rajasthan state Gas Limited, the successful Bidder shall furnish the Contract Performance Guarantee/Security Deposit. The Contract Performance Guarantee shall be in the form of either Banker's Cheque or Demand Draft or Bank Guarantee or Letter of Credit and shall be in the currency of the Contract. However, CPG/SD shall not be applicable in cases wherein the individual order value as specified in Notification of Award is upto INR 5 Lakh (excluding GST).
- 34.2 The Contract Performance Guarantee shall be for an amount as specified inBDS towards faithful performance of the contractual obligations and performance of equipment/material. For the purpose of Contract Performance Guarantee, Contract Value shall be exclusive of taxes and duties / GST (CGST & SGST/UTGST or IGST).
- 34.3 Bank Guarantee towards Contract Performance Guarantee shall be from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve bank of India as scheduled foreign bank in case of Indian bidder as well as foreign bidder. However, in case of bankguarantees from banks other than the Nationalized Indian banks, the bank must be a commercial bank having net worth in excess of Rs 100 crores or its equivalent in foreign currency and a declaration to this effect should be made by such commercial bank either in the Bank Guarantee itself or separately on its letterhead. This bank guarantee shall be valid for a period as three months beyond the Warranty/ Guarantee Period specified in Tender Document.
- 34.4 Failure of the successful Bidder to comply with the requirements of this article shall



constitute sufficient grounds for the annulment of the award and forfeiture of the EMD.

- 34.5 The Contract Performance Guarantee has to cover the entire contract value including extra works/services also. As long as the Contract Performance Guarantee submitted at the time of award take cares the extra works/ services executed and total executed value are within the awarded contract price, there is no need for additional Contract Performance Guarantee. As soon as the total executed value is likely to burst the ceiling of awarded contract price, the contractor should furnish additional Contract Performance Guarantee.
- **34.6** Further, the bidder can submit CPBG on line through issuing bank to Rajasthan state Gas Limited directly as per Ministry of Finance (MOF) Department of financial service direction vide letter ref number F.No.7/112/2011-BOA dated 17th July 2012. In such cases confirmation will not be sought from issuing banker by Rajasthan state Gas Limited.

35.0 PROCEDURE FOR ACTION IN CASE CORRUPT/ FRAUDULENT /COLLUSIVE/ COERCIVE PRACTICES

- 35.1 Procedure for action in case Corrupt/ Fraudulent/Collusive/Coercive Practices is enclosed at Annexure-III.
- 35.2 The Fraud Prevention Policy document is available on Gail gas web site shall be applicable which shall be applicable for RSGL on mutatismutandis basis.
- 36.0 NON-<u>APPLICABILITY</u> OF ARBITRATION CLAUSE IN CASE OF BANNING OF VENDORS/ SUPPLIERS / CONTRACTORS /BIDDERS/ CONSULTANTS INDULGED IN FRAUDULENT/ COERCIVE PRACTICES:

Notwithstanding anything contained contrary in GCC and other "CONTRACT DOCUMENTS", in case it is found that the Vendors/ Suppliers / Contractors/Bidders/ Consultants indulged in fraudulent/ coercive practices at the time of bidding, during execution of the contract etc., and/or on other grounds as mentioned in Rajasthan state Gas Limited' "Procedure for action in case Corrupt/Fraudulent/Collusive/Coercive Practices" (Annexure-III), the contractor/bidder shall be banned (in terms of aforesaid procedure) from the date of issuance of such order by Rajasthan state Gas Limited Ltd., to such Vendors/ Suppliers / Contractors/Bidders/ Consultants.

The Vendor/ Supplier / Contractor/ Bidder/Consultant understands and agrees that in such cases where Vendor/ Supplier / Contractor/ Bidder/Consultant has been banned (in terms of aforesaid procedure) from the date of issuance of such order by Rajasthan state Gas Limited, such decision of Rajasthan state Gas Limited shall be final and binding on such Vendor/ Supplier / Contractor/ Bidder/Consultant and the 'Arbitration clause' in the GCC and other "CONTRACT DOCUMENTS" shall not be applicable for any consequential issue /dispute arising in the matter.



37.0 AHR ITEMS

39.1 In item rate contract where the quoted rates for the items exceed 50% of the estimate rates, such items will be considered as Abnormally High Rates(AHR) items and payment of AHR items beyond the SOR stipulated quantities shall be made at the lowest amongst the following rates:

- I. Rates as per SOR, quoted by the Contractor/Bidder.
- II. Rate of the item, which shall be derived as follows:
 - a) Based on rates of Machine and labour as available from the contract (which includes contractor's supervision, profit, overheads and other expenses).
 - b) In case rates are not available in the contract, rates will be calculated based on prevailing market rates of machine, material and labour plus 15% to cover contractor's supervision profit, overhead & other expenses.

38 <u>VENDOR PERFORMANCE EVALUATION</u>

The procedure for evaluation of performance of Supplier containing provisions for putting a Bidder / Supplier on suspension and/or holiday list (as the case may be) is enclosed as Annexure IV.

39 INCOME TAX & CORPORATE TAX

Income tax deduction shall be made from all payments made to the contractor as per the rules and regulations in force and in accordance with the Income Tax Act prevailing from time to time.

- 39.1 Corporate Tax liability, if any, shall be to the contractor's account.
- 39.2 TDS, wherever applicable, shall be deducted as per applicable act/law/rule.

39.3 MENTIONING OF PAN NO. IN INVOICE/BILL

As per CBDT Notification No. 95/2015 dated 30.12.2015, mentioning of PAN no. is mandatory for procurement of goods/services/works/consultancy services exceeding Rs. cs per transaction.

Accordingly, service provider should mention their PAN no. in their invoice/ bill for any transaction exceeding Rs. 2 lakhs. As provided in the notification, in case service provider do not have PAN no., they have to submit declaration in Form 60 along with invoice/ bill for each transaction.

Payment of supplier/ contractor / service provider/ consultant shall be processed only after fulfilment of above requirement.

40.0 SETTLEMENT OF COMMERCIAL DISPUTES BETWEEN PUBLIC SECTOR ENTERPRISE(S) INTER-SE AND PUBLIC SECTOR ENTERPRISE(S) AND GOVERNMENT DEPARTMENT (S) THROUGH PERMANENT MACHINERY OF ARBITRATION (PMA) IN THE



DEPARTMENT OF PUBLIC ENTERPRISES

In the event of any dispute or difference relating to the interpretation and application of the provisions of the Contracts, such dispute or difference shall be referred by either party for Arbitration to the sole Arbitrator in the Department of Public Enterprises to be nominated by the Secretary to the Government of India in-charge of the Department of Public Enterprises. The Arbitration and Conciliation Act, 1996 shall not be applicable to arbitrator under this clause. The award of the Arbitrator shall be binding upon the parties to the dispute, provided, however, any party aggrieved by such award may make a further reference for setting aside or revision of theaward to the Law Secretary, Department of Legal Affairs, Ministry of Law & Justice, Government of India. Upon such reference the dispute shall be decided by the Law Secretary or the Special Secretary / Additional Secretary, when so authorized by the Law Secretary, whose decision shall bind the Parties finally and conclusively. The parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.

41.0 DISPUTE RESOLUTION (ADDENDUM TO PROVISION REGARDING APPLICABLE LAWS AND SETTLEMENT OF DISPUTES OF GCC) (RULES FRAMED BY GAIL GAS LTD. SHALL BE APPLICABLE FOR RSGL ALSO AS DEFINED BELOW ON MUTATIS-MUTANDIS BASIS)

GAIL Gas ltd. has framed the Conciliation Rules 2013 in conformity with supplementary to Part – III of the Indian Arbitration and Conciliation Act 1996 for speedier, cost effective and amicable settlement of disputes through conciliation. A copy of the said rules made available on GAIL gas web site for reference. Unless otherwise specified, the matters where decision of the Engineer-in-Charge is deemed to be final and binding as provided in the Agreement and the issues/disputes which cannot be mutually resolved within a reasonable time, all disputes shall be settled in accordance with the Conciliation Rules 2013.

- 42.0 Any dispute(s)/difference(s)/issue(s) of any kind whatsoever between/ amongst the Parties arising under/out of/in connection with this contract shall be settled in accordance with the afore said rules 3.0
- 42.1 In case of any dispute(s)/difference(s)/issue(s), a Party shall notify the other Party (ies) in writing about such a dispute(s)/ difference(s) / issue(s) between / amongst the Parties and that such a Party wishes to refer the dispute(s)/difference(s)/issue(s) to Conciliation. Such invitation for Conciliation shall contain sufficient information as to the dispute(s)/difference(s)/issue(s) to enable the other Party (ies) to be fully informed as to the nature of the dispute(s)/difference(s)/issue(s), the amount of monetary claim, if any, and apparent cause(s) of action.
- 42.2 Conciliation proceedings commence when the other Party(ies) accept(s) the invitation to conciliate and confirmed in writing. If the other Party (ies) reject(s) the invitation, there will be no conciliation proceedings.
- 42.3 If the Party initiating conciliation does not receive a reply within thirty days from the date on which he/she sends the invitation, or within such other period of time as specified in the invitation, he/she may elect to treat this as a rejection of the invitation to conciliate. If he/she so elects, he/she shall inform the other Party(ies) accordingly.



- Where Invitation for Conciliation has been furnished, the Parties shall attempt to settle such dispute(s) amicably under Part-III of the Indian Arbitration and Conciliation Act, 1996 and GAIL Gas Conciliation Rules, 2013 (Applicable for RSGL). It would be only after exhausting the option of Conciliation as an Alternate Dispute Resolution Mechanism that the Parties heretoshall go for Arbitration. For the purpose of this clause, the option of "Conciliation"shall be deemed to have been exhausted, even in case of rejection of "Conciliation"by any of the Parties.
- 43.0 The cost of Conciliation proceedings including but not limited to fees for Conciliator(s), Airfare, Local Transport, Accommodation, cost towards conference facility etc. shall be borne by the Parties equally.

The Parties shall freeze claim(s) of interest, if any, and shall not claim the same during the pendency of Conciliation proceedings. The Settlement Agreement, as and when reached/agreed upon, shall be signed between the Parties and Conciliation proceedings shall stand terminated on the date of the Settlement Agreement.



44 <u>INAM-PRO (PLATFORM FOR INFRASTRUCTURE & MATERIALS PROVIDERS)</u>


INAM-Pro (Platform for infrastructure and materials providers) is a web based platform for infrastructure provides and materials suppliers and was developed by Ministry of Road Transport and Highways (MoRT&H) witha view to reduce project execution delays on account of supply shortages and inspire greater confidence in contractors to procure cement to start with directly from the manufacturers. Presently, numerous cement companies are registered in the portal and offering cement for sale on the portal with a commitment period of 3 years. These companies have bound themselves by ceiling rates for the entire commitment period, wherein they are allowedto reduce or increase their cement rates any number of times within the ceiling rate, but are not permitted to exceed the said ceiling rate.

MoRT&H is expanding the reach of this web-portal by increasing both the product width as well as the product depth. They are working on incorporating 60 plus product categories. The product range will span from large machineries like Earth Movers and Concrete Mixers, to even the smallest items like road studs. MoRT&H intend to turn it into a portal which services every infrastructure development related need of a modern contractor.

Rajasthan state Gas Limited's contractors may use this innovative platform, wherever applicable. The usage of web – Portal is a completely voluntary exercise. The platform, however, can serve as a benchmark for comparison of offered prices and products.

45.0 CONTRACTOR TO ENGAGE CONTRACT MANPOWER BELONGING TO SCHEDULED CASTES AND WEAKER SECTIONS OF THE SOCIETY

While engaging the contractual manpower, Contractors are required to make efforts to provide opportunity of employment to the people belonging to Scheduled Castes and weaker sections of the society also in order to have a fair representation of these sections.





Annexure-I

Bid Data Sheet (BDS)
[ITB to be read in conjunction with BDS]



TB clause	Description						
	A. GENERAL						
1.1	The Purchaser is: Rajasthan state Gas Limited						
	The name of the Works/Services to be performed is:						
1.2	Construction of De-compression unit (DCU) at RSGL Sirol Site, Gwalior.						
	Site Address :						
	Plot no. 340/2, Near Om Raj Avenue Sirol, Gwalior (M.P) 474001 District – Gwalior State – Madhya Pradesh						
	Bid from a Joint Venture/Consortium						
3.0	APPLICABLE x						
	NOT APPLICABLE						
	B. BIDDING DOCUMENT						
	For <u>clarification purposes</u> only, the communication address is:						
	Vivek Shrivastava						
	DGM (C&P) RAJASTHAN STATE GAS LIMITED						
	Email: viveks.rsgl@rajasthan.gov.in						
8.1	Khaniz Bhawan,						
	Tilak Marg, C-Scheme						
	Jaipur - 302005						
	Websites: https://rsgl.rajasthan.gov.in						
	C. PREPARATION OF BIDS						
11.1.1 .1	The Bidder shall submit with its Techno-commercial/ Unpriced bid the following additional documents as per SCCNil						
12.0	Additional Provision for Schedule of Rate/ Bid Price are as under:						
	NiL						



13 & 14	Whether Rajasthan state Gas Limited will be able to avail input tax credit in the instant tenderNO
	Applicability of EMD/ Bid Security : APPLICABLE
16.1	
	Date, Time and Venue of Pre-Bid meeting
	Date and Time: 12-08-2025 /15:00 hrs.
17.0	Rajasthan state Gas Limited
	Khaniz Bhawan, Tilak Marg, C-Scheme
	Jaipur - 302005
	D. SUBMISSION AND OPENING OF BIDS
21.0	The Tender No. of this bidding process is: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 Dated: 06-08-2025
	For bid submission purposes only, the Owner's contact details are as below:
	Dy. General Manager (C&P) Rajasthan state Gas Limited,
21.2	Khaniz Bhawan,
	Tilak Marg, C-Scheme
	Jaipur - 302005
22.1	Due Date and Time of Bid Submission: 21-08-2025 /14:00 Hrs.
	The Unpriced bid opening shall take place at: Date: 21-08-2025
	Time: 1500 hours
26.0	Rajasthan state Gas Limited, Khaniz
	Bhawan, Tilak Marg, C-Scheme
	Jaipur - 302005
	E. EVALUATION AND COMPARISON OF BIDS
ITB clause	Description
31.0	Evaluation Methodology is mentioned in Section 1.2 of ITB.
32.0	Compensation for Extended Stay: NOT APPLICABLE
33.0	Rajasthan Stamp duty act is applicable.
	F. AWARD OF CONTRACT



37.0	Contract Performance Guarantee / Security Deposit :APPLICABLE Pursuant to Clause No. 24 of GCC-Works, Bidder will provide Performance Guarantee of 10% of Contract value within 30 days of award The contract
	performance bank Guarantee shall be valid 03 (three) months beyond the expiry of defect liability period.
	While issuing bank Guarantee applicant must mention receiver's details as ICICI Bank account No. 678605600349, IFSC ICIC0006786, BranchKhaniz Bhawan -Tilak Marg, C-scheme Jaipur, in BG text at which SFMS IFN 760 message to be send by issuing bank, to establish the authenticity of given BG.
39.0	Whether tendered item is non-split able or non-divisible: YES
40.0	Provision of AHR Item: APPLICABLE
Clause no. 27.3 of GCC	BONUS FOR EARLY COMPLETION: NOT APPLICABLE



Annexure-II

Procedure for Action in Case of Corrupt/ Fraudulent/ Collusive/ Coercive Practices



Introduction:

In the endeavour to maintain and foster most ethical and corruption free business environment, this Banning Procedure containing provision for putting a Vendor/Supplier on Suspension and/or banning list if such agency indulges in corrupt/fraudulent/collusive/coercive practice is being followed.

A] Definitions:

- **A.1** "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, anything of value to improperly influence the actions in selection process or in contract execution.
 - "Corrupt Practice" also includes any omission for misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained or an obligation avoided.
- A2 "Fraudulent Practice" means and include any act or omission committed by a agency or with his connivance or by his agent by misrepresenting/ submitting false documents and/ or false information or concealment of facts or to deceive in order to influence a selection process or during execution of contract/ order.
- A3 "Collusive Practice amongst bidders (prior to or after bid submission)" means a scheme or arrangement designed to establish bid prices at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition.
- A4 "Coercive practice" means impairing or harming or threatening to impair or harm directly or indirectly, any agency or its property to influence the improperly actions of an agency, obstruction of any investigation or auditing of a procurement process.
- **A5** "Vendor/Supplier/Contractor/Consultant/Bidder" is herein after referred as "Agency"
- **A6** "Appellate Authority" shall mean Committee of Directors of Rajasthan state GasLimited
- A7 "Competent Authority" shall mean the authority, who is competent to take final decision for Suspension of business dealing with an Agency/ ies and Banning of business dealings with Agency/ ies,



- A8 "Allied Agency" shall mean all the concerns within the sphere of effective influence of banned/ suspended agencies. In determining this, the following factors may be taken into consideration:
 - (a) Whether the management is common;
 - (b) Majority interest in the management is held by the partners or directors of banned/ suspended firm.
 - (c) substantial or majority shares are owned by banned/ suspended agency and by virtue of this it has a controlling voice.
- A9 "Investigating Agency" shall mean any department or unit of RAJASTHAN STATE/Rajasthan state Gas Limited investigating into the conduct of Agency/ party and shall include the Vigilance Department of the RAJASTHAN STATE/Rajasthan state Gas Limited, Central Bureau of Investigation, State Police or any other agency set up by the Central or state government having power to investigate.
- B] Actions against bidder(s) indulging in corrupt /fraudulent/ collusive/ coercive practice

B1 Irregularities noticed during the evaluation of the bids:

If it is observed during bidding process/ bids evaluation stage that a bidder has indulged in corrupt/fraudulent /collusive/coercive practice, the bid of such Bidder (s) shall be rejected and its Earnest Money Deposit (EMD) shall be forfeited.

Further, such agency shall be banned for future business with Rajasthan state Gas Limited for a period specified in para B.2.2 below from the date of issue of banning order.

B2 Irregularities noticed after award of contract

(i) During execution of contract:

If an agency, is found to have indulged in corrupt/fraudulent/collusive/coercive practices, during execution of contract, the agency shall be banned for future business with Rajasthan state Gas Limited for a period specified in para B.2.2 below from the date of issue of banning order.

The concerned order (s)/ contract(s) where corrupt/ fraudulent/ collusive practices is observed, shall be suspended with immediate effect by Engineer-in-Charge (EIC)/ Employer whereby the supply/ work/ service and payment etc. will be suspended. The action shall be initiated for putting the agency on banning.



After conclusion of process, the order (s)/ contract (s) where it is concluded that such irregularities have been committed shall be terminated and Contract Performance Guarantee submitted by agencyagainst such order (s)/ contract (s) shall also be forfeited. The amount that may have become due to the contractor on account of work already executed by him shall be payable to the contractor and this amount shall be subject to adjustment against any amounts due from the contractor under the terms of the contract.

No risk and cost provision will be enforced in such cases.

(ii) After execution of contract and during Defect liability period (DLP)/ Warranty/Guarantee Period:

If an agency is found to have indulged in corrupt/ fraudulent/ collusive/ coercive practices, after execution of contract and during DLP/ Warranty/ Guarantee Period, the agency shall be banned for future business with Rajasthan state Gas Limited for a period specified in para B.2.2 below from the date of issue of banning order.

Further, the Contract Performance Guarantee submitted by agency against such order (s)/contract (s) shall be forfeited.

(iii) After expiry of Defect liability period (DLP)/ Warranty/Guarantee Period

If an agency is found to have indulged in corrupt/fraudulent/collusive/coercive practices, after expiry of Defect liability period (DLP)/Warranty/Guarantee Period, the agency shall be banned for future business with Rajasthan state Gas Limited for a period specified in para B. 2.2 below from the date of issue of banning order.

B.2.2 Period of Banning

The period of banning of agencies indulged in Corrupt /Fraudulent /Collusive /Coercive Practices shall be as under and to be reckoned from the date of banning order:

		Period of
Sl	Sl. No. Description	banning from the
No.		date of issuance
		of Banning order



1	Misrepresentation/False information other thanpertaining to BEC of tender but having impact on the selection process. For example, if an agency confirms not being in holiday/banning list of M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited., liquidation, bankruptcy etc. and subsequently it is found otherwise, such acts shall be considered in this category.	02 years
2	Corrupt/Fraudulent (pertaining to BEC of tender) /Collusive/Coercive Practices	03 years
2.1	If an agency again commits Corrupt/Fraudulent (pertaining to BEC of tender) /Collusive/ Coercive Practices in subsequent cases after their banning, such situation of repeated offense to be dealt with more severity and following shall be the period of banning:	
	(i) Repeated once	7 years (in addition to the period already served)
	(ii) Repeated twice or more	15 years (in addition to the period already served)
3	Indulged in unauthorized disposal of materials provided by Rajasthan state Gas Limited	7 years
4	If act of vendor/ contractor is a threat to the National Security	15 years
5	Corrupt/Fraudulent/Collusive/Coercive Practices during execution of contract	02 years

In exceptional cases where the act of vendor/ contractor is a threat to the National Security, the banning shall be for indefinite period.

C] Effect of banning on other ongoing contracts/ tenders

- C.1 If an agency is put on Banning, such agency should not be considered in ongoing tenders/future tenders.
- C2 However, if such an agency is already executing other order (s)/ contract (s) where no corrupt/fraudulent/ collusive/coercive practice is found, the agency should be allowed to continue till its completion without any further increase in scope except those incidental to original scope mentioned in the contract.



- C3 If an agency is put on the Banning List during tendering and no irregularity is found in the case under process:
- **C.3.1** after issue of the enquiry /bid/tender but before opening of Technical bid, the bid submitted by the agency shall be ignored.
- **C.3.2** after opening Technical bid but before opening the Price bid, the Price bid of the agency shall not be opened and BG/EMD submitted by the agency shall be returned to the agency.
- C.3.3 after opening of price, BG/EMD made by the agency shall be returned; the offer of the agency shall be ignored & will not be further evaluated. If the agency is put on banning list for fraud/mis-appropriation of facts committed in the same tender/other tender where errant agency emerges as the lowest (L1), then such tender shall also be cancelled and re-invited.

D] Procedure for Suspension of Bidder

D.1 Initiation of Suspension

Action for suspension business dealing with any agency/ (ies) shall be initiated by C&P Department when

- (i) Corporate Vigilance Department based on the fact of the case gathered during investigation by them recommend for specific immediate action against the agency.
- (ii) Corporate Vigilance Department based on the input from Investigating agency, forward for specific immediate action against the agency.

D2 Suspension Procedure:

- D.2.1 The order of suspension would operate initially for a period not more than six months and will be communicated to the agency and also to Corporate Vigilance Department. Period of suspension may be extended by one month at a time with a ceiling of six months pending a conclusive decision to put the agency on banning list.
- D.2.2 During the period of suspension, no new business dealing may be held with the agency.
- D.2.3 Period of suspension will be accounted for in the final order passed for banning of business with the agency.



- D.2.4 The decision regarding suspension of business dealings should also be communicated to the agency.
- D.2.5 If a prima-facie, case is made out that the agency is guilty on the grounds which can result in banning of business dealings, proposal for issuance of suspension order and show cause notice shall be put up to the Competent Authority. The suspension order and show cause notice must include that (i) the agency is put on suspension list and (ii) why action should not be taken for banning the agency for future business from Rajasthan state Gas Limited.

The competent authority to approve the suspension will be same as that for according approval for banning.

D3 Effect of Suspension of business:

Effect of suspension on other on-going/future tenders will be as under:

- D.3.1 No enquiry/bid/tender shall be entertained from an agency as long as the name of agency appears in the Suspension List.
 - D.3.2 If an agency is put on the Suspension List during tendering:
 - D.3.2.1 after issue of the enquiry /bid/tender but before opening of Technical bid, the bid submitted by the agency shall be ignored.
 - D.3.2.2 after opening Technical bid but before opening the Price bid, the Price bid of the agency shall not be opened and BG/EMD submitted by the agency shall be returned to the agency.
 - D.3.2.3 after opening of price, BG/EMD made by the agency shall be returned; the offer of the agency shall be ignored & will not be further evaluated. If the agency is put on Suspension list for fraud/ mis-appropriation of facts conducted in the same tender/other tender where errant agency emerges as the lowest (L1), then such tender shall also be cancelled and re-invited.
 - D.3.3 The existing contract (s)/ order (s) under execution shall continue.
 - D.3.4 Tenders invited for procurement of goods, works and services shall have provision that the bidder shall submit a undertaking to the effect that (i) neither the bidder themselves nor their allied agency/(ies) are on banning list of Rajasthan state Gas Limited or the Ministry of Petroleum and Natural GAS and (ii) bidder is not banned by any Government department/ Public Sector.



E | Appeal against the Decision of the Competent Authority:

- E.1 The agency may file an appeal against the order of the Competent Authority for putting the agency on banning list. The appeal shall be filed to Appellate Authority. Such an appeal shall be preferred within one month from the receipt of banning order.
- **E.2** Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the party as well as the Competent Authority.
- **E3** Appeal process may be completed within 45 days of filing of appeal with the Appellate Authority.
- F] Wherever there is contradiction with respect to terms of GCC and 'Procedure for action in case of Corrupt/Fraudulent/ Collusive/Coercive Practice', the provisions of 'Procedure for action in case of Corrupt/ Fraudulent/ Collusive/ Coercive Practice' shall prevail.



Annexure-III

Procedure for Evaluation of Performance of Vendor/ Suppliers

OBJECTIVE

The objective of Evaluation of Performance aims to recognize, and develop reliable Vendors/ Suppliers/Contractors/ Consultants so that they consistently meet or exceed expectations and requirements.

The purpose of this procedure is to put in place a system to monitor performance of Vendors/ Suppliers/Contractors/ Consultants associated with RAJASTHAN STATE GAS in Projects and in O&M so as to ensure timely completion of various projects, timely receipt of supplies including completion of works & services for operation and maintenance of operating plants and quality standards in all respects.

2.0 METHODOLOGY

i) Preparation of Performance Rating Data Sheet

Performance rating data Sheet for each and every Vendor/ Supplier/Contractor/ Consultant for all orders/Contracts with a value of Rs. 7 Lakhs and above is recommended to be drawn up. These data sheets are to beseparately prepared for orders/ contracts related to Projects and O&M. Format, Parameters, Process, responsibility for preparation of Performance Rating DataSheet are separately mentioned.

ii) Measurement of Performance

Based on the parameters defined in Data Sheet, Performance of concerned Vendor/ Supplier/Contractor/ Consultant would be computed and graded accordingly. The measurement of the performance of the Party would be its ability to achieve the minimum scoring of 60% points in the given parameters.

iii) Initiation of Measures:

Depending upon the Grading of Performance, corrective measures would be initiated by taking up the matter with concerned Vendor/ Supplier/Contractor/ Consultant. Response of Vendor/ Supplier/Contractor/ Consultant would be considered before deciding further course of action.

iv) <u>Implementation of Corrective Measures:</u>

Based on the response of Vendor/ Supplier/Contractor/ Consultant, concerned Engineer-in-Charge for the Projects and/or OIC in case of O&M would recommend for continuation or discontinuation of such party



from the business of Rajasthan state Gas Limited.

v) Orders/contracts placed on Proprietary/OEM basis for O&M will be evaluated and, if required, corrective action will be taken for improvement in future.

3.0 PROCESS OF EVALUATION OF PERFORMANCE OF VENDORS/ SUPPLIERS/ CONTRACTORS/ CONSULTANTS

3.1 FOR PROJECTS

- i) Evaluation of performance of Vendors/ Suppliers/Contractors/ Consultants in case of PROJECTS shall be done immediately with commissioning of any Project.
- ii) On commissioning of any Project, EIC (Engineer-in-charge)/ Project-in- charge shall prepare a Performance Rating Data Sheet (Format at Annexure- 1) for all Orders and Contracts.
- iii) Depending upon the Performance Rating, following action need to be initiated by Engineer-in-charge/Project-in-charge:

Sl. No.	Performance	Action
	Rating	
1	POOR	Seek explanation for Poor
		performance
2	FAIR	Seek explanation for Fair performance
3	GOOD	Letter to the concerned for improving
		performance in future
4	VERY GOOD	No further action

- iv) Reply from concerned Vendor/ Supplier/Contractor/ Consultant shall be examined. In case of satisfactory reply, Performance Rating data Sheet to be closed with a letter to the concerned for improving performance in future.
- v) When no reply is received or reasons indicated are unsatisfactory, the following actions need to be taken:
 - A) Where Performance rating is "POOR":

Recommend such defaulting Vendor/ Supplier/Contractor/ Consultant for putting on Holiday for a period from one to three years as given below:



- (i) Poor Performance due to reasons other than Quality : One Year
- (ii) Poor Performance on account of Quality (if any mark obtained against Quality parameter is less than 30): **Two Years**
- (iii) Poor Performance leading to termination of contract or Offloading of contract due to poor performance solely attributable to Vendor/Supplier/Contractor/Consultant or Repeated Offence: Three Years

Nonperformance of a Vendor/Supplier/Contractor/Consultant leading to termination of Contract/ Order, such Vendor/ Supplier/ Contractor/Consultant are also to be considered for Suspension.

In all such cases, concerned site will put up recommendation for issuance of SCN and putting the party on suspension list as per process defined for suspension in "Procedure for Action in case of Corrupt/ Fraudulent/ Collusive/ Coercive Practices"

(B) Where Performance rating is "FAIR":

Recommend for issuance of warning to such defaulting Vendor/ Supplier/Contractor/ Consultant to improve their performance.

3.2 FOR CONSULTANCY JOBS

Monitoring and Evaluation of consultancy jobs will be carried out in the same way as described in para 3.1 for Projects.

3.3 FOR OPERATION &MAINTENANCE

- i) Evaluation of performance of Vendors/ Suppliers/Contractors/ Consultants in case of Operation and Maintenance shall be done immediately after execution of order/contract.
- ii) After execution of orders a Performance Rating Data Sheet (Format at Annexure-2) shall be prepared for Orders by Site C&P and for Contracts/Services by respective Engineer-In-Charge.
- iii) Depending upon Performance Rating, following action need to be initiated by Site C&P:



					ı ugu	00 01 200
Sl. No.	Performance	Action				
	Rating					
1	POOR	Seek	expla	anation	for	Poor
		perform	ance			
2.	FAIR	Seek	expl	anation	for	Fair
		perform	ance			
3	GOOD	Letter	to	the	concerned	for
		improving performance in future.				
4	VERY GOOD	No furtl	ner acti	on		

- iv) Reply from concerned Vendor/ Supplier/Contractor/ Consultant shall be examined. In case of satisfactory reply, Performance Rating data Sheet to be closed with a letter to the concerned for improving performance in future.
- v) When no reply is received or reasons indicated are unsatisfactory, the following actions need to betaken:

A) Where performance rating is "POOR"

Recommend such defaulting Vendor/Supplier/Contractor/ Consultant for putting on Holiday for a period from one to three years as given below:

- (i) Poor Performance due to reasons other than Quality: Six Months
- (ii) Poor Performance on account of Quality (if any markobtained against Quality parameter is less than 30): Six Months
- (iii) Poor Performance leading to termination of contract or Offloading of contract due to poor performance solely attributable to Vendor/Supplier/Contractor/Consultant or Repeated Offence: Six Months

In case of repeated offence on above ground covered under sl. no. (i), (ii) and (iii):

- For once- 1 year.
- For two and above-3 years

Non-performance of a Vendor/Supplier/Contractor/Consultant leading to termination of Contract/ Order such Vendor/ Supplier/Contractor/Consultant are also to be considered for Suspension.

In all such cases, concerned site will put up recommendation for issuance of SCN and putting the party on suspension list as per process defined for suspension in "Procedure for Action in case of Corrupt/ Fraudulent/ Collusive/ Coercive Practices"



B) Where Performance rating is "FA IR"

Recommend for issuance of warning to such defaulting Vendors/Contractors/Consultants to improve their performance.

4.0 REVIEW & RESTORATION OF PARITES PUT ON HOLIDAY

4.1 An order for Holiday passed for a certain specified period shall deemed to have been automatically revoked on the expiry of that specified period and it will not be necessary to issue a specific formal order of revocation.

Further, in case Vendor/ Supplier/Contractor/ Consultant is put on holiday due to quality, and new order is placed on bidder after restoration of Vendor/ Supplier/Contractor/ Consultant, such order will be properly monitored during execution stage by the concerned site.

5.0 **EFFECT OF HOLIDAY**

- **5.1** If a Vendor/Supplier/Contractor/Consultant is put on Holiday, such Vendor/Supplier/Contractor/ Consultant should not be considered in ongoing tenders/future tenders.
- 5.2 However, if such Vendor/ Supplier/Contractor/ Consultant is already executing any other order/ contract and their performance is satisfactory in terms of the relevant contract, should be allowed to continue till its completion without any further increase in scope except those incidental to original scope mentioned in the contract. In such a case CPBG will not be forfeited and payment will be made as per provisions of concerned contract. However, this would be without prejudice to other terms and conditions of the contract.
- **5.3** Effect on other ongoing tendering:
- **5.3.1** after issue of the enquiry /bid/tender but before opening of Technical bid, the bid submitted by the party shall be ignored.
- **5.3.2** after opening Technical bid but before opening the Price bid, the Price bid of the party shall not be opened and BG/EMD submitted by the party shall be returned to the party.
- **5.3.3** after opening of price, BG/EMD made by the party shall be returned; the offer of the party shall be ignored & will not be further evaluated. If errant party emerges as the lowest (L1), then such tender shall also be cancelled and re-invited.

5.4 Procedure for Suspension of Bidder

5.4.1 Initiation of Suspension

Action for suspension of business dealing with any agency/(ies) shall be initiated by C&P



Department when Non-performance of Vendor / Supplier Contractor/ Consultant leading to termination of Contract/ Order.

5.4.2 Suspension Procedure:

- 5.4.2.1 The suspension period shall be limited to maximum six months.
- 5.4.2.2 The suspension order shall also be hosted on Rajasthan state Gas Limited intranet and a copy will be forwarded to all OICs/ HODs by C&P Department. During the period of suspension, no new business dealing may be held with the agency.
- 5.4.2.3 Period of suspension shall be accounted for in the final order passed for putting the party for holiday
- 5.4.2.4 The decision regarding suspension of business dealings should also be communicated to the agency.
- 5.4.2.5 Prior to putting the party on holiday, proposal for issuance of suspension order and show cause notice shall be put up to the Competent Authority. The suspension order and show cause notice must include that (i) the agency is put on suspension list and (ii) why action should not be taken for putting the agency on holiday for future business from Rajasthan state Gas Limited.

The competent authority to approve the suspension will be same as that for according approval for holiday.

5.4.2.6 The process for putting the agency on suspension list shall be completed within 30 days from the date of recommendation by site committee.

5.4.3 Effect of Suspension of business:

Effect of suspension on other on-going/future tenders will be as under:

- 5.4.3.1 No enquiry/bid/tender shall be entertained from an agency as long as the name of Agency appears in the Suspension List.
- 5.4.3.2 If an agency is put on the Suspension List during tendering:
- after issue of the enquiry /bid/tender but before opening of Technical bid, the bid submitted by the agency shall be ignored.
- after opening Technical bid but before opening the Price bid, the Price bid of the agency shall not be opened and EMD submitted by the agency shall be returned to the agency.
- 5.4323 after opening of price, the offer of the agency shall be ignored & will not be further evaluated. If the agency emerges as the lowest (L1), then such tender shall also be cancelled and re-invited. EMD submitted by such agency shall be returned.
- 5.4.3.3 The existing contract (s)/ order (s) under execution shall continue.
- 5.4.3.4 Tenders invited for procurement of goods, works and services shall have provision that the bidder shall submit a undertaking to the effect that (i) neither the bidder themselves nor their allied agency/(ies) are on banning list of RAJASTHAN STATE/Rajasthan state Gas Limited or the Ministry of Petroleum and Natural GAS and (ii) bidder is not banned by any Government department/ Public Sector
 - **6.0** While putting the Vendor/ Supplier/Contractor/ Consultant on holiday as per the procedure, the holding company, subsidiary, joint venture, sister concerns, group division of the errant Vendor/ Supplier/Contractor/ Consultant shall not be considered for putting on holiday list.



Any bidder, put on holiday, will not be allowed to bid through consortium route also in new tender during the period of holiday.

7.0 If an unsuccessful bidder makes any vexatious, frivolous or malicious complaint against the tender process with the intention of delaying or defeating any procurement or causing loss to Rajasthan state Gas Limited or any other bidder, such bidder will be put on holiday for a period of six months, if such complaint is proved to be vexatious, frivolous or malicious, after following the due procedure.

8.0 APPEAL AGAINST THE DECISION OF THE COMPETENT AUTHORITY:

- (a) The party may file an appeal against the order of the Competent Authority for putting the party on Holiday list. The appeal shall be filed to Appellate Authority. Such an appeal shall be preferred within one month from the of receipt of Holiday order.
- (b) Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the party as well as the Competent Authority.
- (c) Appeal process may be completed within 45 days of filing of appeal with the Appellate Authority.
- (d) "Appellate Authority" shall mean Committee of Directors.

9.0 ERRANT BIDDER

In case after price bid opening the lowest evaluated bidder (L1) is not awarded the jobfor any mistake committed by him in bidding or withdrawal of bid or modification ofbid or varying any term in regard thereof leading to re- tendering, Rajasthan state Gas Limited shall forfeit EMD paid by the bidder and such bidders shall be debarred from participation in re- tendering of the same job(s)/item(s).

Further, such bidder will be put on holiday for a period of six months after following the due procedure.

10.0 In case CBEC (Central Board of Excise and Customs)/ any equivalent Central Government agency/ State Government agency brings to the notice of Rajasthan state Gas Limited that the Supplier of Goods / Services (Service Provider) has not remitted the amount towards GST (CGST & SGST/UTGST or IGST) collected from Rajasthan state Gas Limited to the government exchequer, then party will be put on holiday for a period of six months after following the due procedure.



Rajasthan state Gas Limited

PERFORMANCE RATING DATA SHEET (FOR PROJECTS/ CONSULTANCY JOBS)

i) Project/Work Centre :

ii) Order/ Contract No. & date :

iii) Brief description of Items :

Works/Assignment

iv) Order/Contract value (Rs.) :

v) Name of Vendor/Supplier/

Contractor/Consultant

vi) Contracted delivery/

Completion Schedule

vii) Actual delivery/ : Completion date

Performance	Delivery/	Quality	Reliability	Total
Parameter	Completion	Performance	Performance#	
	Performance			
Maximum	40	40	20	100
Marks				
Marks Allocated				

	-	
N	_	١.,
1	()	ı c. .

Remarks (if any)

PERFORMANCE RATING (**)	

Note:

- (#) Vendor/Supplier/Contractor/Consultant who seek repeated financial assistance or deviation beyond contract payment term or seeking direct payment to the subvendor/sub-contractor due to financial constraints, then '0' marks should be allotted against Reliability Performance.
- (*) Allocation of marks should be as per enclosed instructions (**) Performance rating shall be classified as under:

Sl.No.	Range (Marks)	Rating
1	60 & below	POOR
2	61-75	FAIR
3	76-90	GOOD
4	More than 90	VERY
		GOOD

Signature of Authorised Signatory:

Name: Designation:



Instructions for allocation of marks

1. Marks are to be allocated as under:

1.1 DELIVERY/ COMPLETION PERFORMANCE	CE 40 Marks	1
--------------------------------------	-------------	---

Delivery Completion Sc	Period/ hedule	Delay in Weeks	Marks
a) Upto 3 month	hs	Before CDD	40
		Delay upto 4 weeks " 8 weeks " 10 weeks " 12 weeks " 16 weeks More than 16 weeks	35 30 25 20 15
b) Above 3 mor	nths	Before CDD Delay upto 4 weeks " 8 weeks " 10 weeks " 16 weeks " 20 weeks " 24 weeks	40 35 30 25 20 15
		More than 24 weeks	0

1.2 QUALITY PERFORMANCE

40 Marks

0 marks

For Normal Cases: No Defects/ No Deviation/ No failure: 40 marks

i) Rejection/Defects	Marks to be allocated on 10 r pro rata basis for acceptable quantity as compared to total quantity for normalcases	marks
ii) When quality failure endanger system integration and safety of the system	Failure of severe nature - Moderate nature - low severe nature	0 marks 5 marks 10-25 marks
iii) Number of deviations	 No deviation No. of deviations < 2 	5 marks 2 marks

3. No. of deviations > 2



1.3 RELIABILITY PERFORMANCE

20 Marks

FOR WORKS/CONTRACTS	
Submission of order acceptance, agreement, PBG, Drawings and	4 marks
other documents within time	
Mobilization of resources as per Contract and in time	4 marks
Liquidation of Check-list points	4 marks
Compliance to statutory and HS&E requirements or	4 marks
Reliability of Estimates/Design/Drawing etc. in case of	
Consultancy jobs	
Timely submission of estimates and other documents for Extra,	4 marks
Substituted & AHR items	
FOR SUPPLIES	
Submission of order acceptance, PBG, Drawings and other	5 marks
Attending complaints and requests for after sales service/	5 marks
warranty repairs and/ or query/ advice (upto the evaluation	
Response to various correspondence and conformance to	5 marks
standards like ISO	
Submission of all required documents including Test	5 marks
Certificates at the time of supply	
	Submission of order acceptance, agreement, PBG, Drawings and other documents within time Mobilization of resources as per Contract and in time Liquidation of Check-list points Compliance to statutory and HS&E requirements or Reliability of Estimates/Design/Drawing etc. in case of Consultancy jobs Timely submission of estimates and other documents for Extra, Substituted & AHR items FOR SUPPLIES Submission of order acceptance, PBG, Drawings and other documents within time Attending complaints and requests for after sales service/ warranty repairs and/ or query/ advice (upto the evaluation Response to various correspondence and conformance to standards like ISO Submission of all required documents including Test



Rajasthan state Gas Limited PERFORMANCE RATING DATA SHEET (FOR O&M)

i) Location :

ii) Order/ Contract No. & date :

iii) Brief description of Items :

Works/Assignment

iv) Order/Contract value(Rs.) :

v) Name of Vendor/Supplier/

Contractor/Consultant

vi) Contracted delivery/

Completion Schedule

vii) Actual delivery/ : Completion date

Performance	Delivery	Quality	Reliability	Total
Parameter	Performance	Performance	Performance#	
Maximum Marks	40	40	20	100
Marks Allocated (*)				

Remarks ((1 f	any)	
-----------	-------------	------	--

PERFORMANCE RATING	(**)

Note:

- (#) Vendor/Supplier/Contractor/Consultant who seek repeated financial assistance or deviation beyond contract payment term or seeking direct payment to the subvendor/sub-contractor due to financial constraints, then '0' marks should be allotted against Reliability Performance
- (*) Allocation of marks should be as per enclosed instructions (**)

Performance rating shall be classified as under:

Sl.	Range (Marks)	Rating
No.		
1	60 & below	POOR
2	61-75	FAIR
3	76-90	GOOD
4	More than 90	VERY
		GOOD

ì	Signat	ure o	t Au	thoris	ed Si	igna	tory:

Name:

Designation:



Instructions for allocation of marks (For O&M)

1. Marks are to be allocated as under:

11	DELIVERY/ COMPLETION	ON PERFORMANCE	40 Marks
1.1			TUIVIALING

Delivery Period/ Completion Schedule	Delay in Weeks	Marks
a) Upto 3 months	Before CDD	40
	Delay upto 4 weeks " 8 weeks " 10 weeks " 12 weeks " 16 weeks More than 16 weeks	35 30 25 20 15
b) Above 3 months	Before CDD	40
	Delay upto 4 weeks " 8 weeks " 10 weeks " 16 weeks " 20 weeks " 24 weeks More than 24 weeks	35 30 25 20 15 10 0

1.2 QUALITY PERFORMANCE

40 Marks

For Normal Cases: No Defects/ No Deviation/ No failure: 40 mar.	KS
---	----

i) Rejection/Defects	Marks to be allocated on 10 m Pro rata basis for acceptable quantity as compared to total quantity for normalcases	narks	
ii) When quality failure endanger system integration and safety of the system	Failure of severe nature - Moderate nature - low severe nature	0 marks 5 marks 10-25 marks	
iii) Number of deviations	 No deviation No. of deviations < 2 No. of deviations > 2 	5 marks 2 marks 0 marks	



1.3 RELIABILITY PERFORMANCE

Α.	FOR WORKS/CONTRACTS	
i)	Submission of order acceptance, agreement, PBG, Drawings and other documents within time	4 marks
ii)	Mobilization of resources as per Contract and in time	4 marks
iii)	Liquidation of Check-list points	4 marks
iv)	Compliance to statutory and HS&E requirements or Reliability of Estimates/Design/Drawing etc. in case of Consultancy jobs	4 marks
v)	Timely submission of estimates and other documents for Extra, Substituted & AHR items	4 marks
В.	FOR SUPPLIES	
i)	Submission of order acceptance, PBG, Drawings and other documents within time	5 marks
ii)	Attending complaints and requests for after sales service/ warranty repairs and/ or query/ advice (upto the evaluation period).	5 marks
iii)	Response to various correspondence and conformance to standards like ISO	5 marks
iv)	Submission of all required documents including Test Certificates at the time of supply	5 marks



Annexure-IV

Forms & Format



LIST OF FORMS & FORMAT

Form No.	Description		
F-1	BIDDER'S GENERAL INFORMATION		
F-2	BID FORM		
F-3	LIST OF ENCLOSURES		
F-4	PROFORMA OF "BANK GUARANTEE" FOR "EARNEST MONEY / BID SECURITY"		
F-4A	PROFORMA OF "LETTER OF CREDIT" FOR "EARNEST MONEY / BID SECURITY"		
F-5	LETTER OF AUTHORITY		
F-6	NO DEVIATION CONFIRMATION		
F-7	DECLARATION REGARDING HOLIDAY/BANNING AND LIQUIDATION, COURT RECEIVERSHIP ETC.		
F-8	CERTIFICATE FOR NON-INVOLVMENT OF GOVT. OF INDIA		
F-9	PROFORMA OF "BANK GUARANTEE" FOR "CONTRACT PERFORMANCE SECURITY / SECURITY DEPOSIT"		
F-10	AGREED TERMS & CONDITIONS		
F-11	ACKNOWLEDGEMENT CUM CONSENT LETTER		
F-12	UNDERTAKING ON LETTERHEAD		
F-13	BIDDER'S EXPERIENCE		
F-14	CHECK LIST		
F-14A	CHECK LIST FOR QUOTED ITEMS		
F-15	FORMAT FOR CERTIFICATE FROM BANK		
1 13	IF BIDDER'S WORKING CAPITAL IS INADEQUATE		
F-16	FORMAT FOR CHARTERED ACCOUNTANT CERTIFICATE FOR FINANCIAL CAPABILITY OF THE BIDDER		
F-17	BIDDER'S QUERIES FOR PRE BID MEETING		
F-18	E-BANKING FORMAT		
F-19	INDEMNITY BOND		
F-20	FREQUENTLY ASKED QUESTIONS		
F-21	DETAILS OF QUOTED PARTS		



<u>F-1</u>

BIDDER'S GENERAL INFORMATION

To,	
M/s Rajasthan stat	te Gas Limited

Sub: Tender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol, Site Gwalior..

Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

1	Bidder's Name	
3	Status of Firm Name of Proprietor/Partners/Directors of the firm/company	Proprietorship Firm/Partnership firm/ Limited/Others If Others Specify: [Enclose certificate of Registration]
4	Number of Years in Operation	
6	Address of Registered Office: *In case of Partnership firm, enclose letter mentioning current address of the firm and the full names and current addresses of all the partners of the firm. Operation Address (if different from above)	City: District: State: PIN/ZIP: City: District:
		State: PIN/ZIP:
7	Mobile Number	
8	E-mail address	
9	Website	
10	Fax Number:	(Country Code) (Area Code) (Telephone No.)
11	ISO Certification, if any	{If yes, please furnish details}
12	Bid Currency	INR

			Page 73 of 288
Diam'r.	13	Banker's Name	
ing t	14	Branch	
	15	Bank account number	
•	16	IFSC code	
•	17	PAN No.	[Enclose copy of PAN Card]
•	18	GST No.	[Enclose copy of GST Certificate]
-	19	We (Bidder) are cover under the definition of section 2 (n) of the MSMED Act	Yes / No (If the response to the above is 'Yes'', Bidder to provide Purchaser a copy of the Entrepreneurs Memorandum (EM) filled with the authority specified by the respective State Government.)
•	20	a) Whether Micro/Small/Medium Enterprise	(Bidder to submit documents as specified in Clause 37 of ITB)
		b) If the MSE is owned by SC/ST Entrepreneurs, the bidder shall furnish appropriate documentary evidence in this regard.	
•	21	Type of Entity	Corporate/ Non-Corporate (As per CGST/SGST/UTGST Act). (In case of Non-Corporate Entity, bidder will submit documentary evidence for same).
-	22	Offer No.	

Place:	[Signature of Authorized Signatory of Bidder]

Date: Name:

Designation:

Seal:



F-2 BID FORM

To,			
M/s. Rajasthan state Gas Limited			
Sub: Tender Document for Construction	n of De-Compression Unit (DCU) at RSGL Sirol, Site		
Gwalior			
Tender no: Tender no: RSGL/GWLR/C	C&P/PROJ/2025-26/ NIT-05		
Dear Sir,			
After examining / reviewing	the Bidding Documents for the tender of including		
Conditions of Contract [SCC]" and hereby duly acknowledged, we, the un	', "General Conditions of Contract [GCC]", "Special "Schedule of Rates [SOR]", etc. the receipt of which is ndersigned, are pleased to offer to execute the whole part to easily Bid Documents, including Addenda / Corrigenda		
	a period as specified in BDS from the date of opening of Bid", and it shall remain binding upon us and may be ry of that period.		
	e the "Contract Performance Security / Security Deposit" he Contract Price" or as mentioned in Tender Document y [30] days" of such Award.		
	Award is prepared and executed, the tender document ether with the "Notification of Award" shall constitute a		
mentioned in Bidding Documents but Bidding Documents shall be deemed specifically excluded and we con	nent is not exhaustive and any action and activity not t may be inferred to be included to meet the intend of the to be mentioned in Bidding Documents unless otherwise afirm to perform for fulfillment of Agreement and ects within the time frame and agreed price.		
We understand that you are not bour receive.	nd to accept the lowest priced or any Bid that you may		
Place: Date:	[Signature of Authorized Signatory of Bidder] Name: Designation: Seal:		



 T_{α}

F-3

LIST OF ENCLOSURES

10,			
M/s Rajasthan state Gas	Limited		

Sub: Tender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol, Site Gwalior..

Tender no: Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

Dear Sir,

We are enclosing the following documents as part of the bid:

- 1. Power of Attorney of the signatory to the Bidding Document.
- 2. Document showing annual turnover for the last three years such as annual reports, profit and loss account, net worth etc. along with information as sought in enclosed format F-16
- 3. Document showing Financial Situation Information as sought in enclosed format F-
- 4. Copy of Bidding Documents along with addendum/corrigendum duly signed and sealed on each page, in token of confirmation that Bid Documents are considered in full while preparing the bid and in case of award, work will be executed in accordance with the provisions detailed in Bid Documents.
- 5. Documentary Evidences showing the Bidder's claim of meeting Technical Criteria as mentioned in Section 1.1 (A) of ITB.
- 6. Bid Security/EMD * [Submission of Original is not applicable for online banking transaction]
- 7. Power of Attorney*
- 8. Duly certified document from chartered engineer and or chartered accountant.

Place:	[Signature of Authorized Signatory of Bidder]
Date:	Name:
	Designation:
	Seal:



F-4

PROFORMA OF "BANK GUARANTEE" FOR "EARNEST MONEY / BID SECURITY"

(To be stamped in accordance with the Rajasthan Stamp Act)

Ref		Bank G	Guarantee No	,	
		Date	•••••		
To,					
M/s Rajasthan state Gas L	imited				
Sub: Tender Document for	Construction of De	-Compression U	Jnit (DCU) at RSG	L Sirol, Site)
Gwalior					
Tender no: RSGL/GWLR	/C&P/PROJ/2025-2	26/ NIT-05			
Dear Sir(s),					
In accordance with Lette	er Inviting Tender u	ınder your refe	erence No		M/s.
having their Registered / l	Head Office at	(he	reinafter called th	e Tenderer)), wish to
participate for	in	the	said		tender
As an irrevocable Bank Corequired to be submitted by which amount is liable to Tender Document.	y the Tenderer as a	condition prece	edent for participat	ion in the sa	id tender
We, the				Bank	at
	having	our	Head (Local A		Office
and undertake to pay imr state Gas Limited	-	_		derers by Ra	ijasthan
Ltd., the amount			without any 1	-	•
demur and recourse. Any	such demand made	by Rajasthan s	tate Gas Limited, s	shall be con	clusive and
binding on us irrespective	e of any dispute or d	ifference raised	by the Tenderer.		
This guarantee shall be im	revocable and shall	remain valid up	o to	[this date s	hould be
two (02) months beyond the					required,
the same shall be extende	d to such required p				
		who	se behalf this guara	ntee is issue	d.

day of20	_at
WITNESS:	
(SIGNATURE)	(SIGNATURE)
(NAME)	(NAME) Designation with Bank Stamp
	Besignation with Balan Stating
(OFFICIAL ADDRESS)	Attorney as per
	Power of Attorney No
	Date:

Page 78 of 288



INSTRUCTIONS FOR FURNISHING "BID SECURITY / EARNEST MONEY" BY "BANK GUARANTEE"

- 1.0 The Bank Guarantee by successful Bidder(s) will be given on non-judicial stamp paper as per the Rajasthan Stamp duty Act,. The non-judicial stamp paper should be in name of the issuing bank.
- 2.0 The expiry date should be arrived at in accordance with "ITB: Clause-15.1 and 16.3".
- 3.0 The Bank Guarantee by bidders will be given from Bank as specified in "ITB".
- 4.0 A letter (preferably digitally/Manually signed secured e-mail) from the issuing bank of the requisite Bank Guarantee confirming that said bank guarantee and future communication relating to the Bank Guarantee may be forwarded to Employer
- 5.0 Bidders must indicate the full postal address of the Bank along with the Bank's E-mail / Fax / Phone from where the Earnest Money Bond has been issued.
- 6.0 If a Bank Guarantee is issued by a commercial Bank, then a letter to Employer confirming its net worth is more than Rs. 1,000,000,000.00 [Rupees One Hundred Crores] or equivalent along with documentary evidence.

F-4A



4.

PROFORMA OF "LETTER OF CREDIT" FOR "EARNEST MONEY / BID SECURITY" To.

10,	
M/s F	Rajasthan state Gas Limited
	Γender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol, Site
Gwali	ior
Tende	er no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05
Irrev	ocable and confirmed Letter of Credit NoAmount: Rs.
	lity of this Irrevocable(in India)
Lette	r of Credit (2 months beyond validity of Offer)
Dear	Sir,
1.	You are here by authorized to draw on
(i)	The Bidder withdraws its Bid during the period of Bid validity or any extension thereof duly agreed by the Bidder.
(ii)	The Bidder varies or modifies its Bid in a manner not acceptable to Rajasthan state Gas Limited during the period of bid validity or any extension thereof duly agreed by the Bidder.
(iii)	 The Bidder, having been notified of the acceptance of its Bids, (a) Fails or refuses to execute the Supply Order/Contract (b) Fails or refuses to furnish the Contract Performance Guarantee within 30 days before expiry of Bid Security. (c) Fails to accept arithmetic corrections as per tender conditions.
2.	This Irrevocable Letter of Credit has been established towards Bid Security Tender No for(Item)
3.	We hereby guarantee to protect the Drawers, Endorsers and bonafide holders from any consequences, which may arise in the event of the non-acceptance or non-payment of Demand Letter (draft) in accordance with the terms of this credit.

This Credit is issued subject to the Uniform Customs and Practices for Documentary

	Condition (1002 Description 1) Intermedia 1 C1 1 CC	Page 80 of 288
MID Mark	Credits (1993 Revised) International Chamber of Com	imerce brochure No. 500.
5.	Please obtain reimbursement as under:	
6.	All foreign as well as Indian bank charges will be on a	the account of M/s.
	FOR	Authorized Signature
Cou	nter Signature	(Original Bank)



LETTER OF AUTHORITY

[Pro forma for Letter of Authority for Attending Subsequent 'Negotiations' / 'Pre-Bid Meetings' / 'Un-priced Bid Opening' / 'Price Bid Opening']

Ref: Date:	
To, M/s Rajasthan state Gas Limited	
Sub: Tender Document for Construc	ction of De-Compression Unit (DCU) at RSGL Sirol, Site
Gwalior	
Tender no: RSGL/GWLR/C&P/PR	OJ/2025-26/ NIT-05
Dear Sir,	
	hereby authorize the following variations' / 'Meetings [Pre-Bid Meeting]', 'Un-priced Bid for any subsequent correspondence / communication against the
Phone/Cell: Fax:	Signature
Phone/Cell: Fax:	Signature
We confirm that we shall be bourepresentative(s).	and by all commitments made by aforementioned authorised
Place: Date:	[Signature of Authorized Signatory of Bidder] Name: Designation: Seal:





F-6

"NO DEVIATION" CONFIRMATION			
To,			
M/s Rajasthan state Gas Limited			
Sub: Sub: Tender Document for Con Gwalior	struction of De-Compression Unit (DCU) at RSGL Sirol, Site		
Tender no: RSGL/GWLR/C&P/PRO	OJ/2025-26/ NIT-05		
Dear Sir,			
therefore, certify that we have not ta	We understand that any 'deviation / exception' in any form may result in rejection of Bid. We, therefore, certify that we have not taken any 'exception / deviation' anywhere in the Bid and we agree that if any 'deviation / exception' is mentioned or noticed, our Bid may be rejected.		
Place: Date:	[Signature of Authorized Signatory of Bidder] Name: Designation: Seal:		



F-7

<u>DECLARATION REGARDING HOLIDAY/BANNINGAND LIQUIDATION,</u> <u>COURTRECEIVERSHIP</u>

10,
M/s. Rajasthan state Gas Limited
Sub: Tender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol, Sit
Gwalior
Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05
Dear Sir,

We hereby confirm that we are not on 'blacklisted/ banned/put on Holiday list by M/s GAIL India Limited/M/s GAIL Gas Limited/M/s Rajasthan State Gas limited due to "poor performance" or "corruptand fraudulent practices") or banned by Government department/ Public Sector on due date of submission of bid.

Further, we confirm that neither we nor our allied agency/(ies) (as defined in the Procedure for Action in case of Corrupt/ Fraudulent/ Collusive/ Coercive Practices) are on banning list of Rajasthan state Gas Limited or the Ministry of Petroleum and Natural GAS.

We also confirm that we are not under any liquidation, court receivership or similar proceedings or 'bankruptcy'.

In case it comes to the notice of Rajasthan state Gas Limited that the bidder has given wrong declaration in this regard, the same shall be dealt as 'fraudulent practices' and action shall be initiated as per the Procedure for action in case of Corrupt/Fraudulent/Collusive/Coercive Practices.

Further, we also confirm that in case there is any change in status of the declaration prior to award of contract, the same will be promptly informed to Rajasthan state Gas Limited by us.

Place:	[Signature of Authorized Signatory of Bidder]
Date:	Name:
	Designation:
	Seal:



<u>F-8</u>

CERTIFICATE FOR NON-INVOLVMENT OF GOVT. OF INDIA

To,							
M/s Rajasthan state Gas	Limited						
Sub: Sub: Tender Docum	nent for Const	ruction of De	-Compres	sion Unit	(DCU	J) at RSGL	Sirol, Site
Gwalior							
Tender no: RSGL/GWL	R/C&P/PROJ	//2025-26/ N	IT-05				
Dear Sir,							
If we become a successfing is given is	ul Bidder and ven to	pursuant to us	the provis	the	t	tender	nents, award for " Certificate
shall be automatically en	ıforceable:					8	
"We agree and acknowled behalf and not on behalf agreed that the Govern obligations or rights the authorized to enter into a expressly agree, acknowledgate of the Govern India is not and shall no arising out of the Agree all actions or claims, incomplete of the India arising out of the manner, claim, cause of	f of any other ament of Indian rereunder. It Agreement, so yledge and un- ment of Indian t be liable for- ment. According cluding cross of the Agreement	r person or edia is not a pais expressly colled on its or derstand that any acts, on ingly, we here claims, VIP of the any covernation of the cove	entity. In p party to the understoom the Employenderstoom hissions, coreby expre- claims or counts not to	he Agree od and a under the loyer is n od and aş ommission essly waive counter counter of	, it is ement agreed ons, beve, rellaims	expressly use and has not that the icable laws agent, represent that the Goreaches or dease and for against the nument of Income.	inderstood & no liabilities, Employer is of India. We resentative or overnment of other wrongs rego any and Government dia as to any
Place: Date:		[Signature of Name: Designation: Seal:		ed Signa	tory o	of Bidder]	



PROFORMA OF "BANK GUARANTEE" FOR "CONTRACT PERFERIMANCE 88 GUARANTEE / SECURITY DEPOSIT"

(ON NON-JUDICIAL STAMP PAPER OF APPROPRIATE VALUE AS PER RAJASTHAN STAMP DUTY ACT)

To,	
M/s	Rajasthan state Gas Limited
Perf	ormance Guarantee No.
Dea	· Sir(s),
M/s.	having
regi	tered office at(herein after called the "contractor/supplier" which
	ession shall wherever the context so require include its successors and assignees) have been
plac	ed/ awarded the job/work ofvide
PO/	LOA /FOA Nodatedfor RAJASTHAN STATE
Tila	Limited corporate and registered office at Rajasthan State Gas Ltd., Room no. 303, Khaniz Bhawan, a Marg, C-Scheme, Jaipur - 302005 (herein after called the "Rajasthan state Gas Limited" which ession shall wherever the context so require include itssuccessors and assignees).
	Contract conditions provide that the SUPPLIER/CONTRACTOR shall pay a sum of Rs. (Rupees) as full
Perf	cract Performance Guarantee in the form therein mentioned. The form of payment of Contract formance Guarantee includes guarantee executed by Nationalized Bank/Scheduled Commercial x, undertaking full responsibility to indemnify Rajasthan state Gas Limited, in case of default.
The	said M/shas approached us and
at	their request and in consideration of the premises we having our office at have agreed to give such guarantee as hereinafter mentioned.
1	We
	Wehereby undertake to give the irrevocable & unconditional guarantee to you that if default shall be made by M/sin performing any of the terms and conditions of the tender/order/contract or in payment of any money payable to Rajasthan state Gas Limited we shall on first demand pay without demur, contest, protest and/ or without any recourse to the supplier / contractor to Rajasthan state Gas Limited in such manner as Rajasthan state Gas Limited may direct the said amount of Rupeesonly or such portion thereof not exceeding the said sum as you may require from time to time.
2	You will have the full liberty without reference to us and without affecting this guarantee, postpone for any time or from time to time the exercise of any of the powers and rights conferred on you under the order/contract with the said
3	M/sand to enforce or to forbear from endorsing any powers or rights or by reason of time being given to the said M/sand such postponement forbearance would not have the effect of releasing the bank from its obligation under this debt.

Your right to recover the said sum of Rs.	Page 87 of 288
(Rupees) from us in manner aforesaid is
absolute & unequivocal and will not be affected or susper	nded by reason of the fact that any
dispute or disputes have been raised by the said M/s	
that any dispute or disputes are pending before any officer	
any other authority/forum and any demand made by you	
binding. The bank shall not be released of its obligations u	
by you of its liberty with reference to matter aforesaid or a	± • • • •
act of omission or commission on your part or any other in	
other matter or changed what so ever which under law wo	
effect of releasing the bank.	out, out for this provision, have the
effect of releasing the bank.	
The guarantee herein contained shall not be determined	ed or affected by the liquidation or
vinding up dissolution or changes of constitution or insol	lvency of the said supplier/contractor
out shall in all respects and for all purposes be binding	g and operative until payment of all
money due to you in respect of such liabilities is paid.	
This guarantee shall be irrevocable and shall remain vali	d upto (this
late should be 90 days after the expiry of defect liab	`
. The bank undertakes not to revoke	
rithout your previous consent and further agrees that	
enforceable until it is discharged by Rajasthan state Gas	
any reason, the supplier/contractor is unable to complet	
stipulated in the order/contract and in case of extension	11 7
resulting extension of defect liability period/guarantee per	
perform the supply/work fully, the bank hereby agrees to	* *
instance of the supplier/contractor till such time as may b	_
Limited. If any further extension of this guarantee is req	
such required period on receiving	carea, are sume shan or emerace to
instruction from	M/s.
	(supplier / contractor) on
whose behalf this guarantee is issued.	
Bank also agrees that Rajasthan state Gas Limited at its o	option shall be entitled to enforce this
Guarantee against the bank (as principal debtor) in the	1
against the supplier/contractor and notwithstanding ar	
Rajasthan state Gas Limited may have in relation to the su	-
Γhe amount under the Bank Guarantee is payable forthw	vith without any delay by Rank upon
the written demand raised by Rajasthan state Gas Limit	
relation to the said Bank Guarantee shall be subject to the	
Jaipur	to exclusive jurisdiction of courts at
Therefore, we hereby affirm that we are guarantors and	responsible to you on behalf of the
Supplier/Contractor up to a total amount of	-
figures) and we undertake to pay you, upon your f	

Supplier/Contractor to be in default under the order/contract and without caveat or argument, any sum or sums within the limits of (amounts of guarantee) as aforesaid, without your



needing to prove or show grounds or reasons for your demand or the sum specified the features.

We have power to issue this guarantee in your favor under Memorandum and Articles of Association and the undersigned has full power to do under the Power of Attorney, dated granted to him by the Bank.

	Yours faithfully
_	
Bank by its Co	nstituted Attorney

Signature of a person duly Authorized to sign on behalf of the Bank



INSTRUCTIONS FOR FURNISHING "CONTRACT PERFORMANCE GUARANTEE / SECURITY DEPOSIT" BY "BANK GUARANTEE"

- The Bank Guarantee by successful Bidder(s) will be given on non-judicial stamp paper as per 'stamp duty' applicable. The non-judicial stamp paper should be in name of the issuing bank. In case of foreign bank, the said Bank Guarantee to be issued by its correspondent bank in India on requisite non-judicial stamp paper and place of Bid to be considered as Jaipur
- 2 The Bank Guarantee by Bidders will be given from bank as specified in Tender.
- A letter (preferably digitally/manually signed secured e-mail) from the issuing bank of the requisite Bank Guarantee confirming that said bank guarantee and future communication relating to the Bank Guarantee may be forwarded to Employer
- Bidder must indicate the full postal address of the Bank along with the Bank's E-mail / Fax / Phone from where the Bank Guarantee has been issued
- If a Bank Guarantee is issued by a commercial bank, then a letter to Employer and copy to Consultant (if applicable) confirming its net worth is more than Rs. 100,00,00,000.00 [Rupees One Hundred Crores] or its equivalent in foreign currency along with documentary evidence.
- Bidder can submit CPBG on line through issuing bank to Rajasthan state Gas Limited directly as per Ministry of Finance (MOF) Department of financial service direction vide letter ref number F.No.7/112/2011-BOA dated 17th July 2012. In such cases confirmation will not be sought from issuing banker by Rajasthan state Gas Limited.



F-10 AGREED TERMS & CONDITIONS

To,

3	
	asthan state Gas Limited

Sub: Sub: Tender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol, Site Gwalior..

Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

This Questionnaire duly filled in, signed & stamped must form part of Bidder's Bid and should be returned along with Un-priced Bid. Clauses confirmed hereunder need not be repeated in the Bid.

Sl.	DESCRIPTION	BIDDER'S CONFIRMATION
1	Bidder's name and address	
2	Confirm quoted prices will remain firm and fixed till complete execution of the order.	
3	Rate of applicable GST (CGST & SGST/UTGST or IGST)	CGST% Plus SGST/UTGST% Total% Or IGST%
3.1	Whether in the instant tender services/works are covered in reverse charge rule of GST (CGST & SGST/UTGST or IGST)	Yes/ No In case of Yes, please specify GST (CGST & SGST/UTGST or IGST) payable by: Rajasthan state Gas Limited % Bidder%
3.2	Service Accounting Codes (SAC)/ Harmonized System of Nomenclature (HSN)	
3.3	We hereby confirm that the quoted prices is in compliance with the Section 171 of CGST Act/ SGST Act as mentioned as clause no. 13.10 of ITB	
4	 i) Confirm acceptance of relevant Terms of Payment specified in the Bid Document. ii) In case of delay, the bills shall be submitted after deducting the price reduction due to delay. 	



Sl.	DESCRIPTION	BIDDER'S CONFIRMATI
5	Confirm that Contract Performance Security will be furnished as per Bid Document.	
6	Confirm that Contract Performance Security shall be from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve bank of India as scheduled foreign bank. However, in case of bank guarantees from banks other than the Nationalised Indian banks, the bank must be a commercial bank having net worth in excess of Rs 100 crores or its equivalent in foreign currency and a declaration to this effect shall be made by such commercial bank either in the Bank Guarantee itself or separately on its letterhead.	
7	Confirm compliance to Completion Schedule as specified in Bid document. Confirm contract period shall be reckoned from the date of Fax of Acceptance.	
8	Confirm acceptance of Price Reduction Schedule for delay in completion schedule specified in Bid document.	
9	a) Confirm acceptance of all terms and conditions of Bid Document (all sections).b) Confirm that printed terms and conditions of bidder are not applicable.	
10	Confirm your offer is valid for period specified in BDS from Final/Extended due date of opening of Techno- commercial Bids.	
11	Please furnish EMD/Bid Security details: a) EMD/ Bid Security No. &date b) Value c) Validity	
12	Confirm acceptance to all provisions of ITB read in conjunction with Bid Data Sheet (BDS).	
13	Confirm that Annual Reports for the last three financial years are furnished along with the Un-priced Bid.	
14	Confirm that, in case of contradiction between the confirmations provided in this format and terms & conditions mentioned elsewhere in the offer, the confirmations given in this format shall prevail.	

		Page 92 of 288
Sl.	DESCRIPTION	BIDDER'S
		CONFIRMATI
15	Confirm the none of Directors of bidder is a relative of any	
	Director of Owner or the bidder is a firm in which any Director	
	of Owner/ Rajasthan state Gas Limited or his relative is a partner.	
16	All correspondence must be in ENGLISH language only.	
	Owner reserves the right to make any change in the terms &	
17	conditions of the TENDER/BIDDING DOCUMENT and to reject	
1 /	any or all bids.	
18	Confirm that all Bank charges associated with Bidder's Bank	
10	shall be borne by Bidder.	
	Confirm that you have not been banned or de-listed by any	
	Government or Quasi-Government agencies or Public Sector	
	Undertakings. If you have been banned or de-listed by any	
	Government or Quasi-Government agency or Public Sector	
	Undertakings, then this fact must be clearly stated. If this	
19	declaration is not furnished bid shall be treated as non-responsive	
	and liable for rejection.	
	* It shall be the sole responsibility of the bidder to inform	
	Rajasthan state Gas Limited about the changes that may occur in	
	the stated declaration during the course of finalization of the	
	tender.	
	Confirm that any correction in documents submitted in the Un-	
20	priced part has been initialed and with signatures of the	CONFIRMED
	authorized person	
	Please confirm whether you are MSE and if so then you have	
	submitted Documentary evidence that you are a Micro or Small	
	Enterprises registered with District Industries Centers or Khadi and	
21	Village Industries Commission or Khadi and Village Industries	
<i>L</i> 1	Board or Coir Board or National Small Industries Corporation or	
	Directorate of Handicrafts and Handloom or any other body	
	specified by Ministry of Micro, Small and Medium	
	Enterprises.	
	Confirm that all documents submitted with bid against the subject	
	tender are true and genuine and in case of any discrepancy noticed	
22	or observed at any stage, bidder shall be personally responsible not	CONFIRME
_	only for the damages or loss to Rajasthan state Gas Limited, but	
	also for criminal proceedings under the relevant	
	laws.	
	Confirm that scanned copy of the EMD / Bid Bond has been	
23	submitted	CONFIRMED

		Page 93 of 288
Sl.	DESCRIPTION	BIDDER'S CONFIRMATI
24	Confirm that no Price disclosing files have been attached with unpriced/ technical bid. *In case price disclosing files are attached in techno-commercial unpriced bid area, bid will be summarily rejected as per clause 19.0 of ITB.	CONFIRMED
25	Confirm that bid documents are considered in full while preparing the bid and in case of award, work will be executed in accordance with the provisions detailed in bid document.	CONFIRMED

Place: Signature of Authorized Signatory of Bi	Place:	[Signature of Authorized Signatory	of Bidder
--	--------	------------------------------------	-----------

Date: [Signat Name:

Designation:

Seal:



To,

F-11 ACKNOWLEDGEMENT CUM CONSENT LETTER

(On receipt of tender document/information regarding the tender, Bidder shall acknowledge the receipt and confirm his intention to bid or reason for non- participation against the enquiry /tender through e-mail/fax to concerned executive Rajasthan state Gas Limited issued the tender, by filling up the Format)

M/s Rajasthan state Gas Limited	d
Sub: Sub: Tender Document for C	Construction of De-Compression Unit (DCU) at RSGL Sirol, Site
Tender no: RSGL/GWLR/C&P/P	PROJ/2025-26/ NIT-05
Dear Sir,	
enclosures for subject item/job a	t of a complete set of bidding document along with and/or the information regarding the subject tender. sested for the subject item/job and furnish following ar quoting office:
Postal Address with Pin Telephone Number Fax Number Contact Person E-mail Address Mobile No. Date Seal/Stamp We are unable to bid for Reasons for non-submis	Code:
Agency's Name Signature Name Designation Date Seal/Stamp	: : : : :



F-12 UNDERTAKING ON LETTERHEAD

ted
Construction of De-Compression Unit (DCU) at RSGL Sirol, Site
/PROJ/2025-26/ NIT-05
contents of this Tender Document No
[Signature of Authorized Signatory of Bidder] Name: Designation: Seal:
(1)

Page 96 of 288



<u>F-13</u> BIDDER'S EXPERIENCE

To,

Gwalior..

M/s. Rajasthan state Gas Limited	
Sub: Tender Document for Construction of De-Compression Uni	t (DCU) at RSGL Sirol, Site

Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

Sl.	Descripti	LOA /WO	Full Postal	Value of	Date of	Scheduled Completion	Date of	Reasons for
No	on of the Services	No. and date	Address & phone nos. of Client. Name, designation and address of Engineer/Officer-in-	Contract/ Order (Specify Currency Amount)	Commence ment of Services	Completion Time (Mon ths)	Actual Complet ion	delay in execution , if any
			Charge (for cases other than purchase)					
(1)	(2)	(3)	(5)	(6)	(7)	(8)	(9)	(10)

Place:	[Signature of Authorized Signatory of Bidder]
Date:	Name:
	Designation:
	Seal·



F-14 CHECK LIST

Bidders are requested to duly fill in the checklist. This checklist gives only certain important items to facilitate the bidder to make sure that the necessary data/information as called for in the bid document has been submitted by them along with their offer. This, however, does not relieve the bidder of his responsibilities to make sure that his offer is otherwise complete in all respects.

Please ensure compliance and tick ($\sqrt{}$) against following points:

S. No.	DESCRIPTION	CHECK BOX	REFERENCE PAGE NO. OF THE BID SUBMITTED
1.0	Manually Signing offer, original bidding document including SCC, ITB, GCC, SOR drawings, addendum (if any)		
2.0	Confirm that the following details have been submitted in the Un-priced part of the bid		
i	Covering Letter, Letter of Submission		
ii	Bid Security		
iii	Signed and stamped original copy of bidding document along with drawings and addendum (if any)		
iv	Power of Attorney in the name of person signing the bid.		
V	Copies of documents defining constitution or legal status, place of registration and principal place of business of the company		
vi	Bidders declaration that regarding, Holiday/ Banning, liquidation court receivership or similar proceedings		
vii	Details and documentary proof required against qualification criteria along with complete documents establishing ownership of equipment as per SCC are enclosed		

Page	98	of	288
------	----	----	-----

viii	Confirm submission of document along with unpriced bid as per bid requirement.	
3.0	Confirm that all forms duly filled in are enclosed with the bid duly signed by authorized person(s)	
i	Confirm that no Price disclosing files have been attached with unpriced/ technical bid	
4.0	Confirm that proper page nos. have been given in sequential way in all the documents submitted along with your offer with Index.	
5.0	Confirmation that no deviations are taken against commercial and technical specifications of the bid document.	
6.0	Confirm that the price part of bid as per Price Schedule format enclosed with Bidding Document has been duly filled in for each item, signed on each page separately	
7.0	Confirm that annual reports for last three financial years & duly filled in Form 14 are enclosed in the offer for financial assessment (where financial criteria of BEC is applicable).	

Place:	[Signature of Authorized Signatory of Bidder
Date:	Name:
	~ · ·

Designation:

Seal:



F-14A CHECK LIST FOR QUOTED ITEMS

ITEM CATEGORY	SOR ITEM DESCRIPTION	QUOTED / NOT QUOTED
1	Tender Document for	
1	Construction of De-	
	Compression Unit (DCU) at	
	RSGL Sirol, Site Gwalioras	
	per SOR and tender	
	document ref. no.	
	RSGL/GWLR/C&P/PROJ/2	
	025-26/ NIT-05	
	DATED: 06-08-2025	



<u>F-15</u>

FORMAT FOR CERTIFICATE FROM BANK IF BIDDER'S WORKING CAPITAL IS INADEQUATE

(To be provided on Bank's letter head)

	Date:
Bidder's Name:	<u></u>
Tender No.:	<u> </u>
То	
Rajasthan state Gas Limited	
This is to certify that M/s	(name of the bidder with address)
(hereinafter referred to as Customer) is an exis	sting customer of our Bank.
The Customer has informed that they wish to RFQ/Tender no.	bid for RAJASTHAN STATE GAS's
	for(Name RFQ/Tender they have to furnish a certificate from of credit.
	name of the Bank with address) confirms availability (name of the bidder) for at least an amount of Rs.
It is also confirmed that the net worth of the Bais authorized to issue this certificate.	ank is more than Rs. 100 Crores and the undersigned
Yours Truly,	
For	
(Authorized Signatory)	
Name of the Signatory:	
Designation:	
Registration No.	Stamp of Bank



<u>F-16</u>

FORMAT FOR CHARTERED ACCOUNTANT CERTIFICATE/ CERTIFIED PUBLIC ACCOUNTANT (CPA) FOR FINANCIAL CAPABILITY OF THE BIDDER

		cial Statements and other relevant records of M/s e of the bidder) and certify the following:
A.	AUDITED ANNUAL TURNOV	VER* OF LAST 3 YEARS:
	Year	Amount (Currency)
	Year 1:	()
	Year 2:	
	Year 3:	
B.	NETWORTH* AS PER LAST	AUDITED FINANCIAL STATEMENT:
	Description	Year
		Amount (Currency)
	1. Net Worth	· · · · · · · · · · · · · · · · · · ·
	Description	Vear
	Description	Year
		Year Amount (Currency)
	Description 1. Current Assets 2. Current Liabilities	
	Current Assets Current Liabilities	
	1. Current Assets	
*Ref	1. Current Assets 2. Current Liabilities 3. Working Capital (Current	
Note the r	1. Current Assets 2. Current Liabilities 3. Working Capital (Current Assets-Current liabilities) See Instructions It is further certified that the all	



Instructions:

- 1. The Separate Pro-forma shall be used for each member in case of JV/Consortium.
- 2. The financial year would be the same as one normally followed by the bidder for its Annual Report.
- 3. The bidder shall provide the audited annual financial statements as required for this Tender document. Failure to do so would result in the Proposal being considered as non-responsive.
- 4. For the purpose of this Tender document:
 - (i) Annual Turnover shall be "Sale Value/ Operating Income"
 - (ii) Working Capital shall be "Current Assets less Current liabilities" and
 - (iii) **Net Worth** shall be Paid up share capital plus Free Reserves & Surplus less accumulated losses, deferred expenditure and miscellaneous expenditure not written off, if any.
- 5. Above figures shall be calculated after considering the qualification, if any, made by the statutory auditor on the audited financial statements of the bidder including quantified financial implication.
- 6. This certificate is to be submitted on the letter head of Chartered Accountant/CPA.



To,

F-17

BIDDER'S QUERIES FOR PRE BID MEETING

M/s Rajasthan state Gas Limited
Sub: Sub: Sub: Tender Document for Construction of De-Compression Unit (DCU) at RSGL Sirol,
Site Gwalior

Tender no: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

SL.	REFERENCE OF BIDDING DOCUMENT			DING	BIDDER'S QUERY	Rajasthan state Gas Limited's REPLY
	Sec.	Page	Clause	Subject		
	No.	No.	No.			

NOTE: The Pre-Bid Queries may be sent by fax / e-mail before due date for receipt of Bidder's queries in terms of Clause No. 8.1 of ITB.

Place:	[Signature of Authorized Signatory of Bidder]
Date:	Name:
	Designation:

Seal:



F-18 E-Banking Mandate Form

(To be issued on vendors letter head)

1. Vendor/customer Name:
2. Vendor/customer Code:
3. Vendor /customer Address:
4. Vendor/customer e-mail id:
 5. Particulars of bank account a) Name of Bank b) Name of branch c) Branch code: d) Address: e) Telephone number: f) Type of account (current/saving etc.) g) Account Number: h) RTGS IFSC code of the bank branch i) NEFT IFSC code of the bank branch j) 9 digit MICR code I/We hereby authorize Rajasthan state Gas Limited to release any amount due to me/us in the bank account as mentioned above. I/We hereby declare that the particulars given above are correct and complete. If the transaction is delayed or lost because of incomplete or incorrect information, we would not hold the Rajasthan state Gas Limited responsible.
media need need and and end and end and took endered
(Signature of vendor/customer)
BANK CERTIFICATE
We certify thatwith us and we confirm that the details given above are correct as per our records. Bank stamp
Date (Signature of authorized officer of bank)



<u>F-19</u>

INDEMNITY BOND

and on the terms and conditions as set out, inter-alia in the [mention the work order/LOA/Tender No.] and various documents forming part thereof, hereinafter collectively referred to as the 'CONTRACT' which expression shall include all amendments, modifications and / or variations thereto.

Rajasthan state Gas Limited has also advised the Contractor to execute an Indemnity Bond in general in favour of Rajasthan state Gas Limited indemnifying Rajasthan state Gas Limited and its employees and Directors from all consequences which may arise out of any prospective litigation or proceedings filed or may be initiated by any third party, including any Banker / financial institution / worker(s)

/vendor(s)/ subcontractor(s) etc. who may have been associated or engaged by the Contractor directly or indirectly with or without consent of Rajasthan state Gas Limited for above works.

NOW, THEREFORE, in consideration of the promises aforesaid, the Contractor hereby irrevocably and unconditionally undertakes to indemnify and keep indemnified Rajasthan state Gas Limited and all its employees, Directors, including Independent Directors, from and against all/any claim(s), damages, loss, which may arise out of any litigations/ liabilities that may be raised by the Contractor or any third party against RAJASTHAN STATE GAS under or in relation to this contract. The Contractor undertakes to compensate and pay to Rajasthan state Gas Limited and/or any of its employees, Directors forth with on demand without any protest the amount claimed by Rajasthan state Gas Limited for itself and for and on behalf of its employees, Directors together with direct/indirect expenses including all legal expenses incurred by them or any of them on account of such litigation or proceedings.

AND THE CONTRACTOR hereby further agrees with Rajasthan state Gas Limited that:

- (i) This Indemnity shall remain valid and irrevocable for all claims of Rajasthan state Gas Limited and/or any of its employees and Directors arising out of said contract with respect to any such litigation / court case for which Rajasthan state Gas Limited and/or its employees and Directors has been made party until now or here-in-after.
- (ii) This Indemnity shall not be discharged/revoked by any change/ modification



/amendment/assignment of the contract or any merger of the Contractor with other entity or any change in the constitution/structure of the Contractor's firm/Company or any conditions thereof including insolvency etc. of the Contractor, but shall be in all respects and for all purposes binding and operative until any/all claims for payment of Rajasthan state Gas Limited are settled by the Contractor and/or Rajasthan state Gas Limited discharges the Contractor in writing from this Indemnity.

The undersigned has full power to execute this Indemnity Bond for and on behalf of the Contractor and the same stands valid.

SIGNED BY:

For [Contractor] Authorised Representative

Place:

Dated:

Witnesses:

1.

2.



F-20

FREQUENTLY ASKED QUESTIONS (FAQs)

SL. NO.	QUESTION	ANSWER
1.0	Can any vendor quote for subjectTender?	Yes. A Vendor has to meet Bid Evaluation Criteria given under Section 1.1 of Tender document in addition to other requirements.
2.0	Should the Bid EvaluationCriteria documents be attested?	Yes. Please refer clause no C of Section 1.1 of Tender document
3.0	Is attending Pre Bid Meeting mandatory.	No. Refer Clause No. 17 of Instruction to Bidders of Tender Document. However attending Pre Bid Meeting is recommended to sort out any issue beforesubmission of bid by a Bidder.
4.0	Can a vendor submit more thanone offer?	No. Please refer Clause No. 4 of Instruction to Bidders of Tender Document.
5.0	Is there any Help documentavailable for e-Tender?	Not applicable
6.0	Are there are any MSE (Micro & Small Enterprises) benefits available?	Yes. Refer Clause No. 39 of Instructions to Biddersof Tender Document.

		Page 108 of 288
9	All the terms and conditions of Tender remain unaltered.	
अध्यक्षात्मा इस्ता व्यक्त स्थापन स्वकृतिक सम्बद्धिक स्थितिक		



F-21 Details of Quoted Parts

Ridder's	Nama		

Description	Quoted/ Not Quoted	Amount of EMD submitted
Tender Document for		
Construction of De-		
Compression Unit (DCU) at		
RSGL Sirol, Site Gwalioras		
per SOR and tender		
document ref. no.		
RSGL/GWLR/C&P/PROJ/2		
025-26/ NIT-05 DATED:		
06-08-2025		



CUT-OUT SLIP

(To be pasted on the envelope containing PRICE BID


DO NOT OPEN - THIS IS A QUOTATION

Tender: <u>TENDER DOCUMENT FOR CONSTRUCTION OF DE-</u> <u>COMPRESSION UNIT (DCU) AT RSGL SIROL, SITE GWALIOR.</u>

Tender no.	:	RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 dated 06-08-2025	
Due Date &	Time	: Upto 14:00 Hrs. (IST) on 21-08-2025	
From:		To:	
M/s		DGM (C&P)	
		RAJASTHAN STATE GAS LIMITED	
		Khaniz Bhawan,	
		Tilak Marg, C-Scheme Jaipur – 302005	
		Email: <u>viveks.rsgl@rajasthan.gov.in</u> Ph, No. 9650055638	



PART-II – CONDITIONS OF CONTRACT





Section 2:

General Conditions of Contract-Services (to be read in conjunction with other sections of the bid documents)



Sl.No.	Description
(i)	TABLE OF CONTENTS
(II)	SUBMISSION OF TENDER
	GENERAL CONDITIONS OF CONTRACT
SECTION-I (DEFI	NITIONS)
1.0	Definition of Terms
SECTION-II (GEN	ERAL INFORMATIONS)
2.0	General Information
2.1	(a) Location of Site
2.2	(b) Access by Road
2.3	Scope of Work
2.4	Water Supply
2.5	Power Supply
2.6	Land for Contractor's field office,
	Go down and Workshop
2.7	Land for Residential Accommodation
SECTION-III (GEN	NERAL INSTRUCTIONS TO TENDERERS)
3.0	Submission of Tender
4.0	Documents
4.1	General
4.2	All pages to be initialed
4.3	Rates to be in figures and words
4.4	Corrections and Erasures
4.5	Signature of Tenderer
4.6	Witness
4.7	Details of Experience
4.8	Liability of Government of India
5.0	Transfer of Tender Documents
6.0	Earnest Money
7.0	Validity
8.0	Addenda/Corrigenda
9.0	Right of Employer to Accept or RejectTender
10.0	Time Schedule
11.0	Tenderer's Responsibility
12.0	Retired Government or Company Officers
13.0	Signing of the Contract
14.0	Field Management & Controlling/Coordinating Authority
15.0	Note to Schedule of Rates
16.0	16.1 Policy for Tenders under consideration
	16.2 Zero Deviation
17.0	Award of Contract
18.0	Clarification of Tender Document
19.0	Local Conditions



Abnormal Rates

SECTION-IV (GENERAL OBLIGATIONS)

21.1	Priority of Contract Documents
21.2	Headings & Marginal Notes
21.3	Singular and Plural
21.4	Interpretation
22.0	Special Conditions of Contract
23.0	Contractor to obtain his own information
24.0	Contract Performance Security
25.0	Time of Performance
25.1	Time for Mobilisation
25.2	Time Schedule of Construction
26.0	Force Majeure
26.1	Conditions for Force Majeure
26.2	Outbreak of War
27.0	Price Reduction Schedule
27.3	Bonus for Early Completion
28.0	Rights of Employer to forfeit Contract Performance Security
29.0	Failure by the Contractor to comply with
25.0	the provisions of the contract
30.0	Contractor remains liable to pay compensation
30.0	if action not taken under Clause 29.0
31.0	Change in Constitution
32.0 -A	Termination of Contract for Death
32.0-A 32.0-B	Termination of Contract for Death Termination of Contract for
32.U-D	
32 0 C	Liquidation, Bankruptcy etc.
32.0-C	Termination of Contract for Non-Performance and subsequently putting
22.0	the Contractor on Holiday
33.0	Members of the Employer not individually liable
34.0	Employer not bound by personal representations
35.0	Contractor's office at site
36.0	Contractor's subordinate staff and their conduct
37.0	Subletting of Works
	i) Sub contracts for Temporary works etc.
	ii) List of sub-contractors to be suppliediii) Contractor's liability not limited by Sub-Contractors
	iv) Employer may terminate sub contracts
	v) No remedy for action taken under this clause
38.0	Power of Entry
39.0	Contractor's responsibility with Mechanical,
37.0	Electrical, Intercommunication System, Air
	Conditioning Contractors and other agencies
40.0	Other Agencies at site
41.0	Notices
41.1	To the Contractor
41.2	To the Employer
42.0	Rights of various Interests
43.0	Patents and Royalties
44.0	Liens
45.0	Delays by Employer or his authorized agents
46.0	Payments if Contract is terminated
47.0	No waiver of Rights
48.0	Certificate not to affect Right of Employer and Liability of Contractor

40.0	Languages & Maggures
49. 0	Languages & Measures
। राज्यांक जिसे 5 0.0	Transfer of Title
51.0	Release of Information
52.0	Brand Names
53.0	Completion of Contract
54.0	Spares

SECTION-V (PERFORMANCE OF WORK)

55.0	Execution of Work
56.0	Co-ordination and Inspection of work
57.0	Work in Monsoon & Dewatering
58.0	Work on Sundays & Holidays
59.0	General Conditions for construction
	& Erection Work
60.0	Alterations in specification, Design
	& Extra Work
61.0	Drawings to be supplied by the Employer
62.0	Drawings to be supplied by the Contractor
63.0	Setting out works
64.0	Responsibility for Levels and Alignment
65.0	Materials to be supplied by contractor
66.0	Stores supplied by Employer
67.0	Conditions for issue of material
68.0	Materials Procured with assistance of
	Employer/Return of surplus
69.0	Materials obtained from dismantling
70.0	Articles of Value found
71.0	Discrepancies between instructions
72.0	Action where no specification is issued
73.0	Inspection of Works
74.0	Tests for Quality of Works
75.0	Samples for approval
76.0	Action and Compensation in case of bad work
77.0	Suspension of Work
78.0	Employer may do part of work
79.0	Possession prior to completion
80.0	Twelve months period of liability from
	the date of issue of completion certificate
80.3	Limitation of Liability
81.0	Care of Works
81.1	Defects prior to taking over
81.2	Defects after taking over
82.0	Guarantee/Transfer of Guarantee
83.0	Training of Employer's personnel
84.0	Replacement of Defective parts & materials
85.0	Indemnity
86.0	Construction Aids, Equipments, Tools & Tackles

SECTION-VI (CERTIFICATES AND PAYMENTS)

- i) Schedule of Rates and Payments
- ii) Contractor's Remuneration
- iii) Schedule of Rates to be inclusive



iv) Schedule of Rates to	o cover construction equipment, materials, labour etc.	
,	vi) Schedule of Rates to cover Royalties, Re	ents and
	claims.	
	vii) Schedule of Rates to cover taxes & dutie	es
	viii) Schedule of Rates to cover risks of delay	/
	ix) Schedule of Rates cannot be altered	
88.0	Procedure for Measurement and billing of	
	works in progress	
88.1	Billing Procedure	
88.2	Secured Advance on materials	
88.3	Dispute in mode of measurement	
88.4	Rounding of Amounts	
89.0	Lumpsum in Tender	
90.0	Running Account Payments to be regarded	
	as advances	
91.0	Notices of Claims for Additional Payments	
92.0	Payment of Contractor's bills	
93.0	Receipt for Payment	
94.0	Completion Certificate	
94.1	Application for Completion Certificate	
94.2	Completion Certificate	
94.3	Completion Certificate Documents	
95.0	Final Decision & Final Certificate	
96.0	Certificate and Payments No evidence of con	npletion
97.0	Deduction from Contract Price	
SECTION-VII (TAX	XES AND INSURANCE)	
98.0	Taxes, Duties, Octroi etc.	
99.0	Sales Tax/Turnover Tax	
100.0	Statutory Variations	
101.0	Insurance	
101.1	General	
	i) Employees State Insurance Act	
	ii) Workmen Compensation and Employee	
		's Liability Insurance
		's Liability Insurance
	iii) Accident or injury to workmen	's Liability Insurance
	iii) Accident or injury to workmen iv) Transit Insurance	's Liability Insurance
	iii) Accident or injury to workmeniv) Transit Insurancev) Automobile	's Liability Insurance
	 iii) Accident or injury to workmen iv) Transit Insurance v) Automobile vi) General Liability 	
Employer	iii) Accident or injury to workmeniv) Transit Insurancev) Automobile	

SECTION-VIII (LABOUR LAWS)

103.0	Labour laws
104.0	Implementation of Apprentices Act 1961
105.0	Contractor to indemnify the Employer
106.0	Health and Sanitary Arrangement for worker

SECTION-IX (APPLICABLE LAWS AND SETTLEMENT OF DISPUTES)

107.0	Arbitration
108.0	Jurisdiction



SECTION-X (SAFETY CODES)

109.0	General
110.0	Safety Regulations
111.0	First Aid and Industrial Injuries
112.0	General Rules
113.0	Contractor's barricades
114.0	Scaffolding
115.0	Excavation and Trenching
116.0	Demolition/General Safety
117.0	Care in Handling Inflammable Gas
118.0	Temporary Combustible Structures
119.0	Precautions Against Fire
120.0	Explosives
121.0	Mines Act
122.0	Preservation of Places
123.0	Outbreak of Infectious diseases
124.0	Use of intoxicants

ANNEXURES TO GCC

1.

Proforma of Agreement Proforma for Indemnity Bond for Advance against material 2.



General Conditions of Contract

Section-I. Definitions

1. Definition of Terms:

- 1.1 In this CONTRACT (as here-in-after defined) the following words and expressions shall have the meanings hereby assigned to them except where the context otherwise required.
- 1.1.1 The EMPLOYER/COMPANY/RSGL means RSGL, incorporated under the Company's act 1956 and having its office at Khaniz bhawan, Tilak marg,C-scheme Jaipur-302005 and includes its successors and assigns.
- 1.1.2 The "CONTRACTOR" means the person or the persons, firm or Company or corporation whose tender has been accepted by the EMPLOYER and includes the CONTRACTOR's legal Representatives his successors and permitted assigns.
- 1.1.3 The ENGINEER/ENGINEER-IN-CHARGE" shall mean the person designated from time to time by the RSGLand shall include those who are expressly authorized by him to act for and on his behalf for operation of this CONTRACT.
- 1.1.4 The "WORK" shall mean and include all items and things to be supplied/ done and services and activities to be performed by the CONTRACTOR in pursuant to and in accordance with CONTRACT or part thereof as the case may be and shall include all extra, additional, altered or substituted works as required for purpose of the CONTRACT.
- 1.1.5 The "PERMANENT WORK" means and includes works which will be incorporated in and form a part of the work to be handed over to the EMPLOYER by the CONTRACTOR on completion of the CONTRACT.
- 1.1.6 "CONSTRUCTION EQUIPMENT" means all appliances/equipment and things whatsoever nature for the use in or for the execution, completion, operation, or maintenance of the work or temporary works (as hereinafter defined) but does not include materials or other things intended to form or to be incorporated into the WORK, or camping facilities.
- 1.1.7 "CONTRACT DOCUMENTS" means collectively the Tender Documents, Designs, Drawings, Specification, Schedule of Quantities and Rates, Letter of Acceptance and agreed variations if any, and such other documents constituting the tender and acceptance thereof.
- 1.1.8 CONSULTANT: means The Consultant firm appointed by the RSGL
- 1.1.9 The "SUB-CONTRACTOR" means any person or firm or Company (other than the CONTRACTOR) to whom any part of the work has been entrusted by the CONTRACTOR, with the written consent of the ENGINEER-IN-CHARGE, and the legal representatives, successors and permitted assigns of such person, firm or company.
- 1.1.10 The "CONTRACT" shall mean the Agreement between the EMPLOYER and the CONTRACTOR for the execution of the works



including therein all contract documents.

- 1.1.11 The "SPECIFICATION" shall mean all directions the various technical specifications, provisions attached and referred to the Tender Documents which pertain to the method and manner of performing the work or works to the quantities and qualities of the work or works and the materials to be furnished under the CONTRACT for the work or works, as may be amplified or modified by the RSGLor ENGINEER-IN-CHARGE during the performance of CONTRACT in order to provide the unforeseen conditions or in the best interests of the work or works. It shall also include the latest edition of relevant Standard Specifications including all addenda/corrigenda published before entering into CONTRACT.
- 1.1.12 The "DRAWINGS" shall include maps, plans and tracings or prints or sketches thereof with any modifications approved in writing by the ENGINEER- IN-CHARGE and such other drawing as may, from time to time, be furnished or approved in writing by the ENGINEER-IN-CHARGE.
- 1.1.13 The "TENDER" means the proposal along with supporting documents submitted by the CONTRACTOR for consideration by the EMPLOYER.
- 1.1.14 The "CHANGE ORDER" means an order given in writing by the ENGINEER-IN-CHARGE to effect additions to or deletion from and alteration in the works.
- 1.1.15 The "COMPLETION CERTIFICATE" shall mean the certificate to be issued by the ENGINEER-IN-CHARGE when the works have been completed entirely in accordance with CONTRACT DOCUMENT to his satisfaction.
- 1.1.16 The "FINAL CERTIFICATE" in relation to a work means the certificate regarding the satisfactory compliance of various provision of the CONTRACT by the CONTRACTOR issued by the ENGINEER-IN-CHARGE/EMPLOYER after the period of liability is over.
- 1.1.17 "DEFECT LIABILITY PERIOD" in relation to a work means the specified period from the date of COMPLETION CERTIFICATE upto the date of issue of FINAL CERTIFICATE during which the CONTRACTOR stands responsible for rectifying all defects that may appear in the works executed by the CONTRACTOR in pursuance of the CONTRACT and includes warranties against Manufacturing/Fabrication/ Erection/Construction defects covering all materials plants, equipment, components, and the like supplied by the CONTRACTOR, works executed against workmanship defects.
- 1.1.18 The "APPOINTING AUTHORITY" for the purpose of arbitration shall be the CHAIRMAN and MANAGING DIRECTOR or any other person so designated by the EMPLOYER.
- 1.1.19 "TEMPORARY WORKS" shall mean all temporary works of every kind required in or about the execution, completion or maintenance of works.
- 1.1.20 "PLANS" shall mean all maps, sketches and layouts as are incorporated in the CONTRACT in order to define broadly the scope and specifications of the work or works, and all reproductions thereof.
- 1.1.21 "SITE" shall mean the lands and other places on, under, in or through



- which the permanent works are to be carried out and any other lands or places provided by the EMPLOYER for the purpose of the CONTRACT.
- 1.1.22 "NOTICE IN WRITING OR WRITTEN NOTICE" shall mean a notice in written, typed or printed characters sent (unless delivered personally or otherwise proved to have been received by the addressee) by registered post to the latest known private or business address or registered office of the addressee and shall be deemed to have been received in the ordinary course of post it would have been delivered.
- 1.1.23 "APPROVED" shall mean approved in writing including subsequent written confirmation of previous verbal approval and "APPROVAL" means approval in writing including as aforesaid.
- 1.1.24 "LETTER OF INTENT/FAX OF INTENT" shall mean intimation by a Fax/Letter to Tenderer(s) that the tender has been accepted in accordance with the provisions contained in the letter.
- 1.1.25 "DAY" means a day of 24 hours from midnight to midnight irrespective of the number of hours worked in that day.
- 1.1.26 "WORKING DAY" means any day which is not declared to be holiday or rest day by the EMPLOYER.
- 1.1.27 "WEEK" means a period of any consecutive seven days.
- 1.1.28 "METRIC SYSTEM" All technical documents regarding the construction of works are given in the metric system and all work in the project should be carried out according to the metric system. All documents concerning the work shall also be maintained in the metric system.
- 1.1.29 "VALUE OF CONTRACT" or "TOTAL CONTRACT PRICE" shall mean the sum accepted or the sum calculated in accordance with the prices accepted in tender and/or the CONTRACT rates as payable to the CONTRACTOR for the entire execution and full completion of the work, including change order.
- 1.1.30 "LANGUAGE FOR DRAWINGS AND INSTRUCTION" All the drawings, titles, notes, instruction, dimensions, etc. shall be in English Language.
- 1.1.31 "MOBILIZATION" shall mean establishment of sufficiently adequate infrastructure by the CONTRACTOR at "SITE" comprising of construction equipments, aids, tools tackles including setting of site offices with facilities such as power, water, communication etc. establishing manpower organisation comprising of Resident Engineers, Supervising personnel and an adequate strength of skilled, semi-skilled and un-skilled workers, who with the so established infrastructure shall be in a position to commence execution of work at site(s), in accordance with the agreed Time Schedule of Completion of Work. "MOBILISATION" shall be considered to have been achieved, if the CONTRACTOR is able to establish infrastructure as per Time Schedule, where so warranted in accordance with agreed schedule of work implementation to the satisfaction of ENGINEER-IN-CHARGE/EMPLOYER.
- 1.1.32 "COMMISSIONING" shall mean pressing into service of the system including the plant(s), equipment(s), vessel(s), pipeline, machinery(ies), or any other section or sub-section of installation(s)



pertaining to the work of the CONTRACTOR after successful testing and trial runs of the same.

"COMMISSIONING" can be either for a completed system or a part of
system of a combination of systems or sub-systems and can be performed in
any sequence as desired by EMPLOYER and in a manner established to be
made suited according to availability of pre-requisites. Any such
readjustments made by EMPLOYER in performance of
"COMMISSIONING" activity will not be construed to be violating
CONTRACT provisions and CONTRACTOR shall be deemed to have
provided for the same.

Section-II General Information

2. General Information

- a) <u>Location of Site:</u> The proposed location of Project site is defined in the Special Conditions of Contract.
 - b) Access by Road: CONTRACTOR, if necessary, shall build other temporary access roads to the actual site of construction for his own work at his own cost. The CONTRACTOR shall be required to permit the use of the roads so constructed by him for vehicles of any other parties who may be engaged on the project site. The CONTRACTOR shall also facilitate the construction of the permanent roads should the construction there of start while he is engaged on this work. He shall make allowance in his tender for any inconvenience he anticipates on such account.

Non-availability of access roads, railway siding and railway wagons for the use of the CONTRACTOR shall in no case condone any delay in the execution of WORK nor be the cause for any claim for compensation against the EMPLOYER.

- 2.2 Scope of Work: The scope of WORK is defined in the Technical Part of the tender document. The CONTRACTOR shall provide all necessary materials, equipment, labour etc. for the execution and maintenance of the WORK till completion unless otherwise mentioned in the Tender Document.
- 2.3 <u>Water Supply:</u> Contractor will have to make his own arrangements for supply of water to his labour camps and for works. All pumping installations, pipe network and distribution system will have to be carried out by the Contractor athis own risk and cost.

Alternatively, the Employer at his discretion may endeavour to provide water to the Contractor at the Employer's source of supply provided the Contractor makes his own arrangement for the water meter which shall be in custody of the Employer and other pipe networks from source of supply and such distribution pipe network shall have prior approval of the Engineer-in-Charge so as not to interfere with the layout and progress of the other construction works. In such case, the rate for water shall be deducted from the running account bills.

However, the Employer does not guarantee the supply of water and this does not relieve the Contractor of his responsibility in making his own arrangement and for the timely completion of the various works as stipulated.

2.4 Power Supply:

2.4.1 Subject to availability, EMPLOYER will supply power at 400/440 V at only one point at the nearest sub-station, from where the



CONTRACTOR will make his own arrangement for temporary distribution. The point of supply will not be more than 500 m away from the CONTRACTOR'S premises. All the works will be done as per the applicable regulations and passed by the ENGINEER-IN-CHARGE. The temporary line will be removed forthwith after the completion of work or if there is any hindrance caused to the other works due to the alignment of these lines, the CONTRACTOR will re-route or remove the temporary lines at his own cost. The CONTRACTOR at his cost will also provide suitable electric meters, fuses, switches, etc. for purposes of payment to the EMPLOYER which should be in the custody and control of the EMPLOYER. The cost of power supply shall be payable to the EMPLOYER every month for Construction Works power which would be deducted from the running account bills. The EMPLOYER shall not, however, guarantee the supply of electricity nor have any liability in respect thereof. No claim for compensation for any failure or short supply of electricity will be admissible.

- 2.4.2 It shall be the responsibility of the CONTRACTOR to provide and maintain the complete installation on the load side of the supply with due regard to safety requirement at site. All cabling, equipment, installations etc. shall comply in all respects with the latest statutory requirements and safety provisions i.e., as per the Central/State Electricity Acts and Rules etc. The CONTRACTOR will ensure that his equipment and Electrical Wiring etc., are installed, modified, maintained by a licensed Electrician/Supervisor. A test certificate is to be produced to the ENGINEER-IN-CHARGE for his approval, before power is made available.
- 2.4.3 At all times, IEA regulations shall be followed failing which the EMPLOYER has a right to disconnect the power supply without any reference to the CONTRACTOR. No claim shall be entertained for such disconnection by the ENGINEER-IN-CHARGE. Power supply will be reconnected only after production of fresh certificate from authorized electrical supervisors.
- 2.4.4 The EMPLOYER is not liable for any loss or damage to the CONTRACTOR's equipment as a result of variation in voltage or frequency or interruption in power supply or other loss to the CONTRACTOR arising there from.
- 2.4.5 The CONTRACTOR shall ensure that the Electrical equipment installed by him are such that average power factors does not fall below 0.90 at his premises. In case power factor falls below 0.90 in any month, he will reimburse to the EMPLOYER at the penal rate determined by the EMPLOYER for all units consumed during the month.
- 2.4.6 The power supply required for CONTRACTOR's colony near the plant site will be determined by the EMPLOYER and shall be as per State Electricity Board's Rules and other statutory provisions applicable for such installations from time to time. In case of power supply to CONTRACTOR's colony, the power will be made available at a single point and the CONTRACTOR shall make his own arrangement at his own cost for distribution to the occupants of the colony as per Electricity Rules and Acts. The site and colony shall be sufficiently illuminated to avoid accidents.
- 2.4.7 The CONTRACTOR will have to provide and install his own lights and power meters which will be governed as per Central/State Government Electricity Rules. The metres shall be sealed by the EMPLOYER.



- 2.4.8 In case of damage of any of the EMPLOYER's equipment on account of fault, intentional or unintentional on the part of the CONTRACTOR, the EMPLOYER reserves the right to recover the cost of such damage from the CONTRACTOR's bill. Cost of HRC Fuses replaced at the EMPLOYER's terminals due to any fault in the CONTRACTOR's installation shall be to CONTRACTOR's account at the rates decided by the ENGINEER-IN-CHARGE.
- 2.4.9 Only motors upto 3 HP will be allowed to be started direct on line. For motors above 3 HP and upto 100 HP a suitable Starting device approved by the ENGINEER- IN-CHARGE shall be provided by the CONTRACTOR. For motors above 100 HP slip ring induction motors with suitable starting devices as approved by the ENGINEER- IN-CHARGE shall be provided by the CONTRACTOR.
- 2.4.10 The CONTRACTOR shall ensure at his cost that all electrical lines and equipment and all installations are approved by the State Electricity Inspector before power can be supplied to the EMPLOYER.
- 2.4.11 The total requirement of power shall be indicated by the Tenderer along with his tender.
- 2.5 Land for Contractor's Field Office, Godown and Workshop: The EMPLOYER will, at his own discretion and convenience and for the duration of the execution of the work make available near the site, land for construction of CONTRACTOR's Temporary Field Office, godowns workshops and assembly yard required for the execution of the CONTRACT. The CONTRACTOR shall at his own cost construct all these temporary buildings and provide suitable water supply and sanitary arrangement and get the same approved by the ENGINEER-IN-CHARGE.

On completion of the works undertaken by the CONTRACTOR, he shall remove all temporary works erected by him and have the SITE cleaned as directed by ENGINEER-IN-CHARGE. If the CONTRACTOR shall fail to comply with these requirements, the ENGINEER-IN-CHARGE may at the expenses of the CONTRACTOR remove such surplus, and rubbish materials and dispose off the same as he deems fit and get the site cleared as aforesaid; and CONTRACTOR shall forthwith pay the amount of all expenses so incurred and shall have no claim in respect of any such surplus materials disposed off as aforesaid. But the EMPLOYER reserves the right to ask the CONTRACTOR any time during the pendency of the CONTRACT to vacate the land by giving 7 days notice on security reasons or on national interest or otherwise. Rent may be charged for the land so occupied from contractor by the Employer.

The CONTRACTOR shall put up temporary structures as required by them for their office, fabrication shop and construction stores only in the area allocated to them on the project site by the EMPLOYER or his authorised representative. No tea stalls/canteens should be put up or allowed to be put up by any CONTRACTOR in the allotted land or complex area without written permission of the EMPLOYER.

No unauthorised buildings, constructions or structures should be put up by the CONTRACTOR anywhere on the project site.

For uninterrupted fabrication work, the CONTRACTOR shall put up temporary covered structures at his cost within Area in the location allocated to them in the project site by the EMPLOYER or his authorised representative.



No person except for authorised watchman shall be allowed to stay in the plant area/CONTRACTOR's area after completion of the day's job without prior written permission from ENGINEER-IN-CHARGE.

2.6 <u>Land for Residential Accommodation:-:</u>No Land shall be made available for residential accommodation for staff and labour of CONTRACTOR.

2.72.7

Section-III. General Instructions to Tenderers

3. Submission of Tender:

- 3.1 TENDER must be submitted without making any additions, alterations, and as per details given in other clauses hereunder. The requisite details shall be filled in by the TENDERER at space provided under "Submission of Tender at the beginning of GCC of Tender Document. The rate shall be filled only in the schedule given in this Tender Document.
- 3.2 Addenda/Corrigenda to this Tender Document, if issued, must be signed, submitted along with the Tender Document. the tenderer should write clearly the revised quantities in Schedule of Rates of Tender Document and should price the WORK based on revised quantities when amendments of quantities are issued in addenda.
- **3.3** Covering letter along with its enclosures accompanying the Tender Document and all further correspondence shall be submitted in duplicate.
- 3.4 Tenderers are advised to submit quotations based strictly on the terms and conditions and specifications contained in the Tender Documents and not to stipulate any deviations.
- 3.5 Tenders should always be placed in double sealed covers, super scribing ["QUOTATION DO NOT OPEN" Tender for _______ Project of RSGL due for opening on ______]. The Full Name, Address and Telegraphic Address, Fax No. of the Tenderers shall be written on the bottom left hand corner of the sealed cover.

4. Documents:

4.1 General:

The tenders as submitted, will consist of the following:

- i) Complete set of Tender Documents (Original) as sold duly filled in and signed by the tenderer as prescribed in different clauses of the Tender Documents.
- ii) Earnest money in the manner specified in Clause 6hereof.
- Power of Attorney or a true copy thereof duly attested by a Gazetted Officer in case an authorised representative has signed the tender, as required by Clause 14 hereof.
- iv) Information regarding tenderers in the proforma enclosed.
- V) Details of work of similar type and magnitude carried out by the Tenderer in the proforma provided in the tender document.
- vi) Organisation chart giving details of field management at site, the tenderer proposes to have for this job.
- vii) Details of construction plant and equipments available with the tenderer for using in this work.



- viii) Solvency Certificate from Scheduled Bank to prove the financial ability to carry out the work tendered for.
- ix) Latest Balance Sheet and Profit & Loss Account duly audited.
- x) Details of present commitment as per proforma enclosed to tender.
- xi) Data required regarding SUB-CONTRACTOR(s)/ Supplier/ Manufacturers and other technical informations the tenderer wish to furnish.
- xii) Provident fund registration certificate
- xiii) List showing all enclosures to tender.
- 4.2 <u>All pages are to be Initiated:</u> All signatures in Tender Documents shall be dated, as well as, all the pages of all sections of Tender Documents shall be initialled at the lower right hand corner and signed wherever required in the tender papers by the TENDERER or by a person holding power of attorney authorising him to sign on behalf of the tenderer before submission of tender.
- 4.3 <u>Rates to be in Figures and Words:</u> The tender should quote in English both in figures as well as in words the rates and amounts tendered by him in the Schedule of Rates of Tender submitted by the CONTRACTOR for each item and in such a way that interpolation is not possible. The amount for each item should be worked out and entered and requisite total given of all items, both in figures and in words. The tendered amount for the work shall be entered in the tender and duly signed by the Tenderer.

If some discrepancies are found between the RATES in FIGURES and WORDS or the AMOUNT shown in the tender, the following procedure shall be followed:

- a) When there is difference between the rates in figures and words, the rate which corresponds to the amount worked out by the tenderer shall be taken as correct.
- b) When the rate quoted by the tenderer in figures and words tally but the amount is incorrect the rate quoted by the tenderer shall be taken as correct.
- c) When it is not possible to ascertain the correct rate by either of above methods, the rate quoted in words shall be taken as correct.
- 4.4 <u>Corrections and Erasures:</u> All correction(s) and alteration(s) in the entries of tender paper shall be signed in full by the TENDERER with date. No erasure or over writing is permissible.

4.5 <u>Signature of Tenderer</u>:

4.5.1 The TENDERER shall contain the name, residence and place of business of person or persons making the tender and shall be signed by the TENDERER with his usual signature. Partnership firms shall furnish the full names of all partners in the tender. It should be signed in the partnership's name by all the partners or by duly authorised representatives followed by the name and designation of the person signing. Tender by a corporation shall be signed by an authorised representative, and a Power of Attorney in that behalf shall accompany the tender. A copy of the constitution of the firm with



names of all partners shall be furnished.

- 4.5.2 When a tenderer signs a tender in a language other than English, the total amount tendered should, in addition, be written in the same language. The signature should be attested by at least one witness.
- 4.6 <u>Witness:</u> Witness and sureties shall be persons of status and property and their names, occupation and address shall be stated below their signature.
- 4.7 <u>Details of Experience:</u> The tenderer should furnish, along with his tender, details of previous experience in having successfully completed in the recent past works of this nature, together with the names of Employers, location of sites and value of contract, date of commencement and completion of work, delays if any, reasons of delay and other details along with documentary evidence(s).
- 4.8 <u>Liability of Government of India</u>: It is expressly understood and agreed by and between Bidder or/Contractor and M/s RSGL, and that M/s RSGL, is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that the Government of India is not a party to this agreement and has no liabilities, obligations or rights hereunder. It is expressly understood and agreed that M/s RSGL is an independent legal entity with power and authority to enter into contracts solely on its own behalf under the applicable Laws of India and general principles of Contract Law. The Bidder/Contractor expressly agrees, acknowledges and understands that M/s RSGL is not an agent, representative ordelegate of the Government of India. It is further understood and agreed that the Government of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, Bidder/Contractor hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Government of India arising out of this contract and covenants not to sue to Government of India as to any manner, claim, cause of action or thing whatsoever arising of or under this agreement.
- 5. Transfer of Tender Documents:
- **6.** Earnest Money:
- 5.1 Transfer of Tender Documents purchased by one intending tenderer to another is not permissible.
- 6.1 The bidder must pay Earnest Money as given in the letter /notice

inviting tenders and attach the official receipt with the tender failing which the tender is liable to be rejected and representatives of such tenderers will not be allowed to attend the tender opening. Earnest Money can be paid in Demand Drafts or Bank Guarantee or Banker's Cheque or Letter of Credit from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank. However, other than the Nationalised Indian Banks, the banks whose BGs are furnished, must be commercial banks having net worth in excess of Rs. 100 crores and a declaration to this effect should be made by such commercial bank either in the bank guarantee itself or separately on a letter head.

The bid guarantee shall be submitted in the prescribed format.

Note: The Bank Guarantee so furnished by the tenderer shall be in the proforma prescribed by the EMPLOYER. No interest shall be paid by the EMPLOYER on the Earnest Money deposited by the tenderer. The Bank Guarantee furnished in lieu of Earnest Money shall be kept valid for a period of "SIX MONTHS" from the date of opening of



tender.(TWO MONTHS beyond the bid due date).

The Earnest Money deposited by successful tenderer shall be forfeited if the Contractor fails to furnish the requisite Contract Performance Security as per clause 24 hereof and /or fails to start work within a period of 15 days or fails to execute the AGREEMENT within 15 days of the receipt by him of the Notification of Acceptance of Tender.

Note: The Earnest Money of the unsuccessful bidder will be returned by EMPLOYER/CONSULTANT, directly to the tenderer (s), within a reasonable period of time but not later than 30 days after the expiration of the period of bid validity prescribed by EMPLOYER.

7 Validity:

- 7.1 Tender submitted by tenderers shall remain valid for acceptance for a period of "4 MONTHS" from the date of opening of the tender. The tenderers shall not be entitled during the said period of 4 months, without the consent in writing of the EMPLOYER, to revoke or cancel his tender or to vary the tender given or any term thereof. In case of tender revoking or canceling his tender or varying any term in regard thereof without the consent of EMPLOYER in writing, the EMPLOYER shall forfeit Earnest Money paid by him along with tender.
- 8 Addenda/Corrigenda
- 8.1 Addenda/ Corrigenda to the Tender Documents will be issued in duplicate prior to the date of opening of the tenders to clarify documents or to reflect modification in design or CONTRACT terms.
- 8.2 Each addenda/ corrigendum issued will be issued in duplicate to each person or organisation to whom set of Tender Documents has been issued. Recipient will retain tenderer's copy of each Addendum/Corrigendum and attach original copy duly signed along with his offer. All Addenda/Corrigenda issued shall become part of Tender Documents.
- 9 Right of Employer to Accept or Reject Tender:
- 9.1 The right to accept the tender will rest with the EMPLOYER. The EMPLOYER, however, does not bind himself to accept the lowest tender, and reserves to itself the authority to reject any or all the tenders received without assigning any reason whatsoever. At the option of the Employer, the work for which the tender had been invited, may be awarded to one Contractor or split between more than one bidders, in which case the award will be made for only that part of the work, in respect of which the bid has been accepted. The quoted rates should hold good for such eventualities.

Tenders in which any of the particulars and prescribed information are missing or are incomplete in any respect and/or the prescribed conditions are not fulfilled are liable to be rejected. The Tender containing uncalled for remarks or any additional conditions are liable to be rejected.

Canvassing in connection with tenders is strictly prohibited and tenders submitted by the Tenderers who resort to canvassing will be liable to rejection.

10 Time Schedule

10.1 The WORK shall be executed strictly as per the TIME SCHEDULE specified in TENDER/CONTRACT Document. The period of construction given in Time Schedule includes the time required for mobilisation as well as testing, rectifications if any, retesting and completion in all respects to the entire satisfaction of the ENGINEER-IN- CHARGE.



- 10.2 A joint programme of execution of the WORK will be prepared by the ENGINEER-IN-CHARGE and CONTRACTOR based on priority requirement of this project. This programme will take into account the time of completion mentioned in 10.1 above and the time allowed for the priority works by the ENGINEER-IN-CHARGE.
- 10.3 Monthly/Weekly construction programme will; be drawn up by the ENGINEER-IN-CHARGE jointly with the CONTRACTOR, based on availability of work fronts and the joint construction programme as per 10.2 above. The CONTRACTOR shall scrupulously adhere to these targets /programmes by deploying adequate personnel, construction tools and tackles and he shall also supply himself all materials of his scope of supply in good time to achieve the targets/programmes. In all matters concerning the extent of targets set out in the weekly and monthly programmes and the degree of achievements the decision of the ENGINEER-IN-CHARGE will be final and binding on the CONTRACTOR.
- 11 **Tenderer's Responsibility** 11.1 The intending tenderers shall be deemed to have visited the SITE and

familiarised submitting the tender. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the works in strict conformity with the DRAWINGS and SPECIFICATIONS or for any delay in performance.

12 Retired Government or Company Officers

- 12.1 No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the States/ Central Government or of the EMPLOYER is allowed to work as a CONTRACTOR for a period of two years after his retirement from Government Service, or from the employment of the EMPLOYER without the previous permission of the EMPLOYER. The CONTRACT, if awarded, is liable to be cancelled if either the CONTRACTOR or any of his employees is found at any time to be such a person, who has not obtained the permission of the State/Central Government or of the EMPLOYER as aforesaid before submission of tender, or engagement in the CONTRACTOR'S service as the case maybe.
- 13 Signing of the Contract: 13.1 The successful tenderer shall be required to execute an AGREEMENT

in the proforma attached with TENDER DOCUMENT within 15 days of the receipt by him of the Notification of Acceptance of Tender. In the event of failure on the part of the successful tenderer to sign the AGREEMENT within the above stipulated period, the Earnest Money or his initial deposit will be forfeited and the acceptance of the tender shall be considered as cancelled.

14 Field Management & Controlling/Coordinating Authority:

- 14.1 The field management will be the responsibility of the ENGINEER-IN-CHARGE, who will be nominated by the EMPLOYER. The ENGINEER-IN-CHARGE may also authorise his representatives to assist in performing his duties and functions.
- 14.2 The ENGINEER-IN-CHARGE shall coordinate the works of various agencies engaged at site to ensure minimum disruption of work carried out by different agencies. It shall be the responsibility of the CONTRACTOR to plan and execute the work strictly in accordance with site instructions to avoid hindrance to the work being executed by other agencies.
- 15 Note to Schedule of Rates:
- 15.1 The Schedule of Rates should be read in conjunction with all the other sections of the tender.
- 15.2 The tenderer shall be deemed to have studied the DRAWINGS,



SPECIFICATIONS and details of work to be done within TIME SCHEDULE and to have acquainted himself of the condition prevailing at site.

- 15.3 Rates must be filled in the Schedule of Rates of original Tender Documents. If quoted in separate typed sheets no variation in item description or specification shall be accepted. Any exceptions taken by the tenderer to the Schedule of Rates shall be brought out in the terms and conditions of the offer.
- 15.4 The quantities shown against the various items are only approximate. Any increase or decrease in the quantities shall not form the basis of alteration of the rates quoted and accepted.
- 15.5 The EMPLOYER reserves the right to interpolate the rates for such items of work falling between similar items of lower and higher magnitude.

16 Policy for Tenders Under Consideration:

- 16.1 Only Those Tenders which are complete in all respects and are strictly in accordance with the Terms and Conditions and Technical Specifications of Tender Document, shall be considered for evaluation. Such Tenders shall be deemed to be under consideration immediately after opening of Tender and until such time an official intimation of acceptance /rejection of Tender is made by RSGL to the Bidder.
- 16.2 Zero Deviation: Bidders to note that this is a ZERO DEVIATION TENDER. RSGL will appreciate submission of offer based on the terms and conditions in the enclosed General Conditions of Contract (GCC), Special Conditions of Contract (SCC), Instructions to Bidders (ITB), Scope of Work, technical specifications etc. to avoid wastage of time and money in seeking clarifications on technical/commercial aspects of the offer. Bidder may note that no technical and commercial clarifications will be sought for after the receipt of the bids. In case of any deviation/nonconformity observed in the bid, it will be liable for rejection.

17 Award of Contract:

- 17.1 The Acceptance of Tender will be intimated to the successful Tenderer by RSGLeither by Telex/ Telegram/ Fax or by Letter or like means-defined as LETTER OF ACCEPTANCE OF TENDER.
- 17.2 RSGLwill be the sole judge in the matter of award of CONTRACT and the decision of RSGLshall be final and binding.

18 Clarification of Tender Document:

- 18.1 The Tender is required to carefully examine the Technical Specifications, Conditions of Contract, Drawings and other details relating to WORK and given in Tender Document and fully inform himself as to all conditions and matters which may in any way affect the WORK or the cost thereof. In case the Tenderer is in doubt about the completeness or correctness of any of the contents of the Tender Documents he should request in writing for an interpretation/clarification to RSGLin triplicate. RSGL will then issue interpretations shall form part of the Specifications and Documents and shall accompany the tender which shall be submitted by tenderer within time and date as specified in invitations to tender.
- 18.2 Verbal clarification and information given by RSGL or its employee(s) or its representatives shall not in any way be binding on RSGL.



19 Local Conditions:

- 19.1 It will be imperative on each tenderer to inform himself of all local conditions and factors which may have any effect on the execution of WORK covered under the Tender Document. In their own interest, the tenderer are requested to familiarise themselves with the Indian Income Tax Act 1961, Indian Companies Act 1956, Indian Customs Act 1962 and other related Acts and Laws and Regulations of India with their latest amendments, as applicable RSGLshall not entertain any requests for clarifications from the tenderer regarding such local conditions.
- 19.2 It must be understood and agreed that such factors have properly been investigated and considered while submitting the tender. No claim for financial or any other adjustments to VALUE OF CONTRACT, on lack of clarity of such factors shall be entertained.

20 Abnormal Rates:

20.1 The tenderer is expected to quote rate for each item after careful analysis of cost involved for the performance of the completed item considering all specifications and Conditions of Contract. This will avoid loss of profit or gain in case of curtailment or change of specification for any item. In case it is noticed that the rates quoted by the tenderer for any item are unusually high or unusually low, it will be sufficient cause for the rejection of the tender unless the EMPLOYER is convinced about the reasonableness after scrutiny of the analysis for such rate(s) to be furnished by the tenderer (on demand).

Section-IV. General Obligations

21 Priority of Contract Documents

- 21.1 Except if and the extent otherwise provided by the Contract, the provisions of the General Conditions of Contract and Special Conditions shall prevail over those of any other documents forming part of the CONTRACT. Several documents forming the CONTRACT are to be taken as mutually explanatory of one another, but in case of ambiguities or discrepancies the same shall be explained and adjusted by the ENGINEER-IN-CHARGE who shall thereupon issue to the Contractor instructions thereon and in such event, unless otherwise provided in the Contract, the priority of the documents forming the Contract shall be as follows:
 - 1) The Contract Agreement;
 - 2) The Letter of Acceptance;
 - 3) The (Instructions to Bidders)ITB;
 - 4) Special Conditions of Contract (SCC);
 - 5) General Conditions of Contract (GCC)
 - 6) Any other document forming part of the Contract.

Works shown in the DRAWING but not mentioned in the SPECIFICATIONS OR described in the SPECIFICATIONS without being shown in the DRAWINGS shall nevertheless be deemed to be included in the same manner as if they had been specifically shown upon the DRAWINGS and described in the SPECIFICATIONS.

- 21.2 <u>Headings and Marginal Notes:</u> All headings and marginal notes to the clauses of these General Conditions of Contract or to the SPECIFICATIONS or to any other Tender Document are solely for the purpose of giving a concise indication and not a summary of the contents thereof, and they shall never be deemed to be part thereof or be used in the interpretation or construction thereof the CONTRACT.
- 21.3 <u>Singular and Plural</u>: In CONTRACT DOCUMENTS unless otherwise stated specifically, the singular shall include the plural



and vice versa wherever the context so requires.

- 21.4 <u>Interpretation:</u> Words implying `Persons' shall include relevant `Corporate Companies / Registered Associations/ Body of Individuals/ Firm of Partnership' as the case may be.
- **22** Special Conditions of Contract:
- 22.1 Special Conditions of Contract shall be read in conjunction with the General Conditions of Contract, specification of Work, Drawings and any other documents forming part of this CONTRACT wherever the context so requires.
- 22.2 Notwithstanding the sub-division of the documents into these separate sections and volumes every part of each shall be deemed to be supplementary to and complementary of every other part and shall be read with and into the CONTRACT so far as it may be practicable to do
- 22.3 Where any portion of the General Condition of Contract is repugnant to or at variance with any provisions of the Special Conditions of Contract, unless a different intention appears the provisions of the Special Conditions of Contract shall be deemed to over-ride the provisions of the General Conditions of Contract and shall to the extent of such repugnancy, or variations, prevail.
- 22.4 Wherever it is mentioned in the specifications that the CONTRACTOR shall perform certain WORK or provide certain facilities, it is understood that the CONTRACTOR shall do so at his cost and the VALUE OF CONTRACT shall be deemed to have included cost of such performance and provisions, so mentioned.
- 22.5 The materials, design and workmanship shall satisfy the relevant INDIAN STANDARDS, the JOB SPECIFICATIONS contained herein and CODES referred to. Where the job specification stipulate requirements in addition to those contained in the standard codes and specifications, these additional requirements shall also be satisfied.
- 23 Contractor to obtain his own Information:
- 23.1 The CONTRACTOR in fixing his rate shall for all purpose whatsoever reason may be, deemed to have himself independently obtained all necessary information for the purpose of preparing his tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of same. The correctness of the details, given in the Tender Document to help the CONTRACTOR to make up the tender is not guaranteed.

The CONTRACTOR shall be deemed to have examined the CONTRACT DOCUMENTS, to have generally obtained his own information in all matters whatsoever that might affect the carrying out of the works at the schedules rates and to have satisfied himself to the sufficiency of his tender. Any error in description of quantity or omission therefrom shall not vitiate the CONTRACT or release the CONTRACTOR from executing the work comprised in the CONTRACT according to DRAWINGS and SPECIFICATIONS at the scheduled rates. He is deemed to have known the scope, nature and magnitude of the WORKS and the requirements of materials and labour involved etc., and as to what all works he has to complete in accordance with the CONTRACT documents whatever be the defects, omissions or errors that may be found in the DOCUMENTS. The CONTRACTOR shall be deemed to have visited surroundings, to have satisfied himself



the nature of all existing structures, if any, and also as to the nature and the conditions of the Railways, Roads, Bridges and Culverts, means of transport and communication, whether by land, water or air, and as to possible interruptions thereto and the access and egress from the site, to have made enquiries, examined and satisfied himself as to the sites for obtaining sand, stones, bricks and other materials, the sites for disposal of surplus materials, the available accommodation as to whatever required, depots and such other buildings as may be necessary for executing and completing the works, to have made local independent enquiries as to the sub-soil, subsoil water and variations thereof, storms, prevailing winds, climatic conditions and all other similar matters effecting these works. He is deemed to have acquainted himself as to his liability of payment of Government Taxes, Customs duty and other charges, levies etc.

Any neglect or omission or failure on the part of the CONTRACTOR in obtaining necessary and reliable information upon the foregoing or any other matters affecting the CONTRACT shall not relieve him from any risks or liabilities or the entire responsibility from completion of the works at the scheduled rates and times in strict accordance with the CONTRACT.

It is, therefore, expected that should the CONTRACTOR have any doubt as to the meaning of any portion of the CONTRACT DOCUMENT he shall set forth the particulars thereof in writing to EMPLOYER in duplicate, before submission of tender. The EMPLOYER may provide such clarification as may be necessary in writing to CONTRACT, such clarifications as provided by EMPLOYER shall form part of CONTRACT DOCUMENTS.

No verbal agreement or inference from conversation with any effect or employee of the EMPLOYER either before, during or after the execution of the CONTRACT agreement shall in any way affect or modify and of the terms or obligations herein contained.

Any change in layout due to site conditions or technological requirement shall be binding on the CONTRACTOR and no extra claim on this account shall be entertained.

24 Contract Performance Security:

- 24.1 The CONTRACTOR shall furnish to the EMPLOYER, within 15 days from the date of notification of award, a security in the sum of 10% of the accepted value of the tender or the actual value of work to be done whichever is applicable due to any additional work or any other reasons, in the form of a Bank draft/Banker's cheque or Bank Guarantee or irrevocable Letter of credit (as per proforma enclosed) as Contract Performance Security with the EMPLOYER which will be refunded after the expiry of DEFECTS LIABILITY PERIOD.
- 24.2 CONTRACTOR can furnish the Contract Performance Security in the form of Demand Draft or through a Bank Guarantee or through an irrevocable Letter of Credit from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank. However, other than the Nationalised Indian Banks, the banks whose BGs are furnished, must be commercial banks having net worth in excess of Rs. 100 crores and a declaration to this effect should be made by such commercial bank either in the bank guarantee itself or separately on a letter head.



The bank guarantee or the Letter of Credit shall be submitted in the prescribed format.

- 24.3 If the CONTRACTOR/SUB-CONTRACTOR or their employees or the CONTRACTOR's agents and representatives shall damage, break, deface or destroy any property belonging to the EMPLOYER or others during the execution of the CONTRACT, the same shall be made good by the CONTRACTOR at his own expenses and in default thereof, the ENGINEER-IN-CHARGE may cause the same to be made good by other agencies and recover expenses from the CONTRACTOR (for which the certificate of the ENGINEER-IN-CHARGE shall be final).
- 24.4 All compensation or other sums of money payable by the CONTRACTOR to the EMPLOYER under terms of this CONTRACT may be deducted from or paid by the encashment or sale of a sufficient part of his Contract Performance Security or from any sums which may be due or may become due to the CONTRACTOR by the EMPLOYER of any account whatsoever and in the event of his Contract Performance Security being reduced by reasons of any such deductions or sale of aforesaid, the CONTRACTOR shall within ten days thereafter make good in cash, bank drafts as aforesaid any sum or sums which may have been deducted from or realized by sale of his Contract Performance Security, or any part thereof. No interest shall be payable by the EMPLOYER for sum deposited as Contract Performance Security.
- 24.5 Failure of the successful bidder to comply with the requirements of this Clause shall constitute sufficient grounds for the annulment of the award and the forfeiture of bid security.

25 Time of Performance:

25.1 Time for Mobilization

The work covered by this CONTRACT shall be commenced within fifteen (15) days, the date of letter/Fax of Intent and be completed in stages on or before the dates as mentioned in the TIME SCHEDULE OF COMPLETION OF WORK. The CONTRACTOR

should bear in mind that time is the essence of this agreement. Request for revision of construction time after tenders are opened will not receive consideration. The above period of fifteen (15) days is included within the overall COMPLETION SCHEDULE, not over and above the completion time to any additional work or any other reasons.

- 25.2 Time Schedule of Construction:
- 25.2.1 The general Time Schedule of construction is given in the TENDER DOCUMENT. CONTRACTOR should prepare a detailed monthly or weekly construction program jointly with the ENGINEER-IN-CHARGE within 15 days of receipt of LETTER/FAX OF INTENT or ACCEPTANCE OF TENDER. The WORK shall be executed strictly as per the Time Schedule given in the CONTRACT DOCUMENT. The period of construction given includes the time required for mobilisation testing, rectifications, if any, retesting and completion in all respects in accordance with CONTRACT DOCUMENT to the entire satisfaction of the ENGINEER-IN-CHARGE.
- 25.2.2 The CONTRACTOR shall submit a detailed PERT network within the time frame agreed above consisting of adequate number of activities covering various key phases of the WORK such as



design, procurement, manufacturing, shipment and field erection activities within fifteen (15) days from the date of LETTER/FAX OF INTENT. This network shall also indicate the interface facilities to be provided by the EMPLOYER and the dates by which such facilities are needed.

25.2.3 CONTRACTOR shall discuss the network so submitted with the EMPLOYER and the agreed network which may be in the form as submitted with the EMPLOYER or in revised form in line with the outcome of discussions shall form part of the CONTRACT, to be signed within fifteen (15) days from the date of LETTER OF ACCEPTANCE OF TENDER. During the performance of the CONTRACT, if in the opinion of the EMPLOYER proper progress is not maintained suitable changes shall be made in the CONTRACTOR's operation to ensure proper progress.

The above PERT network shall be reviewed periodically and reports shall be submitted by the CONTRACTOR as directed by EMPLOYER.

26 Force Majeure:

26.1 CONDITIONS FOR FORCE MAJEURES

In the event of either party being rendered unable by Force Majeure to perform any obligations required to be performed by them under the CONTRACT the relative obligation of the party affected by such Force Majeures shall upon notification to the other party be suspended for the period during which Force Majeures event lasts. The cost and loss sustained by the either party shall be borne by the respective parties.

The term "Force Majeures" as employed herein shall mean acts of God, earthquake, war (declared or undeclared), revolts, riots, fires, floods, rebellions, explosions, hurricane, sabotage, civil commotions and acts and regulations of respective Government of the two parties, namely the EMPLOYER and the CONTRACTOR.

Upon the occurrence of such cause(s) and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party in writing immediately but not later than 72 (Seventy-two) hours of the alleged beginning and ending thereof giving full particulars and satisfactory evidence in support of its claim.

Time for performance of the relative obligation suspended by the Force Majeures shall then stand extended by the period for which such cause lasts.

If deliveries of bought out items and/or works to be executed by the CONTRACTOR are suspended by Force Majeure conditions lasting for more than 2 (two) months the EMPLOYER shall have the option to terminate the CONTRACT or re-negotiate the contract provisions.

26.2 OUTBREAK OF WAR

26.2.1 If during the currency of the CONTRACT there shall be an out-break of war whether declared or not, in that part of the World which whether financially or otherwise materially affect the execution of the WORKthe CONTRACTOR shall unless and until the CONTRACT is terminated under the provisions in this



clause continue to use his best endeavour to complete the execution of the WORK, provided always that the EMPLOYER shall be entitled, at any time after such out-break of war to terminate or re-negotiate the CONTRACT by giving notice in writing to the CONTRACTOR and upon such notice being given the CONTRACT shall, save as to the rights of the parties under this clause and to the operation of the clauses entitled settlement of Disputes and Arbitration hereof, be terminated but without prejudice to the right of either party in respect of any antecedent breach thereof.

- 26.2.2 If the CONTRACT shall be terminated under the provisions of the above clause, the CONTRACTOR shall with all reasonable diligence remove from the SITE all the CONTRACTOR's equipment and shall give similar facilities to his SUB-CONTRACTORS to do so.
- 27 Price reduction schedule:
- 27.1 Time is the essence of the CONTRACT. In case the CONTRACTOR fails to complete the WORK within the stipulated period, then, unless such failure is due to Force Majeure as defined in Clause 26 here above or due to EMPLOYER's defaults, the Total Contract price shall be reduced by ½ % of the total Contract Price per complete week of delay or part thereof subject to a maximum of 5 % of the Total Contract Price, by way of reduction in price for delay and not as penalty. The said amount will be recovered from amount due to the Contractor/Contractor's Contract Performance Security payable on demand.

The decision of the ENGINEER-IN-CHARGE in regard to applicability of Price Reduction Schedule shall be final and binding on the CONTRACTOR.

- 27.2 All sums payable under this clause is the reduction in price due to delay in completion period at the above agreed rate.
- 27.3 BONUS FOR EARLY COMPLETION

27.3 Bonus For Early Completion (*)

If the Contractor achieves completion of Works in all respect prior to the time schedule stipulated in the SCC, the Employer shall pay to the Contractor the relevant sum, if mentioned specifically in SCC, as bonus for early completion. The bonus for early completion, if provided specifically in SCC, shall be payable to the maximum ceiling of 2 ½ % of the total contract price.

- (*) Partial earlier completion may not always produce net benefits to the Employer, for example where utilization of the completed Works requires (a) the fulfilment of all parts of the Contract (e.g. the training of personnel); or (b) the completion of all Sections (e.g. in pipeline laying, where early completion of the laying of pipeline would not be useful if the compressor is still under installation); or (c) certain seasonal effects to take place (e.g. onset of the rainy season, for impounding a reservoir); or (d) other circumstances. Also a more rapid drawdown of budgeted funds may be required. All such factors should be considered prior to the inclusion of a bonus clause in the Contract.
- 28 Rights of the employer to forfeit contract performance security:
- 28.1 Whenever any claim against the CONTRACTOR for the payment of asum of money arises out or under the CONTRACT, the EMPLOYER shall be entitled to recover such sum by appropriating in part or wholethe Contract Performance Security of the CONTRACTOR. In the eventof the security being



29 Failure by the contractor to comply with the provisions of the contract:

insufficient or if no security has been taken from the CONTRACTOR, then the balance or the total sum recoverable, as the case may be shall be deducted from any sum then due or which at any time thereafter may become due to the CONTRACTOR. The CONTRACTOR shall pay to the EMPLOYER on demand any balance remaining due.

- 29.1 If the CONTRACTOR refuses or fails to execute the WORK or any separate part thereof with such diligence as will ensure its completion within the time specified in the CONTRACT or extension thereof or fails to perform any of his obligation under the CONTRACT or in any manner commits a breach of any of the provisions of the CONTRACT it shall be open to the EMPLOYER at its option by written notice to the CONTRACTOR:
 - TO DETERMINE THE CONTRACT in which event a) the CONTRACT shall stand terminated and shall cease to be in force and effect on and from the date appointed by the EMPLOYER on that behalf, whereupon the CONTRACTOR shall stop forthwith any of the CONTRACTOR's work then in progress, except such WORK as the EMPLOYER may, in writing, require to be done to safeguard any property or WORK, or installations from damage, and the EMPLOYER, for its part, may take over the work remaining unfinished by the CONTRACTOR and complete the same through a fresh contractor or by other means, at the risk and cost of the CONTRACTOR, and any of his sureties if any, shall be liable to the EMPLOYER for any excess cost occasioned by such work having to be so taken over and completed by the EMPLOYER over and above the cost at the rates specified in the schedule of quantities and rate/prices.
 - b) <u>WITHOUT DETERMINING THE CONTRACT</u> to take over the work of the CONTRACTOR or any part thereof and complete the same through a fresh contractor or by other means at the risk and cost of the CONTRACTOR. The CONTRACTOR and any of his sureties are liable to the EMPLOYER for any excess cost over and above the cost at the rates specified in the Schedule of Quantities/ rates, occasioned by such works having been taken over and completed by the EMPLOYER.
- 29.2 In such events of Clause 29.1(a) or (b)above.
 - a) The whole or part of the Contract Performance Security furnished by the CONTRACTOR is liable to be forfeited without prejudice to the right of the EMPLOYER to recover from the CONTRACTOR the excess cost referred to in the sub-clause aforesaid, the EMPLOYER shall also have the right of taking possession and utilising in completing the works or any part thereof, such as materials equipment and plants available at work site belonging to the CONTRACTOR as may be necessary and the CONTRACTOR shall not be entitled for any compensation for use or damage to such materials, equipment and plant.
 - b) The amount that may have become due to the CONTRACTOR on account of work already executed by



him shall not be payable to him until after the expiry of Six (6) calendar months reckoned from the date of termination of CONTRACT or from the taking over of the WORK or part thereof by the EMPLOYER as the case may be, during which period the responsibility for faulty materials or workmanship in respect of such work shall, under the CONTRACT, rest exclusively with the CONTRACTOR. This amount shall be subject to deduction of any amounts due from the CONTRACT to the EMPLOYER under the terms of the CONTRACT authorised or required to be reserved or retained by the EMPLOYER.

- 29.3 Before determining the CONTRACT as per Clause 29.1(a) or (b) provided in the judgement of the EMPLOYER, the default or defaults committed by the CONTRACTOR is/are curable and can be cured by the CONTRACTOR if an opportunity given to him, then the EMPLOYER may issue Notice in writing calling the CONTRACTOR to cure the default within such time specified in the Notice.
- 29.4 The EMPLOYER shall also have the right to proceed or take action as per 29.1(a) or (b) above, in the event that the CONTRACTOR becomes bankrupt, insolvent, compounds with his creditors, assigns the CONTRACT in favour of his creditors or any other person or persons, or being a company or a corporation goes into voluntary liquidation, provided that in the said events it shall not be necessary for the EMPLOYER to give any prior notice to the CONTRACTOR.
- 29.5 Termination of the CONTRACT as provided for in sub- clause 29.1(a) above shall not prejudice or affect their rights of the EMPLOYER which may have accrued upto the date of such termination.
- 30.1 In any case in which any of the powers conferred upon the EMPLOYER BY CLAUSE 29.0 thereof shall have become exercisable and the same had not been exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall notwithstanding be exercisable in .the event of any further case of default by the CONTRACTOR for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his Contract Performance Security, and the liability of the CONTRACTOR for past and future compensation shall remain unaffected. In the event of the EMPLOYER putting in force the power under above sub-clause (a), (b) or (c) vested in him under the preceding clause he may, if he so desired, take possession of all or any tools, and plants, materials and stores in or upon the works or the site thereof belonging to the CONTRACTOR or procured by him and intended to be used for the execution of the WORK or any part thereof paying or allowing for the same in account at the CONTRACT rates or in case of these not being applicable at current market rates to be certified by the ENGINEER-IN-CHARGE whose certificate thereof shall be final, otherwise the ENGINEER-IN- CHARGE may give notice in writing to the CONTRACTOR or his clerk of the works, foreman or other authorised agent, requiring him to remove such tools, plant, materials or stores from the premises (within a time to be specified in such notice), and in the event of the CONTRACTOR failing to comply with any such requisition, the ENGINEER-IN-CHARGE may remove them at the

30 Contractor remains liable to pay compensation if action not taken under clause 29:



31 Change in constitution:

31.1

CONTRACTOR's expense or sell them by auction or private sale on account of the CONTRACTOR and at his risk in all respects without any further notice as to the date, time or place of sale and the certificate of the ENGINEER-IN-CHARGE as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the CONTRACTOR.

Where the CONTRACTOR is a partnership firm, the prior approval of the EMPLOYER shall be obtained in writing, before any change is made in the constitution of the firm. Where the CONTRACTOR is an individual or a Hindu undivided family business concern, such approval as aforesaid shall, likewise be obtained before such CONTRACTOR enters into any agreement with other parties, where under, the reconstituted firm would have the right to carry out the work hereby undertaken by the CONTRACTOR. In either case if prior approval as aforesaid is not obtained, the CONTRACT shall be deemed to have been allotted in contravention of clause 37 hereof and the same action may be taken and the same consequence shall ensure as

provided in the said clause.

32 Termination of contract

32(A) TERMINATION OF CONTRACT FOR DEATH:

If the CONTRACTOR is an individual or a proprietary concern and the individual or the proprietor dies or if the CONTRACTOR is a partnership concern and one of the partner dies then unless, the EMPLOYER is satisfied that the legal representative of the individual or the proprietary concern or the surviving partners are capable of carrying out and completing CONTRACT, he (the EMPLOYER)is entitled to cancel the CONTRACT for the uncompleted part without being in any way liable for any compensation payment to the estate of the diseased CONTRACTOR and/or to the surviving partners of the CONTRACTOR'S firm on account of the cancellation of CONTRACT. The decision of the EMPLOYER in such assessment shall be final and binding on the parties. In the event of such cancellation, the EMPLOYER shall not hold the estate of the diseased CONTRACTOR and/or the surviving partners CONTRACTOR'S firm liable for any damages for non-completion of CONTRACT.

32(B) TERMINATION OF CONTRACT IN CASE OF LIQUIDATION / BANKRUPTCY ETC.

If the Contractor shall dissolve or become bankrupt or insolvent or cause or suffer any receiver to be appointed of his business of any assets thereof compound with his Creditors, or being a corporation commence to be wound up, not being a member's voluntary winding up for the purpose of amalgamation or reconstruction, or carry on its business under a Receiver for the benefits of its Creditors any of them, EMPLOYER shall be at liberty:-

To terminate the contract forthwith upon coming to know of the happening of any such event as aforesaid by notice in writing to the Contractor or to give the Receiver or liquidator or other person, the option of carrying out the contract subject to his providing a guarantee upto an amount to be agreed upon by EMPLOYER for due and faithful performance of the contract.

32 (C) In case of termination of CONTRACT herein set forth (under clause 29.0) except under conditions of Force Majeure and termination after expiry of contract, the CONTRACTOR shall be



put under holiday [i.e. neither any enquiry will be issued to the party by RSGL against any type of tender nor their offer will be considered by RSGLagainst any ongoing tender (s) where contract between RSGLand that particular CONTRACTOR (as a bidder) has not been finalized] for three years from the date of termination by RSGL Limited to such CONTRACTOR.

- Members of the employer not individually liable:
- 33.1 No Director, or official or employee of the EMPLOYER/ CONSULTANT shall in any way be personally bound or liable for the acts or obligations of the EMPLOYER under the CONTRACT or answerable for any default or omission in the observance or performance of any of the acts, matters or things which are herein contained.
- **34** Employer not bound by personal representations:
- 34.1 The CONTRACTOR shall not be entitled to any increase on the scheduled rates or any other right or claim whatsoever by reason of any representation, explanation statement or alleged representation, promise or guarantees given or alleged to have been given to him by any person.
- **35** Contractor's office at site:
- 35.1 The CONTRACTOR shall provide and maintain an office at the site forthe accommodation of his agent and staff and such office shall be openat all reasonable hours to receive instructions, notice or other communications. The CONTRACTOR at all time shall maintain a site instruction book and compliance of these shall be communicated to the ENGINEER-IN CHARGE from time to time and the whole document to be preserved and handed over after completion of works.
- 36 Contractor's subordinate staff and their conduct
- 36.1 The CONTRACTOR, on or after award of the WORK shall name and depute a qualified engineer having sufficient experience in carrying out work of similar nature, to whom the equipments, materials, if any, shall be issued and instructions for works given. The CONTRACTOR shall also provide to the satisfaction of the ENGINEER-IN- CHARGE sufficient and qualified staff to superintend the execution of the WORK, competent sub-agents, foremen and leading hands including those specially qualified by previous experience to supervise the types of works comprised in the CONTRACT in such manner as will ensure work of the best quality, expeditious working. Whenever in the opinion of the ENGINEER-IN- CHARGE additional properly qualified supervisory staff is considered necessary, they shall be employed by the CONTRACTOR without additional charge on accounts thereof. The CONTRACTOR shall ensure to the satisfaction of the ENGINEER-IN-CHARGE that SUB- CONTRACTORS, if any, shall provide competent and efficient supervision, over the work entrusted to them.
- 36.2 If and whenever any of the CONTRACTOR's or SUB-CONTRACTOR'S agents, sub-agents, assistants, foremen, or other employees shall in the opinion of ENGINEER-IN- CHARGE be guilty of any misconduct or be incompetent or insufficiently qualified or negligent in the performance of their duties of that in the opinion of the EMPLOYER or the ENGINEER-IN-CHARGE, it is undesirable for administrative or any other reason for such person or persons to be employed in the works, the CONTRACTOR, is so directed by the ENGINEER-IN-CHARGE, shall at once remove such person or persons from employment thereon. Any person or persons so removed from the works shall not again be employed in connection with the WORKS without the written permission of the ENGINEER-IN- CHARGE. Any person so removed from the WORK shall be immediately re-placed at the expense of the CONTRACTOR by a qualified and competent substitute. Should the CONTRACTOR be



requested to repatriate any person removed from the works he shall do so and shall bear all costs in connection herewith.

36.3 The CONTRACTOR shall be responsible for the proper behaviour of all the staff, foremen, workmen, and others, and shall exercise a proper degree of control over them and in particular and without prejudice to the said generality, the CONTRACTOR shall be bound to prohibit and prevent any employees from trespassing or acting in any way detrimental or prejudicial to the interest of the community or of the properties or occupiers of land and properties in the neighborhood andin the event of such employee so trespassing, the CONTRACTOR shallbe responsible therefore and relieve the EMPLOYER of all consequent claims or actions for damages or injury or any other grounds whatsoever. The decision of the ENGINEER-IN-CHARGE upon any matter arising under this clause shall be final. The CONTRACTOR shall be liable for any liability to EMPLOYER on account of deployment of CONTRACTOR's staff etc. or incidental or arising out of the execution of CONTRACT.

The CONTRACTOR shall be liable for all acts or omissions on the part of his staff, Foremen and Workmen and others in his employment, including misfeasance or negligence of whatever kind in the course of their work or during their employment, which are connected directly or indirectly with the CONTRACT.

- 36.4 If and when required by the EMPLOYER and CONTRACTOR's personnel entering upon the EMPLOYER's premises shall be properly identified by badges of a type acceptable to the EMPLOYER which must be worn at all times on EMPLOYER's premises. CONTRACTOR may be required to obtain daily entry passes for his staff/employees from EMPLOYER to work within operating areas. These being safety requirements, no relaxations on this account shall be given to CONTRACTOR.
- 36.5 The contractor shall obtain necessary certificate with regard to verification of character and antecedents in respect of personnel deployed / proposed to be deployed to carry out the contractual obligations and provide the copy of the said certificate for facilitating Photo Pass to enter into RSGL's premises.
- 37 Sub-letting of works:
- 37.1 No part of the CONTRACT nor any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the CONTRACTOR directly or indirectly to any person, firm or corporation whatsoever without the consent in writing, of the ENGINEER/EMPLOYER except as provided for in the succeeding subclause.
 - i) SUB-CONTRACTS FOR TEMPORARY WORKS ETC.:

The EMPLOYER may give written consent to Sub- contract for the execution of any part of the WORK at the site, being entered in to by CONTRACTOR provided each individual Sub- contract is submitted to the ENGINEER-IN-CHARGE before being entered into and is approved by him.

ii) LIST OF SUB-CONTRACTORS TO BE SUPPLIED:

At the commencement of every month the



CONTRACTOR shall furnish to the ENGINEER-IN-CHARGE list of all SUB-CONTRACTORS or otherpersons or firms engaged by the CONTRACTOR and working at the SITE during the previous month with particulars of the general nature of the Subcontract or works done by them.

iii) CONTRACTOR'S LIABILITY NOT LIMITED BY SUB-CONTRACTORS:

Notwithstanding any sub-letting with such approval as aforesaid and notwithstanding that the ENGINEER-IN-CHARGE shall have received copies of any Subcontracts, the contractor shall be and shall remain solely responsible for the quality, proper and expeditious execution of the Contract in all respects as if such sub-letting or Subcontracting had not taken place, and as if such work had been done directly by the CONTRACTOR. The CONTRACTOR shall bear all responsibility for any act or omission on the part of subcontractors in regard to work to be performed under the CONTRACT.

iv) EMPLOYER MAY TERMINATE SUB-CONTRACTS:

If any SUB-CONTRACTOR engaged upon the works at the site executes any works which in the opinion of the ENGINEER-IN-CHARGE is not in accordance with the CONTRACT documents, the EMPLOYER may by written notice to the CONTRACTOR request him to terminate such subcontract and the CONTRACTOR upon the receipt of such notice shall terminate such Subcontract and dismiss the SUB-CONTRACTOR(S) and the later shall forthwith leave the works, failing which the EMPLOYER shall have the right to remove such SUB-CONTRACTOR(S) from the site.

v) NO REMEDY FOR ACTION TAKEN UNDER THIS CLAUSE:

No action taken by the EMPLOYER under the clause shall relieve the CONTRACTOR of any of his liabilities under the CONTRACT or give rise to any right or compensation, extension of time or otherwise failing which the EMPLOYER shall have the right to remove such SUB- CONTRACTOR(S) from the site.

38.1 If the CONTRACTOR shall not commence the WORK in the manner previously described in the CONTRACT documents or if he shall at any time in the opinion of the ENGINEER-IN-CHARGE.

- i) fail to carry out the WORK in conformity with the CONTRACT documents, or
- ii) fail to carry out the WORK in accordance with the TimeSchedule, or
- substantially suspend work or the WORK for a period of fourteen days without authority from the ENGINEER-IN-CHARGE, or

38 Power of entry:



- iv) fail to carry out and execute the WORK to the satisfaction of the ENGINEER-IN-CHARGE, or
- v) fail to supply sufficient or suitable construction plant, temporary works, labour, materials or things, or
- vi) Commit, suffer, or permit any other breach of any of the provisions of the CONTRACT on his part to be performed or observed or persist in any of the above mentioned breaches of the CONTRACT for fourteen days, after notice in writing shall have been given to the CONTRACTOR

 by the ENGINEER-IN-CHARGE requiring such breach to be remedied, or
- vii) if the CONTRACTOR shall abandon the WORK or
- viii) If the CONTRACTOR during the continuance of the CONTRACT shall become bankrupt, make any arrangement or composition with his creditors, or permit any execution to be levied or go into liquidation whether compulsory or voluntary merely not being voluntary liquidation for the purpose of amalgamation or reconstruction then in any such case, the EMPLOYER shall have the power to enter upon the WORK and take possession thereof and of the materials, temporary WORK, construction plant, and stock thereon, and to revoke the CONTRACTOR's license to use the same, and to complete the WORK by his agents, other CONTRACTORS or workmen or to relate the same upon any terms and to such other person, firm or corporation as the EMPLOYER in his absolute discretion may think proper to employ and for the purpose aforesaid to use or authorise the use of any materials, temporary work, CONSTRUCTION PLANT, and stock as aforesaid, without making payment or allowance to the CONTRACTOR for the said materials other than such as may be certified in writing by the ENGINEER-IN-CHARGE to be reasonable, and without making any payment or allowance to the CONTRACTOR for the use of the temporary said works, construction plant and stock or being liable for any loss or damage thereto, and if the EMPLOYER shall by reason of his taking possession of the WORK or of the WORK being completed by other CONTRACTOR (due account being taken of any such extra work or works which may or be omitted) then the amount of such excess as certified by the ENGINEER-IN- CHARGE shall be deducted from any money which may be due for work done by the CONTRACTOR under the CONTRACT and not paid for. Any deficiency shall forthwith be made good and paid to the EMPLOYER by the CONTRACTOR and the EMPLOYER shall have power to sell in such manner and for such price as he may think fit all or any of the construction plant, materials etc. constructed by or belonging to and to recoup and retain the said deficiency or any part thereof out of proceeds of the sale.



39 Contractor's responsibility with the mechanical, electrical, intercommunication system, air-conditioning contractors and other agencies:

39.1 Without repugnance of any other condition, it shall be the responsibility of the CONTRACTOR executing the work of civil construction, to work in close cooperation and coordinate the WORK Air-conditioning Electrical, Mechanical, Intercommunication Contractor's and other agencies or their authorised representatives, in providing the necessary grooves, recesses, cuts and opening etc., in wall, slabs beams and columns etc. and making good the same to the desired finish as per specification, for the placement of electrical, intercommunication cables, conduits, air-conditioning inlets and outlets grills and other equipments etc. where required. For the above said requirements in the false ceiling and other partitions, the CONTRACTOR before starting-up the work shall in consultation with the Electrical, Mechanical, Intercommunication, Air-conditioning contractor and other agencies prepare and put-up a joint scheme, showing the necessary openings, grooves, recesses, cuts, the methods of fixing required for the WORK of the aforesaid, and the finishes therein, to the ENGINEER-IN-CHARGE and get the approval. The CONTRACTOR before finally submitting the scheme to the ENGINEER-IN-CHARGE, shall have the written agreement of the other agencies. The ENGINEER- IN-CHARGE, before communicating his approval to the scheme, with any required modification, shall get the final agreement of all the agencies, which shall be binding. No claim shall be entertained on account of the above.

The CONTRACTOR shall confirm in all respects with provision of any statutory regulations, ordinances or byelaws of any local or duly constituted authorities or public bodies which may be applicable from time to time to the WORK or any temporary works. The CONTRACTOR shall keep the EMPLOYER indemnified against all penalties and liabilities of every kind, arising out of non- adherence to such stains, ordinances, laws, rules, regulations, etc.

- 40 Other agencies at site:
- 40.1 The CONTRACTOR shall have to execute the WORK in such place and conditions where other agencies will also be engaged for other works such as site grading, filling, and levelling, electrical and mechanical engineering works, etc. No claim shall be entertained due to WORK being executed in the above circumstances.
- **41 Notice:** 41.1 <u>TO THE CONTRACTOR:</u>

Any notice hereunder may be served on the CONTRACTOR or his duly authorized representative at the job site or may be served by registered mail direct to the address furnished by the CONTRACTOR. Proof of issue of any such notice could be conclusive of the CONTRACTOR having been duly informed of all contents therein.

41.2 <u>TO THE EMPLOYER:</u>

Any notice to be given to the EMPLOYER under the terms of the CONTRACTOR shall be served by sending the same by Registered mail to or delivering the same at the respective site

offices of M/S. RSGL addressed to the HEAD/SITE-IN-CHARGE.

- **42** Right of various interests:
- 42.1 i) The EMPLOYER reserves the right to distribute the work between more than one agency(ies). The



CONTRACTOR shall cooperate and afford other agency(ies) reasonable opportunity for access to the WORK for the carriage and storage of materials and execution of their works.

ii) Wherever the work being done by any department of the EMPLOYER or by other agency(ies) employed by the EMPLOYER is contingent upon WORK covered by this CONTRACT, the respective rights of the various interests involved shall be determined by the ENGINEER-IN-CHARGE to secure the completion of the various portions of the work in general harmony.

- 43 Patents and royalties:
- 43.1 The CONTRACTOR, if licensed under any patent covering

equipment, machinery, materials or compositions of matter to be used or supplied or methods and process to be practised or employed in the performance of this CONTRACT, agrees to pay all royalties and license fees which may be due with respect thereto. If any equipment, machinery, materials, composition of matters, be used or supplied or methods and processes to be practised or employed in the performance of this CONTRACT, is covered by a patent under which the CONTRACTOR is not licensed then the CONTRACTOR before supplying or using the equipment, machinery materials, composition method or processes shall obtain such licenses and pay such royalties and license fees as may be necessary for performance of this CONTRACT. In the event the CONTRACTOR fails to pay any such royalty or obtain any such license, any suit for infringement of such patents which is brought against the CONTRACTOR or the EMPLOYER as a result such failure will be defended by the CONTRACTOR at his own expense and the CONTRACTOR will pay any damages and costs awarded in such suit. The CONTRACTOR shall promptly notify the EMPLOYER if the CONTRACTOR has acquired the knowledge of any plant under which a suit for infringement could be reasonably brought because of the use by the EMPLOYER of any equipment, machinery, materials, process, methods to be supplied hereunder. The CONTRACTOR agrees to and does hereby grant to EMPLOYER, together with the right to extend the same to any of the subsidiaries of the EMPLOYER as irrevocable, royalty free license to use in any country, any invention made by the CONTRACTOR or his employee in or as result of the performance of the WORK under the CONTRACT.

- 43.2 All charges on account of royalty. toilage, rent, octroi terminal or sales tax and/or other duties or any other levy on materials obtained for the work or temporary work or part thereof (excluding materials provided by the EMPLOYER) shall be borne by the CONTRACTOR.
- 43.3 The CONTRACTOR shall not sell or otherwise dispose of or remove except for the purpose of this CONTRACT, the sand, stone, clay, ballast, earth, rock or other substances, or materials obtained from any excavation made for the purpose of the WORK or any building or produce upon the site at the time of delivery of the possession thereof, but all such substances, materials, buildings and produce shall be the property of the EMPLOYER provided that the CONTRACTOR may with the permission of the ENGINEER-IN-CHARGE, use the same for the purpose of the work by payment of cost of the same at such a rate as may be determined by the ENGINEER-IN-CHARGE.



43.4 The EMPLOYER shall indemnify and save harmless the CONTRACTOR from any loss on account of claims against CONTRACTOR for the contributory infringement of patent rights arising out and based upon the claim that the use of the EMPLOYER of the process included in the design prepared by the EMPLOYER and used in the operation of the plant infringes on any patent right. With respect to any subcontract entered into by CONTRACTOR pursuant to the provisions of the relevant clause hereof, the CONTRACTOR shall obtain from the SUB-CONTRACTOR an undertaking to provide the EMPLOYER with the same patent protection that CONTRACTOR is required to provide under the provisions of this clause.

44 Liens:

- 44.1 If, at any time there should be evidence or any lien or claim for which the EMPLOYER might have become liable and which is chargeable to the CONTRACTOR, the EMPLOYER shall have the right to retain out of any payment then due or thereafter to become due an amount sufficient to completely indemnify the EMPLOYER against such lien or claim and if such lien or claim be valid, the EMPLOYER may pay and discharge the same and deduct the amount so paid from any money which may be or may become due and payable to the CONTRACTOR. If any lien or claim remain unsettled after all payments are made, the CONTRACTOR shall refund or pay to the EMPLOYER all money that the latter may be compelled to pay in discharging such lien or claim including all costs and reasonable expenses. EMPLOYER reserves the right to do the same.
- 44.2 The EMPLOYER shall have lien on all materials, equipments including those brought by the CONTRACTOR for the purpose of erection, testing and commissioning of the WORK.
- 44.3 The final payment shall not become due until the CONTRACTOR delivers to the ENGINEER-IN-CHARGE a complete release or waiver of all liens arising or which may arise out of his agreement or receipt in full or certification by the CONTRACTOR in a form approved by ENGINEER-IN-CHARGE that all invoices for labour, materials, services have been paid in lien thereof and if required by the ENGINEER-IN-CHARGE in any case an affidavit that so far as the CONTRACTOR has knowledge or information the releases and receipts include all the labour and material for which a lien could be filled.
- 44.4 CONTRACTOR will indemnify and hold the EMPLOYER harmless, for a period of two years after the issue of FINAL CERTIFICATE, from all liens and other encumbrances against the EMPLOYER on account of debts or claims alleged to be due from the CONTRACTOR or his SUB-CONTRACTOR to any person including SUB-CONTRACTOR and on behalf of EMPLOYER will defend at his own expense, any claim or litigation brought against the EMPLOYER or the CONTRACTOR in connection therewith. CONTRACTOR shall defend or contest at his own expense any fresh claim or litigation by any person including his SUB-CONTRACTOR, till its satisfactory settlement even after the expiry of two years from the date of issue of FINAL CERTIFICATE.
- **45** Delays by employer or his authorized agents:
- 45.1 In case the CONTRACTOR's performance is delayed due to any act or omission on the part of the EMPLOYER or his authorised agents, then the CONTRACTOR shall be given due extension of time for the completion of the WORK, to the extent such omission



on the part of the EMPLOYER has caused delay in the CONTRACTOR's performance of his WORK.

45.2 No adjustment in CONTRACT PRICE shall be allowed for reasons of such delays and extensions granted except as provided in TENDER DOCUMENT, where the EMPLOYER reserves the right to seek indulgence of CONTRACTOR to maintain the agreed Time Schedule of Completion.

In such an event the CONTRACTOR shall be obliged for working by CONTRACTOR's personnel for additional time beyond stipulated working hours as also Sundays and Holidays and achieve the completion date/interim targets.

- 46 Payment if the contract is terminated:
- 46.1 If the CONTRACT shall be terminated as per Tender pursuant to Clause no. 29 of GCC, the CONTRACTOR shall be paid by the EMPLOYER in so far as such amounts or items shall not have already been covered by payments of amounts made to the CONTRACTOR for the WORK executed and accepted by ENGINEER-IN-CHARGE prior to the date of termination at the rates and prices provided for in the CONTRACT and in addition to the following:
 - a) The amount payable in respect of any preliminary items, so far as the Work or service comprised therein has been carried out or performed and an appropriate portion as certified by ENGINEER-IN- CHARGE of any such items or service comprised in which has been partially carried out or performed.
 - b) Any other expenses which the CONTRACTOR has expended for performing the WORK under the CONTRACT subject to being duly recommended by ENGINEER-IN-CHARGE and approved by EMPLOYER for payment, based on documentary evidence of his having incurred such expenses.
- 46.2 The CONTRACTOR will be further required to transfer the title and provide the following in the manner and as directed by the EMPLOYER.
 - a) Any and all completed works.
 - B) Such partially completed WORK including drawings, information's and CONTRACT rights as the CONTRACTOR has specially performed, produced or acquired for the performance of the CONTRACTOR.

- 47 No waiver of rights:
- 47.1 Neither the inspection by the EMPLOYER or any of their officials, employees, or agents nor any order by the EMPLOYER for payment of money or any payment for or acceptance of the whole or any part of the Work by the EMPLOYER nor any extension of time, nor any possession taken by EMPLOYER shall operate as a waiver of any provision of the CONTRACT, or of any power herein reserved to the EMPLOYER, or any right to damages herein provided, nor shall any waiver of any breach in the CONTRACT be held to be a waiver of any other subsequent breach.



48 Certificate not to affect right of employer and liability of contractor:

- No interim payment certificate(s) issued by the Engineer-in-Charge of the EMPLOYER, nor any sum paid on account by the EMPLOYER, nor any extension of time for execution of the work granted by EMPLOYER shall affect or prejudice the rights of the Employer against the CONTRACTOR or relieve the CONTRACTOR of his obligations for the due performance of the CONTRACT, or be interpreted as approval of the WORK done or of the equipment supplied and no certificate shall create liability for the EMPLOYER to pay for alterations, amendments, variations or additional works not ordered, in writing, by EMPLOYER or discharge the liability of the CONTRACTOR for the payment of damages whether due, ascertained, or certified or not or any sum against the payment of which he is bound to indemnify the EMPLOYER.
- **49** Language and measures: 49.1 All documents pertaining to the CONTRACT including

48.1

Specifications, Schedules, Notices, Correspondence, operating and maintenance Instructions, DRAWINGS, or any other writing shall be written in English language. The Metric System of measurement shall be used in the CONTRACT unless otherwise specified.

- **50** Transfer of title:
- 50.1 The title of Ownership of supplies furnished by the CONTRACTOR shall not pass on to the EMPLOYER for all Supplies till the same are finally accepted by the EMPLOYER after the successful completion of PERFORMANCE TEST and GUARANTEE TEST and issue of FINAL CERTIFICATE.
- 50.2 However, the EMPLOYER shall have the lien on all such works performed as soon as any advance or progressive payment is made by the EMPLOYER to the CONTRACTOR and the CONTRACTOR shall not subject these works for use other than those intended under this CONTRACT.
- **51** Release of information:
- 51.1 The CONTRACTOR shall not communicate or use in advertising, publicity, sales releases or in any other medium, photographs, or other reproduction of the Work under this CONTRACT or description of the site dimensions, quantity, quality or other information, concerning the Work unless prior written permission has been obtained from the EMPLOYER.
- 52 Brand names:
- 52.1 The specific reference in the SPECIFICATIONS and documents to any material by trade name, make or catalogue number shall be construed as establishing standard or quality and performance and not as limited competition. However, TENDERER may offer other similar equipments provided it meets the specified standard design and performance requirements.
- **53** Completion of contract:
- 53.1 Unless otherwise terminated under the provisions of any other relevant clause, this CONTRACT shall be deemed to have been completed at the expiration of the PERIOD OF LIABILITY as provided for under the CONTRACT.

54 Spares:

54.1 The CONTRACTOR shall furnish to the EMPLOYER all spares required for COMMISSIONING of the plants, recommendatory and/or mandatory spares, which are required essential by the manufacturer/supplier. The same shall be delivered at SITE, 3(Three) months before COMMISSIONING.



- Also the CONTRACTOR should furnish the manufacturing drawings for fast wearing spares.
- 54.2 The CONTRACTOR guarantees the EMPLOYER that before the manufacturers of the equipments, plants and machineries go out of production of spare parts for the equipment furnished and erected by him, he shall give at least twelve (12) months' advance notice to the EMPLOYER, so that the latter may order his requirement of spares in one lot, if he so desires.

SECTION-V Performance of Work

- 55 Execution of work:
- 55.1 All the Works shall be executed in strict conformity with the provisions of the CONTRACT Documents and with such explanatory detailed drawings, specification and instructions as may be furnished from time to time to the CONTRACTOR by the ENGINEER-IN-CHARGE whether mentioned in the CONTRACT or not. The CONTRACTOR shall be responsible for ensuring that works throughout are executed in the most substantial, proper and workmanlike manner with the quality of material and workmanship in strict accordance with the SPECIFICATIONS and to the entire satisfaction of the ENGINEER-IN-CHARGE. The CONTRACTOR shall provide all necessary materials equipment labour etc. for execution and maintenance of WORK till completion unless otherwise mentioned in the CONTRACT.
- **56** Co-ordination and inspection of work:
- 56.1 The coordination and inspection of the day-to-day work under the CONTRACT shall be the responsibility of the ENGINEER-IN-CHARGE. The written instruction regarding any particular job will normally be passed by the ENGINEER-IN-CHARGE or his authorized representative. A work order book will be maintained by the CONTRACTOR for each sector in which the aforesaid written instructions will be entered. These will be signed by the CONTRACTOR or his authorized representative by way of acknowledgement within 12 hours.
- 57 Work in monsoon and dewatering:
- 57.1 Unless otherwise specified elsewhere in the tender, the execution of the WORK may entail working in the monsoon also. The CONTRACTOR must maintain a minimum labour force as may be required for the job and plan and execute the construction and erection according to the prescribed schedule. No extra rate will be considered for such work in monsoon.
- 57.2 During monsoon and other period, it shall be the responsibility of the CONTRACTOR to keep the construction work site free from water at his own cost.
- 58 Work on Sundays andholidays:
- 58.1 For carrying out Work on Sundays, and Holidays, the CONTRACTOR will approach the ENGINEER-IN-CHARGE or his representative at least two days in advance and obtain permission in writing. The CONTRACTOR shall observe all labour laws and other statutory rules and regulations in force. In case of any violations of such laws, rules and regulations, consequence if any, including the cost thereto shall be exclusively borne by the CONTRACTOR and the EMPLOYER shall have no liability whatsoever on this account.
- 59 General conditions for construction and erection work:
- 59.1 The working time at the site of work is 48 hours per week. Overtime work is permitted in cases of need and the EMPLOYER will not compensate the same. Shift working at 2 or 3 shifts per day will become necessary and the CONTRACTOR should take this aspect into consideration for formulating his rates for



quotation. No extra claims will be entertained by the EMPLOYER no this account. For carrying out work beyond working hours the CONTRACTOR will approach the ENGINEER-IN-CHARGE or his authorised representative and obtain his prior written permission.

- 59.2 The CONTRACTOR must arrange for the placement of workers in such a way that the delayed completion of the WORK or any part thereof for any reason whatsoever will not affect their proper employment. The EMPLOYER will not entertain any claim for idle time payment whatsoever.
- 59.3 The CONTRACTOR shall submit to the EMPLOYER/ENGINEER-IN-CHARGE reports at regular intervals regarding the state and progress of WORK. The details and proforma of the report will mutually be agreed after the award of CONTRACT. The CONTRACTOR shall provide display boards showing progress and labour strengths at worksite, as directed by the ENGINEER-IN-CHARGE.
- 60.1 The WORK covered under this CONTRACT having to be executed by the CONTRACTOR on a lumpsum firm price/item rate quoted by him, the EMPLOYER will not accept any proposals for changes in VALUE OF CONTRACT or extension in time on account of any such changes which may arise to the CONTRACTOR's scope of WORK as a result of detailed Engineering and thereafter during the execution of WORK. The only exception to this will be a case where the EMPLOYER requests in writing to the CONTRACTOR to upgrade the SPECIFICATIONS or the size of any major pieces of equipments, plant or machinery beyond what is normally required to meet the scope of WORK as defined in the CONTRACTDOCUMENT.

In such cases, a change order will be initialled by the CONTRACTOR at the appropriate time for the EMPLOYER's prior approval giving the full back-up data for their review and for final settlement of any impact on price within 30 (thirty) days thereafter.

60.2 The ENGINEER-IN-CHARGE shall have to make any alterations in, omission from, additions to or substitutions for, the Schedule of Rates, the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the WORK and the CONTRACTOR shall be bound to carry out the such altered/ extra/ new items of WORK in accordance with any instructions which may be given to him in writing signed by the ENGINEER-IN-CHARGE, and such alterations, omissions, additions or substitutions shall not invalidate the CONTRACT and any altered, additional or substituted work which the CONTRACTOR may be directed to do in the manner above specified as part of the WORK shall be carried out by the CONTRACTOR on the same conditions in all respects on which he agreed to do the main WORK. The time of completion of WORK may be extended for the part of the particular job at the discretion of the ENGINEER-IN- CHARGE, for only such alterations, additions or substitutions of the WORK, as he may consider as just and reasonable. The rates for such additional, altered or substituted WORK under this clause shall be worked out in accordance with the following provisions:-

I. For Item Rate Contract

a) If the rates for the additional, altered or

60 Alterations in specifications, design and extra works:





substituted WORK are specified in the CONTRACT for the WORK, the CONTRACTOR is bound to carry on the additional, altered or substituted WORK at the same rates as are specified

b) If the rates for the additional, altered or substituted WORK are not specifically provided in the CONTRACT for the WORK, the rates will be derived from the rates for similar class of WORK as are specified in the CONTRACT for the WORK. The opinion of the ENGINEER-IN- CHARGE, as to whether or not the rates can be reasonably so derived from the items in this CONTRACT will be final and binding on the CONTRACTOR.

in the CONTRACT.

- c) If the rates for the altered, additional or substituted WORK cannot be determined in the manner specified in sub-clause(s) and (b) above, then the CONTRACTOR shall, within 7 days of the date of receipt of order to carry out the WORK, inform the ENGINEER-IN-CHARGE of the rates which it is his intention to charge for such class of WORK, supported by analysis of the rate or rates claimed, and the ENGINEER-IN-CHARGE shall determine the rate or rates on the basis of the prevailing market rates, labour cost at schedule of labour rates plus 10% to cover contractor's supervision, overheads and profit and pay the CONTRACTOR accordingly. The opinion of the ENGINEER- IN-CHARGE as to current market rates of materials and the quantum of labour involved per unit of measurement will be final and binding on the CONTRACTOR.
- d) Where the item of work will be executed through nominated specialist agency as approved by the ENGINEER-IN-CHARGE, then the actual amount paid to such nominated agency supported by documentary evidence and as certified by ENGINEER-IN-CHARGE shall be considered plus 10% (ten percent) to cover all contingencies, overhead, profits to arrive at the rates.
- e) Provisions contained in the Sub-clause (a) & (d) above shall, however, not apply for the following:-

Where the value of additions of new items together with the value of alterations, additions/deletions or substitutions does not exceed by or is not less than plus/minus (±)25% of the VALUE OF CONTRACT. The item rates in the Schedule of Rates shall hold good for all such variations between the above mentioned limits, irrespective of any increase/decrease of quantities in the individual items of Schedule of Rates.



II. For Lumpsum Contracts

CONTRACTOR shall, within 7 days of the date of receipt of order to carry out the WORK, inform the ENGINEER-IN-CHARGE of the rates which it is his intention to charge for such class of WORK, supported by analysis of the rate or rates claimed, and the ENGINEER-IN-CHARGE shall determine the rate or rates on the basis of the prevailing market rates, labour cost at schedule of labour rates plus 10% to cover contractor's supervision, overheads and profit and pay the CONTRACTOR accordingly. The opinion of the ENGINEER- IN-CHARGE as to current market rates of materials and the quantum of labour involved per unit of measurement will be final and binding on the CONTRACTOR.

61 Drawings to be supplied by the employer

- 61.1 The drawings attached with tender are only for the general guidance to the CONTRACTOR to enable him to visualize the type of work contemplated and scope of work involved. The CONTRACTOR will be deemed to have studied the DRAWINGS and formed an idea about the WORK involved.
- Detailed working drawings on the basis of which actual execution of the WORK is to proceed, will be furnished from time to time during the progress of the work. The CONTRACTOR shall be deemed to have gone through the DRAWINGS supplied to him thoroughly and carefully and in conjunction with all other connected drawings and bring to the notice of the ENGINEER-IN-CHARGE discrepancies, if any,

therein before actually carrying out the Work.

- 61.3 Copies of all detailed working drawings relating to the WORK shall be kept at the CONTRACTOR's office on the site and shall be made available to the ENGINEER-IN- CHARGE at any time during the CONTRACT. The drawings and other documents issued by the EMPLOYER shall be returned to the EMPLOYER on completion of the WORK.
- **62** Drawings to be supplied by the contractor:
- 62.1 The drawings/date which are to be furnished by the CONTRACTOR are enumerated in the special conditions of contract, and shall be furnished within the specified time.
- 62.2 manufacture/ Where of before approval/review drawings construction/fabrication has been specified, it shall be CONTRACTOR's responsibility to have these drawings prepared as per the directions of ENGINEER-IN-CHARGE and got approved before proceeding with manufacture/construction/fabrication as the case may be. Any change that may have become necessary in these drawings during the execution of the work shall have to be carried out by the CONTRACTOR to the satisfaction of ENGINEER-IN-CHARGE at no extra cost. All final drawings shall bear the certification stamp as indicated below duly signed by both the CONTRACTOR and ENGINEER-IN-CHARGE.

Page 152 of 288



Signed:				
	(CONTRACTOR)	(ENGINEER-	-IN-CHARGE)	

- 62.3 The DRAWINGS submitted by the CONTRACTOR shall be reviewed by the ENGINEER-IN-CHARGE as far as practicable within 3 (Three) weeks and shall be modified by the CONTRACTOR, if any modifications and/or corrections are required by the ENGINEER-IN-CHARGE. The CONTRACTOR shall incorporate such modifications and/or corrections and submit the final drawings for approval. Any delays arising out of failure by the CONTRACTOR to rectify the drawing in good time shall not alter the Contract Completion Time.
- 62.4 As built drawings showing all corrections, adjustments etc. shall be furnished by the CONTRACTOR in six copies and one transparent for record purposed to the EMPLOYER.
- **63** Setting out works:
- 63.1 The ENGINEER-IN-CHARGE shall furnish the CONTRACTOR with only the four corners of the Works site and a level bench mark and the CONTRACTOR shall set out the Works and shall provide an efficient staff for the purpose and shall be solely responsible for the accuracy of such setting out.
- 63.2 The CONTRACTOR shall provide, fix and be responsible for the maintenance of all stakes, templates, level marks, profiles and other similar things and shall take all necessary precautions to prevent their removal or disturbance and shall be responsible for the consequence of such removal or disturbance should the same take place and for their efficient and timely reinstatement. The CONTRACTOR shall also be responsible for the maintenance of all existing survey marks, boundary marks, distance marks and center line marks, either existing or supplied and fixed by the CONTRACTOR. The work shall be set out to the satisfaction of the ENGINEER-IN-CHARGE. The approval there of joining with the CONTRACTOR by the ENGINEER- IN-CHARGE in setting out the work, shall not relieve the CONTRACTOR of any of his responsibility.
- 63.3 Before beginning the Works, the CONTRACTOR shall at his own cost, provide all necessary reference and level posts, pegs, bamboos, flags, ranging rods, strings and other materials for proper layout of the works in accordance with the schemes for bearing marks acceptable to the ENGINEER-IN-CHARGE. The center, longitudinal or face lines and cross lines shall be marked by means of small masonry pillars. Each pillar shall have distinct mark at the centre to enable theodolite to be set over it. No work shall be started until all these points are checked and approved by the ENGINEER-IN-CHARGE in writing but such approval shall not relieve the CONTRACTOR of any of his responsibilities. The CONTRACTOR shall also provide all labour, material and other facilities, as necessary, for the proper checking of layout and inspection of the points during construction.
- Pillars bearing geodetic marks located at the sites of units of WORKS under construction should be protected and fenced by the CONTRACTOR.
- On completion of WORK, the CONTRACTOR must submit the geodetic documents according to which the WORK was carried out.
- **64** Responsibility for level and alignment:
- 64.1 The CONTRACTOR shall be entirely and exclusively responsible for the horizontal and vertical alignment, the levels and correctness of every part of the WORK and shall rectify effectively any errors or imperfections therein, such rectifications shall be carried out by the CONTRACTOR, at his own cost, when instructions are issued to that effect by the ENGINEER-IN-CHARGE.



65 Materials to be supplied by Contractor: 65.1

The CONTRACTOR shall procure and provide within the VALUE OF CONTRACT the whole of the materials required for the construction including steels, cement and other building materials, tools, tackles, construction plant and equipment for the completion and maintenance of the WORK except the materials which will be issued by the EMPLOYER and shall make his own arrangement for procuring such materials and for the transport thereof. The EMPLOYER may give necessary recommendation to the respective authority if so desired by the CONTRACTOR but assumes no further responsibility of any nature. The EMPLOYER will insist on the procurement of materials which bear ISI stamp and/or which are supplied by reputed suppliers.

- 65.1 The CONTRACTOR shall properly store all materials either issued to him or brought by him to the SITE to prevent damages due to rain, wind, direct exposure to sun, etc. as also from theft, pilferage, etc. for proper and speedy execution of his works. The CONTRACTOR shall maintain sufficient stocks of all materials required by him.
- No material shall be dispatched from the CONTRACTOR's stores before obtaining the approval in writing of the ENGINEER-IN-CHARGE.
- 66 Stores supplied by the employer:
- 66.1 If the SPECIFICATION of the WORK provides for the use of any material of special description to be supplied from the EMPLOYER's stores or it is required that the CONTRACTOR shall use certain stores to be provided by the ENGINEER-IN-CHARGE, such materials and stores, and price to be charged there for as hereinafter mentioned being so far as practicable for the convenience of the CONTRACTOR, but not so as in any way to control the meaning or effect of the CONTRACT, the CONTRACTOR shall be bound to purchase and shall be supplied such materials and stores as are from time to time required to be used by him for the purpose of the CONTRACT only. The sums due from the CONTRACTOR for the value of materials supplied by the EMPLOYER will be recovered from the running account bill on the basis of the actual consumption of materials in the works covered and for which the running account bill has been prepared. After the completion of the WORK, however, the CONTRACTOR has to account for the full quantity of materials supplied to him as per relevant clauses in this document.
- 66.2 The value of the stores/materials as may be supplied to the CONTRACTOR by the EMPLOYER will be debited to the CONTRACTOR's account at the rates shown in the schedule of materials and if they are not entered in the schedule, they will be debited at cost price, which for the purpose of the CONTRACT shall include the cost of carriage and all other expenses whatsoever such as normal storage supervision charges which shall have been incurred in obtaining the same at the EMPLOYER's stores. All materials so supplied to the CONTRACTOR shall remain the absolute property of the EMPLOYER and shall not be removed on any account from the SITE of the WORK, and shall be at all times open for inspection to the ENGINEER-IN-CHARGE. Any such materials remaining unused at the time of the completion or termination of the CONTRACT shall be returned to the EMPLOYER's stores or at a place as directed by the ENGINEER-IN-CHARGE in perfectly good condition at CONTRACTOR's cost.




Conditions for issue of materials:

- i) Materials specified as to be issued by the EMPLOYER will be supplied to the CONTRACTOR by the EMPLOYER form his stores. It shall be responsibility of the CONTRACTOR to take delivery of the materials and arrange for its loading, transport and unloading at the SITE of WORK at his own cost. The materials shall be issued between the working hours and as per the rules of the EMPLOYER as framed from time to time.
- ii) The CONTRACTOR shall bear all incidental charges for the storage and safe custody of materials at site after these have been issued to him.
- iii) Materials specified as to be issued by the EMPLOYER shall be issued in standard sizes as obtained from the manufacturers.
- iv) The CONTRACTOR shall construct suitable Godowns at the SITE of WORK for storing the materials safe against damage by rain, dampness employ necessary watch and ward establishment for the purpose.
- v) It shall be duty of the CONTRACTOR to inspect the materials supplied to him at the time of taking delivery and satisfy himself that they are in good condition. After the materials have been delivered by the EMPLOYER, it shall be the responsibility of the CONTRACTOR to keep them in good condition and if the materials are damaged or lost, at any time, they shall be repaired and/or replaced by him at his own cost according to the instructions of the ENGINEER-IN-CHARGE.
- vi) The EMPLOYER shall not be liable for delay in supply or nonsupply of any materials which the EMPLOYER has undertaken to
 supply where such failure or delay is due to natural calamities, act
 of enemies, transport and procurement difficulties and any
 circumstances beyond the control of the EMPLOYER. In no
 case, the CONTRACTOR shall be entitled to claim any
 compensation or loss suffered by him on this account.
- vii) It shall be responsibility of the CONTRACTOR to arrange in time all materials required for the WORK other than those to be supplied by the EMPLOYER. If, however, in the opinion of the ENGINEER-IN-CHARGE the execution of the WORK is likely to be delayed due to the CONTRACTOR's inability to make arrangements for supply of materials which normally he has to arrange for, the ENGINEER-IN-CHARGE shall have the right at his own discretion to issue such materials, if available with the EMPLOYER or procure the materials from the market or as elsewhere and the CONTRACTOR will be bound to take such materials at the rates decided by the ENGINEER-IN-CHARGE. This, however, does not in any way absolve the CONTRACTOR from responsibility of making arrangements for the supply of such materials in part or in full, should such a situation occur nor shall this constitute a reason for the delay in the execution of the WORK.
- viii) None of the materials supplied to the CONTRACTOR will be utilised by the CONTRACTOR for manufacturing item which can be obtained as supplied from standard manufacturer in finished form.
- ix) The CONTRACTOR shall, if desired by the ENGINEER- IN-CHARGE, be required to execute an Indemnity Bond in the prescribed form for safe custody and accounting of all materials issued by the EMPLOYER.



- x) The CONTRACTOR shall furnish to the ENGINEER-IN- CHARGE sufficiently in advance a statement showing his requirement of the quantities of the materials to be supplied by the EMPLOYER and the time when the same will be required by him for the works, so as to enable the ENGINEER-IN-CHARGE to make necessary arrangements for procurement and supply of the material
- xi) Account of the materials issued by the EMPLOYER shall be maintained by CONTRACTOR indicating the daily receipt, consumption and balance in hand. This account shall be maintained in a manner prescribed by the ENGINEER-IN-CHARGE along with all connected papers viz. requisitions, issues, etc., and shall be always available for inspection in the CONTRACTOR's office at SITE.
- xii) The CONTRACTOR should see that only the required quantities of materials are got issued. The CONTRACTOR shall not be entitled to cartage and incidental charges for returning the surplus materials, if any, to the stores wherefrom they were issued or to the place as directed by the ENGINEER-IN-CHARGE.
- Xiii) Materials/Equipment(s) supplied by EMPLOYER shall not be utilized for any purpose(s) than issued for.
- 68 Material procured with assistance of employer/return of surplus:
- 68.1 Notwithstanding anything contained to the contrary in any or all the clauses of this CONTRACT where any materials for the execution of the CONTRACT are procured with the assistance of the EMPLOYER either by issue from EMPLOYER's stock or purchases made under order or permits or licenses issued by Government, the CONTRACTOR shall hold the said materials as trustee for the EMPLOYER and use such materials economically and solely for the purpose of the CONTRACT and not dispose them off without the permission of the EMPLOYER and return, if required by the ENGINEER-IN-CHARGE, shall determine having due regard to the condition of the materials. The price allowed to the CONTRACTOR, however, shall not exceed the amount charged to him excluding the storage charges, if any. The decision of the ENGINEER-IN-CHARGE shall be final and conclusive in such matters. In the event of breach of the aforesaid condition, the CONTRACTOR shall, in terms of the licenses or permits and/or criminal breach of trust, be liable to compensate the EMPLOYER at double rate or any higher rate, in the event of those materials at that time having higher rate or not being available in the market, then any other rate to be determined by the ENGINEER-IN-CHARGE and his decision shall be final and conclusive.
- **69** Materials obtained from dismantling:
- 69.1 If the CONTRACTOR in the course of execution of the WORK is called upon to dismantle any part for reasons other than those stipulated in Clauses 74 and 77 hereunder, the materials obtained in the WORK of dismantling etc., will be considered as the EMPLOYER's property and will be disposed off to the best advantage of the EMPLOYER.
- **70** Articles of value found:
- 70.1 All gold, silver and other minerals of any description and all precious stones, coins, treasure relics, antiquities and other similar things which shall be found in, under or upon the SITE, shall be the property of the EMPLOYER and the CONTRACTOR shall duly preserve the same to the satisfaction of the ENGINEER-IN-CHARGE and shall from time to time deliver the same to such person or persons indicated by the EMPLOYER.





71 Discrepancies between instructions:

71.1 Should any discrepancy occur between the various instructions furnished to the CONTRACTOR, his agent or staff or any doubt arises as to the meaning of any such instructions or should there be any misunderstanding between the CONTRACTOR's staff and the ENGINEER-IN- CHARGE's staff, the CONTRACTOR shall refer the matter immediately in writing to the ENGINEER-IN-CHARGE whose decision thereon shall be final and conclusive and no claim for losses alleged to have been caused by such discrepancies between instructions, doubts, or misunderstanding shall in any event be admissible.



Action where no specification is issued: 72.1

- In case of any class of WORK for which there is no SPECIFICATION supplied by the EMPLOYER as mentioned in the Tender Documents such WORK shall be carried out in accordance with Indian Standard Specifications and if the Indian Standard Specifications do not cover the same, the WORK should be carried out as per standard Engineering Practice subject to the approval of the ENGINEER-IN-CHARGE.
- 73 Inspection of works:
- 73.1 The ENGINEER-IN-CHARGE will have full power and authority to inspect the WORK at any time wherever in progress either on the SITE or at the CONTRACTOR's premises/workshops wherever situated, premises/ workshops of any person, firm or corporation where WORK in connection with the CONTRACT may be in hand or where materials are being or are to be supplied, and the CONTRACTOR shall afford or procure for the ENGINEER-IN- CHARGE every facility and assistance to carry out such inspection. The CONTRACTOR shall, at all time during the usual working hours and at all other time at which reasonable notice of the intention of the ENGINEER-IN- CHARGE or his representative to visit the WORK shall have been given to the CONTRACTOR, either himself be present or receive orders and instructions, or have a responsible agent duly accredited in writing, present for the purpose. Orders given to the CONTRACTOR's agent shall be considered to have the same force as if they had been given to the CONTRACTOR himself. The CONTRACTOR shall give not less than seven days notice in writing to the ENGINEER-IN-CHARGE before covering up or otherwise placing beyond reach of inspection and measurement of any work in order that the same may be inspected and measured. In the event of breach of above the same shall be uncovered at CONTRACTOR's expense for carrying out such measurement or inspection.
- 73.2 No material shall be dispatched from the CONTRACTOR's stores before obtaining the approval in writing of the Engineer-in-Charge.

The CONTRACTOR is to provide at all time during the progress of the WORK and the maintenance period, proper means of access with ladders, gangways etc. and the necessary attendance to move and adopt as directed for inspection or measurements of the WORK by the ENGINEER- IN-CHARGE.

- 73.3 The CONTRACTOR shall make available to the ENGINEER-IN-CHARGE free of cost all necessary instruments and assistance in checking or setting out of WORK and in the checking of any WORK made by the CONTRACTOR for the purpose of setting out and taking measurements of WORK.
- 74 Tests for quality of work:
- 74.1 All workmanship shall be of the respective kinds described in the CONTRACT DOCUMENTS and in accordance with the instructions of the ENGINEER-IN-CHARGE and shall be subjected from time to time to such test at CONTRACTOR's cost as the ENGINEER-IN-CHARGE may direct at the place of manufacture or fabrication or on the site or at all or any such places. The CONTRACTOR shall provide assistance, instruments, labour and materials as are normally required for examining, measuring and testing any workmanship as may be selected and required by the ENGINEER-IN-CHARGE.
- 74.2 All the tests that will be necessary in connection with the execution of the WORK as decided by the ENGINEER- IN-CHARGE shall be carried out at the field testing laboratory of the EMPLOYER by



paying the charges as decided by the EMPLOYER from time to time. In case of non- availability of testing facility with the EMPLOYER, the required test shall be carried out at the cost of CONTRACTOR at Government or any other testing laboratory as directed by ENGINEER-IN-CHARGE.

- 74.3 If any tests are required to be carried out in conjunction with the WORK or materials or workmanship not supplied by the CONTRACTOR, such tests shall be carried out by the CONTRACTOR as per instructions of ENGINEER-IN-CHARGE and cost of such tests shall be reimbursed by the EMPLOYER.
- **75** Samples for approval:
- 75.1 The CONTRACTOR shall furnish to the ENGINEER-IN-CHARGE for approval, when requested or if required by the specifications, adequate samples of all materials and finished to be used in the WORK. Such samples shall be submitted before the WORK is commenced and in ample time to permit tests and examinations thereof. All materials furnished and finishes applied in actual WORK shall be fully equal to the approved samples.
- **76** Action and compensation in case of bad work:
- 76.1 If it shall appear to the ENGINEER-IN-CHARGE that any work has been executed with unsound, imperfect or unskilled workmanship, or with materials of any inferior description, or that any materials or articles provided by the CONTRACTOR for the execution of the WORK are unsound, or of a quality inferior to that contracted for, or otherwise not in accordance with the CONTRACT, the CONTRACTOR shall on demand in writing from the ENGINEER-IN-CHARGE or his authorised representative specifying the WORK, materials or articles complained of notwithstanding that the same may have been inadvertently passed, certified and paid for, forthwith rectify or remove and reconstruct the WORK so specified and provide other proper and suitable materials or articles at his own cost and in the event of failure to do so within the period specified by the ENGINEER-IN-CHARGE in his demand aforesaid, the CONTRACTOR shall be liable to pay compensation at the rate of 1

% (One percent) of the estimated cost of the whole WORK, for every week limited to a maximum of 10% (ten percent) of the value of the whole WORK, while his failure to do so shall continue and in the case of any such failure the ENGINEER-IN-CHARGE may on expiry of notice period rectify or remove and re-execute the WORK or remove and replaced with others, the materials or articles complained of to as the case may be at the risk and expense in all respects of the CONTRACTOR. The decision of the Engineering-in-charge as to any question arising under this clause shall be final and conclusive.



77 Suspension of works:

77.1

- i) Subject to the provisions of sub-para (ii) of this clause, the CONTRACTOR shall, if ordered in writing by the ENGINEER-IN-CHARGE, or his representative, temporarily suspend the WORKS or any part thereof for such written order, proceed with the WORK therein ordered to be suspended until, he shall have received a written order to proceed therewith. The CONTRACTOR shall not be entitled to claim compensation for any loss or damage sustained by him by reason of temporary suspension of the WORKS aforesaid. An extension of time for completion, corresponding with the delay caused by any such suspension of the WORKS as aforesaid will be granted to the CONTRACTOR should he apply for the same provided that the
 - ii) In case of suspensions of entire WORK, ordered in writing by ENGINEER-IN-CHARGE, for a period of more than two months, the CONTRACTOR shall have the option to terminate the CONTRACT.

part of the CONTRACTOR.

suspension was not consequent to any default or failure on the

- 78 Employer may do part of work:
- 78.1 Upon failure of the CONTRACTOR to comply with any instructions given in accordance with the provisions of this CONTRACT the EMPLOYER has the alternative right, instead of assuming charge of entire WORK, to place additional labour force, tools, equipments and materials on such parts of the WORK, as the EMPLOYER may designate or also engage another CONTRACTOR to carry out the WORK. In such cases, the EMPLOYER shall deduct from the amount which otherwise might become due to the CONTRACTOR, the cost of such work and material with ten percent (10%) added to cover all departmental charges and should the total amount thereof exceed the amount due to the CONTRACTOR, the CONTRACTOR shall pay the difference to the EMPLOYER.
- **79** Possession prior to completion:
- 79.1 The ENGINEER-IN-CHARGE shall have the right to take possession of or use any completed or partially completed WORK or part of the WORK. Such possession or use shall not be deemed to be an acceptance of any work completed in accordance with the CONTRACT agreement. If such prior possession or use by the ENGINEER-IN- CHARGE delays the progress of WORK, equitable adjustment in the time of completion will be made and the CONTRACT agreement shall be deemed to be modified accordingly.
- 80 (Defects liability period) twelve months period of liability from the date of issue of completion certificate:
- 80.1 The CONTRACTOR shall guarantee the installation/WORK for a period of 12 months from the date of completion of WORK as certified by the ENGINEER-IN-CHARGE which is indicated in the Completion Certificate. Any damage or defect that may arise or lie undiscovered at the time of issue of Completion Certificate, connected in any way with the equipment or materials supplied by him or in the workmanship, shall be rectified or replaced by the CONTRACTOR at his own expense as deemed necessary by the ENGINEER-IN-CHARGE or in default, the ENGINEER-IN-CHARGE may carry out such works by other work and deduct actual cost incurred towards labour, supervision and materials consumables or otherwise plus 100% towards overheads (of which the certificate of ENGINEER-IN-CHARGE shall be final) from any sums that may then be or at any time thereafter, become due to the CONTRACTOR or from his Contract Performance Security, or the proceeds of sale thereof or a sufficient part on thereof.
- 80.2 If the CONTRACTOR feels that any variation in WORK or in quality of materials or proportions would be beneficial or necessary to fulfil the guarantees called for, he shall bring this to the notice of the ENGINEER-IN-CHARGE in writing.



If during the period of liability any portion of the WORK/equipment, is found defective and is rectified/ replaced, the period of liability for such equipment/ portion of WORK shall be operative from the date such rectification/ replacement are carried out and Contract Performance Guarantee shall be furnished separately for the extended period of liability for that portion of WORK/ equipment only. Notwithstanding the above provisions the supplier's, guarantees/warrantees for the replaced equipment shall also be passed on to the EMPLOYER.

80.3 <u>LIMITATION OF LIABILITY</u>

Notwithstanding anything contrary contained herein, the aggregate total liability of CONTRACTOR under the Agreement or otherwise shall be limited to 100% of Agreement / Contract Value. However, neither party shall be liable to the other party for any indirect and consequential damages, loss of profits or loss of production.

81.0 From the commencement to completion of the WORK, the

CONTRACTOR shall take full responsibility for the care for all works including all temporary works and in case any damages, loss or injury shall happen to the WORK or to any part thereof or to any temporary works from any cause whatsoever, shall at his own cost repair and make good the same so that at completion the WORK shall be in good order and in conformity in every respects with the requirement of the CONTRACT and the ENGINEER-IN- CHARGE's instructions.

81.1 <u>DEFECTS PRIOR TO TAKING OVER:</u>

If at any time, before the WORK is taken over, the ENGINEER-IN-CHARGE shall:

- a) Decide that any works done or materials used by the CONTRACTOR or by any SUB-CONTRACTOR is defective or not in accordance with the CONTRACT, or that the works or any portion thereof are defective, or do not fulfill the requirements of CONTRACT (all such matters being hereinafter, called 'Defects' in this clause), and
- b) As soon as reasonably practicable, gives to the CONTRACTOR notice in writing of the said decision, specifying particulars of the defects alleged to exist or to have occurred, then the CONTRACTOR shall at his own expenses and with all speed make good the defects so specified.

In case CONTRACTOR shall fail to do so, the EMPLOYER may take, at the cost of the CONTRACTOR, such steps as may in all circumstances, be reasonable to make good such defects. The expenditure so incurred by the EMPLOYER will be recovered from the amount due to the CONTRACTOR. The decision of the ENGINEER-IN-CHARGE with regard to the amount to be recovered from the CONTRACTOR will be final and binding on the CONTRACTOR. As soon as the WORK has been completed in accordance with the CONTRACT (except in minor respects that do not affect their use for the purpose for which they are intended and except for maintenance there of provided in clause 80.1 of General Conditions of Contract) and have passed the tests on completion, the ENGINEER-IN-CHARGE shall issue a certificate (hereinafter called Completion Certificate) in which he shall certify the date on which the WORK have been so completed and have passed the said tests and the EMPLOYER shall be deemed to have taken over the WORK on the date so certified. If the WORK has been divided into various groups in the CONTRACT, the EMPLOYER shall be entitled to take over any group or groups before the other or others and there upon the ENGINEER-IN-CHARGE shall issue a Completion Certificate which will, however, be for such group or

81 Care of works:



groups so taken over only. In such an event if the group /section/ part so taken over is related, to the integrated system of the work, not withstanding date of grant of Completion Certificate for group/ section/ part. The period of liability in respect of such group/ section/ part shall extend 12 (twelve) months from the date of completion of WORK.

81.2 <u>DEFECTS AFTER TAKING OVER:</u>

In order that the CONTRACTOR could obtain a COMPLETION CERTIFICATE he shall make good, with all possible speed, any defect arising from the defective materials supplied by the CONTRACTOR or workmanship or any act or omission of the CONTRACT or that may have been noticed or developed, after the works or groups of the works has been taken over, the period allowed for carrying out such WORK will be normally one month. If any defect be not remedied within a reasonable time, the EMPLOYER may proceed to do the WORK at CONTRACTOR's risk and expense and deduct from the final bill such amount as may be decided by the EMPLOYER.

If by reason of any default on the part of the CONTRACTOR a COMPLETION CERTIFICATE has not been issued in respect of any portion of the WORK within one month after the date fixed by the CONTRACT for the completion of the WORK, the EMPLOYER shall be at liberty to use the WORK or any portion thereof in respect of which a completion certificate has not been issued, provided that the WORK or the portion thereof so used as aforesaid shall be afforded reasonable opportunity for completing these works for the issue of Completion Certificate.

- 82 Guarantee/transfer of guarantee:
- 82.1 For works like water-proofing, acid and alkali resisting materials, preconstruction soil treatment against termite or any other specialized works etc. the CONTRACTOR shall invariably engage SUB-CONTRACTORS who are specialists in the field and firms of repute and such a SUB-CONTRACTOR shall furnish guarantees for their workmanship to the EMPLOYER, through the CONTRACTOR. In case such a SUB-CONTRACTOR/ firm is not prepared to furnish a guarantee to the EMPLOYER, the CONTRACTOR shall give that guarantee to the EMPLOYER directly.
- 83 Training of employer's personnel:
- 83.1 The CONTRACTOR undertakes to provide training to Engineering personnel selected and sent by the EMPLOYER at the works of the CONTRACTOR without any cost to the EMPLOYER. The period and the nature of training for the individual personnel shall be agreed upon mutually between the CONTRACTOR and the EMPLOYER. These engineering personnel shall be given special training at the shops, where the equipment will be manufactured and/ or in their collaborator's works and where possible, in any other plant where equipment manufactured by the CONTRACTOR or his collaborators is under installation or test to enable those personnel to become familiar with the equipment being furnished by the CONTRACTOR. EMPLOYER shall bear only the to and fro fare of the said engineering personnel.
- 84 Replacement of defective parts and materials:
- 84.1 If during the progress of the WORK, EMPLOYER shall decide and inform in writing to the CONTRACTOR, that the CONTRACTOR has manufactured any plant or part of the plant unsound or imperfect or has furnished plant inferior to the quality specified, the



CONTRACTOR on receiving details of such defects or deficiencies shall at his own expenses within 7 (seven) days of his receiving the notice, or otherwise within such time as may be reasonably necessary for making it good, proceed to alter, re-construct or remove such work and furnish fresh equipments up to the standards of the specifications. In case the CONTRACTOR fails to do so, EMPLOYER may on giving the CONTRACTOR 7 (seven) days' notice in writing of his intentions to do so, proceed to remove the portion of the WORK so complained of and at the cost of CONTRACTOR's, perform all such works or furnish all such equipments provided that nothing in the clause shall be deemed to deprive the EMPLOYER of or affect any rights under the CONTRACT, the EMPLOYER may otherwise have in respect of such defects and deficiencies.

- 84.2 The CONTRACTOR's full and extreme liability under this clause shall be satisfied by the payments to the EMPLOYER of the extra cost, of such replacements procured including erection/installation as provided for in the CONTRACT; such extra cost being the ascertained difference between the price paid by the EMPLOYER for such replacements and the CONTRACT price portion for such defective plants and repayments of any sum paid by the EMPLOYER to the CONTRACTOR in respect of such defective plant. Should the EMPLOYER not so replace the defective plant the CONTRACTOR's extreme liability under this clause shall be limited to the repayment of all such sums paid by the EMPLOYER under the CONTRACT for such defective plant.
- 85.1 If any action is brought before a Court, Tribunal or any other Authority against the Employer or an officer or agent of the EMPLOYER, for the failure, omission or neglect on the part of the CONTRACTOR to performany acts, matters, covenants or things under the CONTRACT, or damage orinjury caused by the alleged omission or negligence on the part of the CONTRACTOR, his agents, representatives or his CONTRACTOR's, or in connection with any claim based on lawful demands of SUB-CONTRACTOR's workmen suppliers or employees, the CONTRACTOR, shall in such cases indemnify and keep the EMPLOYER and/or their representatives harmless from all losses, damages, expenses or decrees arising out of such action.
- 86.1 CONTRACTOR shall be solely responsible for making available for executing the WORK, all requisite CONSTRUCTION EQUIPMENTS,

Special Aids, Barges, Cranes and the like, all Tools, Tackles and Testing Equipment and Appliances, including imports of such equipment etc. as required. In case of import of the same the rates applicable for levying of Custom Duty on such Equipment, Tools, & Tackles and the duty drawback applicable thereon shall be ascertained by the CONTRACTOR from the concerned authorities of Government of India. It shall be clearly understood that EMPLOYER shall not in any way be responsible for arranging to obtain Custom Clearance and/or payment of any duties and/or duty draw backs etc. for such equipments so imported by the CONTRACTOR and the CONTRACTOR shall be fully responsible for all taxes, duties and documentation with regard to the same. Tenderer in his own interest may contact, for any clarifications in the matter, concerned agencies/Dept./Ministries of Govt. of India. All clarifications so obtained and interpretations thereof shall be solely the responsibility of the CONTRACTOR.

SECTION-VI Certificates and Payments

85 Indemnity

86 Construction aids, equipments, tools & tackles:



87 Schedule of rates and payments:

87.1 i) <u>CONTRACTOR'S REMUNERATION:</u>

The price to be paid by the EMPLOYER to CONTRACTOR for the whole of the WORK to be done and for the performance of all the obligations undertaken by the CONTRACTOR under the CONTRACT DOCUMENTS

shall be ascertained by the application of the respective Schedule of Rates (the inclusive nature of which is more particularly defined by way of application but not of limitation, with the succeeding sub-clause of this clause) and payment to be made accordingly for the WORK actually executed and approved by the ENGINEER- IN-CHARGE. The sum so ascertained shall (excepting only as and to the extent expressly provided herein) constitute the sole and inclusive remuneration of the CONTRACTOR under the CONTRACT and no further or other payment whatsoever shall be or become due or payable to the CONTRACTOR under the CONTRACT.

ii) <u>SCHEDULE OF RATES TO BE INCLUSIVE:</u>

The prices/rates quoted by the CONTRACTOR shall remain firm till the issue of FINAL CERTIFICATE and shall not be subject to escalation. Schedule of Rates shall be deemed to include and cover all costs, expenses and liabilities of every description and all risks of every kind to be taken in executing, completing and handing over the WORK to the EMPLOYER by the CONTRACTOR. The CONTRACTOR shall be deemed to have known the nature, scope, magnitude and the extent of the WORK and materials required though the CONTRACT DOCUMENT may not fully and precisely furnish them. Tenderer's shall make such provision in the Schedule of Rates as he may consider necessary to cover the cost of such items of WORK and materials as may be reasonable and necessary to complete the WORK. The opinion of the ENGINEER-IN-CHARGE as to the items of WORK which are necessary and reasonable for COMPLETION OF WORK shall be final and binding on the CONTRACTOR, although the same may not be shown on or described specifically in CONTRACT DOCUMENTS.

Generality of this present provision shall not be deemed to cut down or limit in any way because in certain cases it may and in other cases it may not be expressly stated that the CONTRACTOR shall do or perform a work or supply articles or perform services at his own cost or without addition of payment or without extra charge or words to the same effect or that it may be stated or not stated that the same are included in and covered by the Schedule of Rates.

iii) <u>SCHEDULE OF RATES TO COVER</u> <u>CONSTRUCTION EQUIPMENTS, MATERIALS, LABOUR</u> <u>ETC.:</u>

Without in any way limiting the provisions of the preceding subclause the Schedule of Rates shall be deemed to include and cover the cost of all construction equipment, temporary WORK (except as provided for herein), pumps,



materials, labour, insurance, fuel, consumables, stores and appliances to be supplied by the CONTRACTOR and all other matters in connection with each item in the Schedule of Rates and the execution of the WORK or any portion thereof finished, complete in every respect and maintained as shown or described in the CONTRACT DOCUMENTS or as may be ordered in writing during the continuance of the CONTRACT.

\(\text{iv}\) \(\frac{\text{SCHEDULE OF RATES TO COVER ROYALTIES}}{\text{RENTS AND CLAIMS:}}\)

The Schedule of Rates (i.e., VALUE OF CONTRACT) shall be deemed to include and cover the cost of all royalties and fees for the articles and processes, protected by letters, patent or otherwise incorporated in or used in connection with the WORK, also all royalties, rents and other payments in connection with obtaining materials of whatsoever kind for the WORK and shall include an indemnity to the EMPLOYER which the CONTRACTOR hereby gives against all actions, proceedings, claims, damages, costs and expenses arising from the incorporation in or use on the WORK of any such articles, processes or materials, octroi or other municipal or local Board Charges, if levied on materials, equipment or machineries to be brought to site for use on WORK shall be borne by the CONTRACTOR.

v) <u>SCHEDULE OF RATES TO COVER TAXES AND DUTIES:</u>

No exemption or reduction of Customs Duties, Excise Duties, Sales Tax, Sales Tax on works Contract quay or any port dues, transport charges, stamp duties or Central or State Government or local Body or Municipal Taxes or duties, taxes or charges (from or of any other body), whatsoever, will be granted or obtained, all of which expenses shall be deemed to be included in and covered by the Schedule or Rates. The CONTRACTOR shall also obtain and pay for all permits or other privileges necessary to complete the WORK.

vi) SCHEDULE OF RATES TO COVER RISKS OF DELAY:

The Schedule of Rates shall be deemed to include and cover the risk of all possibilities of delay and interference with the CONTRACTOR's conduct of WORK which occur from any causes including orders of the EMPLOYER in the exercise of his power and on account of extension of time granted due to various reasons and for all other possible or probable causes of delay.

vii) SCHEDULE OF RATES CANNOT BE ALTERED:

For WORK under unit rate basis, no alteration will be allowed in the Schedule of Rates by reason of works or any part of them being modified, altered, extended, diminished or committed. The Schedule of Rates are fully inclusive of rates which have been fixed by the CONTRACTOR and agreed to by the EMPLOYER and cannot be altered.



For lumpsum CONTRACTS, the payment will be made according to the WORK actually carried out, for which purpose an item wise, or work wise Schedule of Rates shall be furnished, suitable for evaluating the value of WORK done and preparing running account bill.

Payment for any additional work which is not covered in the Schedule of Rates, shall only be released on issuance of change order.

88 Procedure for measurement and billing of work in progress:

88.1 <u>BILLING PROCEDURE:</u>

Following procedures shall be adopted for billing of works executed by the CONTRACTOR.

- 88.1.1 All measurements shall be recorded in sextuplicate on standard measurement sheets supplied by EMPLOYER and submitted to EMPLOYER/CONSULTANT for scrutiny and passing.
- 88.1.2 EMPLOYER/CONSULTANT shall scrutinize and check the measurements recorded on the sheets and shall certify correctness of the same on the measurement sheets.
- 88.1.3 ENGINEER-IN-CHARGE shall pass the bills after carrying out the comprehensive checks in accordance with the terms and conditions of the CONTRACTS, within 7 days of submission of the bills, complete in all respects and send the same to the Employer to effect payment to the CONTRACTOR.
- 88.1.4 RSGLshall make all endeavour to make payments of undisputed amount of the bills submitted based on the joint measurements within 15 (Fifteen) days from the date of certification by the Engineer-in-Charge.
- 88.1.5 Measurements shall be recorded as per the methods of measurement spelt out in EMPLOYER/CONSULTANT SPECIFICATIONS /
 CONTRACT DOCUMENT. EMPLOYER/CONSULTANT shall be fully responsible for checking the measurements quantitatively and qualitatively as recorded in the Measurement Books/ Bills.
- 88.1.6 While preparing the final bills overall measurements will not be taken again. Only volume of work executed since the last measured bill along with summary of final measurements will be considered for the final bill. However, a detailed check shall be made as to missing measurements and in case there are any missing items or measurements the same shall be recorded.
- 88.1.7 <u>COMPUTERISED BILLING SYSTEM</u>: RSGL has introduced Computerized Billing System whereby when the Bills are submitted in RSGL by a Contractor, a receipt number is generated. The Contractor can know the status of the Bill through RSGL's website.

88.2 SECURED ADVANCE ON MATERIAL:

Unless otherwise provided elsewhere in the tender, no 'Secured Advance' on security of materials brought to site for execution of contracted items(s) shall be paid to the Contractor whatsoever.

88.3 DISPUTE IN MODE OF MEASUREMENT:



In case of any dispute as to the mode of measurement not covered by the CONTRACT to be adopted for any item of WORK, mode of measurement as per latest Indian Standard Specifications shall be followed.

88.4 ROUNDING OF AMOUNTS:

90.1

In calculating the amount of each item due to the CONTRACTOR in every certificate prepared for payment, sum of less than 50 paise shall be omitted and the total amount on each certificate shall be rounded off to the nearest rupees, i.e., sum of less than 50 paise shall be omitted and sums of 50 paise and more upto one rupee shall be reckoned as one rupee.

- 89 Lumpsum in tender:
- 89.1 The payment against any Lumpsum item shall be made only on completion of that item as per the provision of the CONTRACT after certification by ENGINEER-IN-CHARGE.
- 90 Running account payments to be regarded as advance:
- All running account payments shall be regarded as payment by way of advance against the final payment only and not as payments for WORK actually done and completed and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be removed and taken away and reconstructed or re-erected or be considered as an admission of the due performance of the CONTRACT, or any part thereof, in this respect, or of the accruing of any claim by the CONTRACTOR, nor shall it conclude, determine or affect in any way the powers of the EMPLOYER under these conditions or any of them as to the final settlement and adjustment of the accounts or otherwise, or in any other way vary or affect the CONTRACT. The final bill shall be submitted by the CONTRACTOR within one month of the date of physical completion of the WORK, otherwise, the ENGINEER-IN-CHARGE's certificate of the measurement and of total amount payable for the WORK accordingly shall be final and binding on all parties

- 91 Notice of claims for additional payments:
- 91.1 Should the CONTRACTOR consider that he is entitled to any extra payment for any extra/additional WORKS or MATERIAL change in original SPECIFICATIONS carried out by him in respect of WORK he shall forthwith give notice in writing to the ENGINEER-IN- CHARGE that he claims extra payment. Such notice shall be given to the ENGINEER-IN-CHARGE upon which CONTRACTOR bases such claims and such notice shall contain full particulars of the nature of such claim with full details of amount claimed. Irrespective of any provision in the CONTRACT to the contrary, the CONTRACTOR must intimate his intention to lodge claim on the EMPLOYER within 10 (ten) days of the commencement of happening of the event and quantify the claim within 30 (thirty) days, failing which the CONTRACTOR will lose his right to claim any compensation/reimbursement/damages etc. or refer the matter to arbitration. Failure on the part of CONTRACTOR to put forward any claim without the necessary particulars as above within the time above specified shall be an absolute waiver thereof. No omission by EMPLOYER to reject any such claim and no delay in dealing therewith shall be waiver by EMPLOYER of any of this rights in respect thereof.
- 91.2 ENGINEER-IN-CHARGE shall review such claims within a reasonably period of time and cause to discharge these in a manner considered appropriate after due deliberations thereon. However,



CONTRACTOR shall be obliged to carry on with the WORK during the period in which his claims are under consideration by the EMPLOYER, irrespective of the outcome of such claims, where additional payments for WORKS considered extra are justifiable in accordance with the CONTRACT provisions, EMPLOYER shall arrange to release the same in the same manner as for normal WORK payments. Such of the extra works so admitted by EMPLOYER shall be governed by all the terms, conditions, stipulations and specifications as are applicable for the CONTRACT. The rates for extra works shall generally be the unit rates provided for in the CONTRACT. In the event unit rates for extra works so executed are not available as per CONTRACT, payments may either be released on day work basis for which daily/hourly rates for workmen and hourly rates for equipment rental shall apply, or on the unit rate for WORK executed shall be derived by interpolation/extrapolation of unit rates already existing in the CONTRACT. In all the matters pertaining to applicability of rate and admittance of otherwise of an extra work claim of CONTRACTOR the decision of ENGINEER-IN-CHARGE shall be final and binding.

92 Payment of contractor's bill:

- 92.1 No payment shall be made for works estimated to cost less than Rs.10,000/- till the whole of the work shall have been completed and a certificate of completion given. But in case of works estimated to cost more than Rs.10,000/-, that CONTRACTOR on submitting the bill thereof be entitled to receive a monthly payment proportionate to the part thereof approved and passed by the ENGINEER-IN-CHARGE, whose certificate of such approval and passing of the sum so payable shall be final and conclusive against the CONTRACTOR. This payment will be made after making necessary corrections/deductions as stipulated elsewhere in the CONTRACT DOCUMENT for materials, Contract Performance Security, taxes etc.
- 92.2 Payment due to the CONTRACTOR shall be made by the EMPLOYER by Account Payee cheque forwarding the same to registered office or the notified office of the CONTRACTOR. In no case will EMPLOYER be responsible if the cheque is mislaid or misappropriated by unauthorised person/persons. In all cases, the CONTRACTOR shall present his bill duly pre-receipted on proper revenue stamp payment shall be made in Indian Currency.
- 92.3 In general payment of final bill shall be made to CONTRACTOR within 60 days of the submission of bill on joint measurements, after completion of all the obligations under the CONTRACT.

93 Receipt for payment:

93.1 Receipt for payment made on account of work when executed by a firm, must be signed by a person holding due power of attorney in this respect on behalf of the CONTRACTOR, except when the CONTRACTORs are described in their tender as a limited company in which case the receipts must be signed in the name of the company by one of its principal officers or by some other person having authority to give effectual receipt for the company.

94 Completion certificate:

94.1 <u>APPLICATION FOR COMPLETION CERTIFICATE:</u>

When the CONTRACTOR fulfils his obligation under Clause 81.1 he shall be eligible to apply for COMPLETIONCERTIFICATE.



The ENGINEER-IN-CHARGE shall normally issue to the CONTRACTOR the COMPLETION CERTIFICATE within one month after receiving any application therefore from the CONTRACTOR after verifying from the completion documents and satisfying himself that the WORK has been completed in accordance with and as set out in the construction and erection drawings, and the CONTRACT DOCUMENTS.

The CONTRACTOR, after obtaining the COMPLETION CERTIFICATE, is eligible to present the final bill for the WORK executed by him under the terms of CONTRACT.

94.2 COMPLETION CERTIFICATE:

Within one month of the completion of the WORK in all respects, the CONTRACTOR shall be furnished with a certificate by the ENGINEER-IN-CHARGE of such completion, but no certificate shall be given nor shall the WORK be deemed to have been executed until all scaffolding, surplus materials and rubbish is cleared off the SITE completely nor until the WORK shall have been measured by the ENGINEER-IN-CHARGE whose measurement shall be binding and conclusive. The WORKS will not be considered as complete and taken over by the EMPLOYER, until all the temporary works, labour and staff colonies are cleared to the satisfaction of the ENGINEER-IN-CHARGE.

If the CONTRACTOR fails to comply with the requirements of this clause on or before the date fixed for the completion of the WORK, the ENGINEER-IN-CHARGE may at the expense of the CONTRACTOR remove such scaffolding, surplus materials and rubbish and dispose off the same as he thinks fit and clean off such dirt as aforesaid, and the CONTRACTOR shall forthwith pay the amount of all expenses so incurred and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

94.3 <u>COMPLETION CERTIFICATE DOCUMENTS:</u>

For the purpose of Clause 94.0 the following documents will be deemed to form the completion documents:

- i) The technical documents according to which the WORK was carried out.
- ii) Six (6) sets of construction drawings showing therein the modification and correction made during the course of execution and signed by the ENGINEER-IN-CHARGE.
- iii) COMPLETION CERTIFICATE for 'embedded' and 'covered' up work.
- iv) Certificates of final levels as set out for various works.
- v) Certificates of tests performed for various WORKS.
- vi) Material appropriation, Statement for the materials issued by the EMPLOYER for the WORK and list of surplus materials returned to the EMPLOYER's store duly supported by necessary documents.



95 Final decision and final certificate:

- 95.1 Upon expiry of the period of liability and subject to the ENGINEER-IN-CHARGE being satisfied that the WORKS have been duly maintained by the CONTRACTOR during monsoon or such period as hereinbefore provided in Clause 80 & 81 and that the CONTRACTOR has in all respect duly made-up any subsidence and performed all his obligations under the CONTRACT, the ENGINEER-IN- CHARGE shall (without prejudice to the rights of the EMPLOYER to retain the provisions of relevant Clause hereof) otherwise give a certificate herein referred to as the FINAL CERTIFICATE to that effect and the CONTRACTOR shall not be considered to have fulfilled the whole of his obligations under CONTRACT until FINAL CERTIFICATE shall have been given by the ENGINEER-IN- CHARGE notwithstanding any previous entry upon the WORK and taking possession, working or using of the same or any part thereof by the EMPLOYER.
- **96** Certificate and payments on evidence of completion:
- 96.1 Except the FINAL CERTIFICATE, no other certificates or payments against a certificate or on general account shall be taken to be an admission by the EMPLOYER of the due performance of the CONTRACT or any part thereof or of occupancy or validity of any claim by the CONTRACTOR.
- **97** Deductions from the contract price:
- 97.1 All costs, damages or expenses which EMPLOYER may have paid or incurred, which under the provisions of the CONTRACT, the CONTRACTOR is liable/will be liable, will be claimed by the EMPLOYER. All such claims shall be billed by the EMPLOYER to the CONTRACTOR regularly as and when they fall due. Such claims shall be paid by the CONTRACTOR within 15 (fifteen) days of the receipt of the corresponding bills and if not paid by the CONTRACTOR within the said period, the EMPLOYER may, then, deduct the amount from any moneys due i.e., Contract Performance Security or becoming due to the CONTRACTOR under the CONTRACT or may be recovered by actions of law or otherwise, if the CONTRACTOR fails to satisfy the EMPLOYER of such claims.

SECTION-VII Taxes and Insurance

98 Taxes, Duties, Octroi etc:

The CONTRACTOR agrees to and does hereby accept full and exclusive liability for the payment of any and all Taxes, Duties, including Excise duty, octroi etc. now or hereafter imposed, increased, modified, all the sales taxes, duties, octrois etc. now in force and hereafter increased, imposed or modified, from time to time in respect of WORKS and materials and all contributions and taxes for unemployment compensation, insurance and old age pensions or annuities now or hereafter imposed by any Central or State Government authorities which are imposed with respect to or covered by the wages, salaries, or other compensations paid to the persons employed by the CONTRACTOR and the CONTRACTOR shall be responsible for the compliance of all SUB-CONTRACTORS, with all applicable Central, State, Municipal and local law and regulation and requirement of any Central, State or local Government agency or authority. CONTRACTOR further agrees to defend, indemnify and hold EMPLOYER harmless from any liability or penalty which may be imposed by the Central, State or Local authorities by reason or any violation by CONTRACTOR or SUB-CONTRACTOR of such laws, suits or proceedings that may be brought against the EMPLOYER arising under, growing out of, or by reason of the work provided for by this CONTRACT, by third parties, or by Central or State Government authority or any administrative sub-division thereof.



Tax deductions will be made as per the rules and regulations in force in accordance with acts prevailing from time to time.

99 Sales tax/turnover tax:

Tenderer should quote all inclusive prices including the liability of Sales Tax/Turnover Tax whether on the works contract as a whole or in respect of bought out components used by the CONTRACTOR in execution of the CONTRACT. EMPLOYER shall not be responsible for any such liability of the CONTRACTOR in respect of this CONTRACT.

100 Statutory variations

100.1 Tenderer should quote prices inclusive of excise-duty and sales tax applicable on finished product. Any statutory variations in Excise Duty and sales tax on finished product during the contractual completion period, shall be to the Employer's account for which the Contractor will furnish documentary evidence(s) in support of their claims to RSGL. However, any increase in the rate of these taxes and duties (E.D. and S.T.) beyond the contractual completion period shall be to Contractor's account and any decrease shall be passed on to RSGL.

101 Insurance:

101.1 GENERAL

99.1

CONTRACTOR shall at his own expense arrange secure and maintain insurance with reputable insurance companies to the satisfaction of the EMPLOYER as follows:

CONTRACTOR at his cost shall arrange, secure and maintain insurance as may be necessary and to its full value for all such amounts to protect the WORKS in progress from time to time and the interest of EMPLOYER against all risks as detailed herein. The form and the limit of such insurance, as defined here in together with the under works thereof in each case should be as acceptable to the EMPLOYER. However, irrespective of work acceptance the responsibility to maintain adequate insurance coverage at all times during the period of CONTRACT shall be that of CONTRACTOR alone. CONTRACTOR's failure in this regard shall not relieve him of any of his responsibilities and obligations under CONTRACT.

Any loss or damage to the equipment, during ocean transportation, port/custom clearance, inland and port handling, inland transportation, storage, erection and commissioning till such time the WORK is taken over by EMPLOYER, shall be to the account of CONTRACTOR. CONTRACTOR shall be responsible for preferring of all claims and make good for the damage or loss by way of repairs and/or replacement of the parts of the Work damaged or lost. CONTRACTOR shall provide the EMPLOYER with a copy of all insurance policies and documents taken out by him in pursuance of the CONTRACT. Such copies of document shall be submitted to the EMPLOYER immediately upon the CONTRACTOR having taken such insurance coverage. CONTRACTOR shall also inform the EMPLOYER at least 60(Sixty) days in advance regarding the expiry cancellation and/or changes in any of such documents and ensure revalidation/renewal etc., as may be necessary well in time.

Statutory clearances, if any, in respect of foreign supply required for the purpose of replacement of equipment lost in transit and/or



during erection, shall be made available by the EMPLOYER. CONTRACTOR shall, however, be responsible for obtaining requisite licenses, port clearances and other formalities relating to such import. The risks that are to be covered under the insurance shall include, but not be limited to the loss or damage in handling, transit, theft, pilferage, riot, civil commotion, weather conditions, accidents of all kinds, fire, war risk (during ocean transportation only) etc. The scope of such insurance shall cover the entire value of supplies of equipments, plants and materials to be imported from time to time.

All costs on account of insurance liabilities covered under CONTRACT will be to CONTRACTOR's account and will be included in VALUE OF CONTRACT. However, the EMPLOYER may from time to time, during the currency of the CONTRACT, ask the CONTRACTOR in writing to limit the insurance coverage risk and in such a case, the parties to the CONTRACT will agree for a mutual settlement, for reduction in VALUE OF CONTRACT to the extent of reduced premium amounts.

CONTRACTOR as far as possible shall cover insurance with Indian Insurance Companies, including marine Insurance during ocean transportation.

i) <u>EMPLOYEES STATE INSURANCE ACT:</u>

The CONTRACTOR agrees to and does hereby accept full and exclusive liability for the compliance with all obligations imposed by the Employee State Insurance Act 1948 and the CONTRACTOR further agrees to defend, indemnify and hold EMPLOYER harmless for any liability or penalty which may be imposed by the Central, State or Local authority by reason of any asserted violation by CONTRACTOR or SUB-CONTRACTOR of the

Employees' State Insurance Act, 1948, and also from all claims, suits or proceeding that may be brought against the EMPLOYER arising under, growing out of or by reasons of the work provided for by this CONTRACTOR, by third parties or by Central or State Government authority or any political sub- division thereof.

The CONTRACTOR agrees to fill in with the Employee's State Insurance Corporation, the Declaration Forms, and all forms which may be required in respect of the CONTRACTOR's or SUB- CONTRACTOR's employees, who are employed in the WORK provided for or those covered by ESI from time to time under the Agreement. The CONTRACTOR shall deduct and secure the agreement of the SUB- CONTRACTOR to deduct the employee's contribution as per the first schedule of the Employee's State Insurance Act from wages and affix the Employees Contribution Card at wages payment intervals. The CONTRACTOR shall remit and secure the agreement of SUB-CONTRACTOR to remit to the State Bank of India, Employee's State Insurance Corporation Account, the Employee's contribution as required by the Act. The CONTRACTOR agrees to maintain all cards and Records as required under the Act in respect of employees and payments and the CONTRACTOR shall secure the agreement of the SUB- CONTRACTOR to maintain such records. Any expenses incurred for the contributions,



making contributions or maintaining records shall be to the CONTRACTOR's or SUB-CONTRACTOR's account.

The EMPLOYER shall retain such sum as may be necessary from the total VALUE OF CONTRACT until the CONTRACTOR shall furnish satisfactory proof that all contributions as required by the Employees State Insurance Act, 1948, have been paid. This will be pending on the CONTRACTOR when the ESI Act is extended to the place of work.

ii) <u>WORKMEN COMPENSATION</u> <u>AND EMPLOYER'S LIABILITY</u> <u>INSURANCE:</u>

Insurance shall be effected for all the CONTRACTOR's employees engaged in the performance of this CONTRACT. If any of the work is sublet, the CONTRACTOR shall require the SUB-CONTRACTOR to provide workman's Compensation and employer's liability insurance for the later's employees if such employees are not covered under the CONTRACTOR's Insurance.

iii) <u>ACCIDENT OR INJURY TO WORKMEN:</u>

The EMPLOYER shall not be liable for or in respect of any damages or compensation payable at law in respect or in consequence of any accident or injury to any workman or other person in the Employment of the CONTRACTOR or any SUB-CONTRACTOR save and except an accident or injury resulting from any act or default of the EMPLOYER, his agents or servants and the CONTRACTOR shall indemnify and keep indemnified the EMPLOYER against all such damages and compensation (save and except and aforesaid) and against all claims, demands, proceeding, costs, charges and expenses, whatsoever in respect or in relation thereto.

iv) TRANSIT INSURANCE

In respect of all items to be transported by the CONTRACTOR to the SITE of WORK, the cost of transit insurance should be borne bythe CONTRACTOR and the quoted price shall be inclusive of this cost.

V) COMPREHENSIVE AUTOMOBILE INSURANCE

This insurance shall be in such a form as to protect the Contractor against all claims for injuries, disability, disease and death to members of public including EMPLOYER's men and damage to the property of others arising from the use of motor vehicles during on or off the 'site' operations, irrespective of the Employership of such vehicles.

VI) COMPREHENSIVE GENERAL LIABILITY INSURANCE

a) This insurance shall protect the Contractor against all claims arising from injuries, disabilities, disease or death of member of public or damageto property of others due to any act or omission on the part of the Contractor, his agents, his employees, his representatives and



Sub-Contractor's or from riots, strikes and civil commotion.

- b) Contractor shall take suitable Group Personal Accident Insurance Cover for taking care of injury, damage or any other risks in respect of his Engineers and other Supervisory staff who are not covered under Employees State Insurance Act.
- c) The policy shall cover third party liability. The third party (liability shall cover the loss/ disablement of human life (person not belonging to the Contractor) and also cover the risk of damage to others materials/ equipment/ properties during construction, erection and commissioning at site. The value of third party liability for compensation for loss of human life or partial/full disablement shall be of required statutory value but not less than Rs. 2 lakhs per death, Rs. 1.5 lakhs per full disablement and Rs. 1 lakh per partial disablement and shall nevertheless cover such compensation as may be awarded by Court by Law in India and cover for damage to others equipment/ property as approved by the Purchaser. However, third party risk shall be maximum to Rs. 10(ten) lakhs to death.
- d) The Contractor shall also arrange suitable insurance to cover damage, loss, accidents, risks etc., in respect of all his plant, equipments and machinery, erection tools & tackles and all other temporary attachments brought by him at site to execute the work.
- e) The Contractor shall take out insurance policy in the joint name of EMPLOYER and Contractor from one or more nationalised insurance company from any branch office at Project site.
- f) Any such insurance requirements as are hereby established as the minimum policies and coverage which Contractor must secure and keep in force must be complied with, Contractor shall at all times be free to obtain additional or increased coverage at Contractor's sole expenses.

vii) <u>ANY OTHER INSURANCE REQUIRED UNDER LAW OR REGULATIONS OR BY EMPLOYER:</u>

CONTRACTOR shall also carry and maintain any and all other insurance(s) which he may be required under any law or regulation from time to time without any extra cost to EMPLOYER. He shall also carry and maintain any other insurance which may be required by the EMPLOYER.

102 Damage to Property or to any Person or any Third Party

102.1 i)

CONTRACTOR shall be responsible for making good to the satisfaction of the EMPLOYER any loss or any damage to structures and properties belonging to the EMPLOYER or being executed or procured or being procured by the EMPLOYER or of other agencies within in the premises of all the work of the EMPLOYER, if such



loss or damage is due to fault and/or the negligence or willful actsor omission of the CONTRACTOR, his employees, agents,

representatives or SUB-CONTRACTORs.

- ii) The CONTRACTOR shall take sufficient care in moving his plants, equipments and materials from one place to another so that they do not cause any damage to any person or to the property of the EMPLOYER or any third party including overhead and underground cables and in the event of any damage resulting to the property of the EMPLOYER or of a third party during the movement of the aforesaid plant, equipment or materials the cost of such damages including eventual loss of production, operation or services in any plant or establishment as estimated by the EMPLOYER or ascertained or demanded by the third party shall be borne by the CONTRACTOR. Third party liability risk shall be Rupees One lakh for single accident and limited to Rupees Ten lakhs.
- iii) The CONTRACTOR shall indemnify and keep the EMPLOYER harmless of all claims for damages to property other than EMPLOYER's property arising under or by reason of this agreement, if such claims result from the fault and/or negligence or willful acts or omission of the CONTRACTOR, his employees, agents, representative of SUB-CONTRACTOR.

SECTION-VIII Labour Laws

103 Labour laws:

- 103.1 i) No labour below the age of 18 (eighteen) years shall be employed on the WORK.
 - ii) The CONTRACTOR shall not pay less than what is provided under law to labourers engaged by him on the WORK.
 - iii) The CONTRACTOR shall at his expense comply with all labour laws and keep the EMPLOYER indemnified in respect thereof.
 - iv) The CONTRACTOR shall pay equal wages for men and women in accordance with applicable labour laws.
 - v) If the CONTRACTOR is covered under the Contract labour (Regulation and Abolition) Act, he shall obtain a license from licensing authority (i.e. office of the labour commissioner) by payment of necessary prescribed fee and the deposit, if any, before starting the WORK under the CONTRACT. Such fee/deposit shall be borne by the CONTRACTOR.
 - vi) The CONTRACTOR shall employ labour in sufficient numbers either directly or through SUB- CONTRACTOR's to maintain the required rate of progress and of quality to ensure workmanship of the degree specified in the CONTRACT and to the satisfaction of the ENGINEER-IN-CHARGE.
 - Vii) The CONTRACTOR shall furnish to the ENGINEER-IN-CHARGE the distribution return of the number and description, by trades of the work people employed on the works. The CONTRACTOR shall also submit on the 4th and 19th of every month to the ENGINEER-IN-CHARGE a true statement showing in respect of the second half of the preceding month and the first half of the current month (1) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them and
 - (2) the number of female workers who have been allowed Maternity Benefit as provided in the Maternity Benefit Act 1961



on Rules made thereunder and the amount paid to them.

- viii) The CONTRACTOR shall comply with the provisions of the payment of Wage Act 1936, Employee Provident Fund Act 1952, Minimum Wages Act 1948. Employers Liability Act 1938. Workmen's Compensation Act 1923, Industrial Disputes Act 1947, the Maternity Benefit Act 1961 and Contract Labour Regulation and Abolition Act 1970, Employment of Children Act 1938 or any modifications thereof or any other law relating thereto and rules made thereunder from time to time.
- ix) The ENGINEER-IN-CHARGE shall on a report having been made by an Inspecting Officer as defined in Contract Labour (Regulation and Abolition) Act 1970 have the power to deduct from the money due to the CONTRACTOR any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfilment of the Conditions of the Contract for the benefit of workers, non-payment of wages or of deductions made from his or their wages which are not justified by the terms of the Contract or non-observance of the said regulations.
- The CONTRACTOR shall indemnify the EMPLOYER against X) any payments to be made under and for the observance of the provisions of the aforesaid Acts without prejudice to his right to obtain indemnity from his SUB-CONTRACTOR's. In the event of the CONTRACTOR committing a default or breach of any of the provisions of the aforesaid Acts as amended from time to time, of furnishing any information or submitting or filling and Form/ Register/ Slip under the provisions of these Acts which is materially incorrect then on the report of the inspecting Officers, the CONTRACTOR shall without prejudice to any other liability pay to the EMPLOYER a sum not exceeding Rs.50.00 as Liquidated Damages for every default, breach or furnishing, making, submitting, filling materially incorrect statement as may be fixed by the ENGINEER-IN- CHARGE and in the event of the CONTRACTOR's default continuing in this respect, the Liquidated Damages may be enhanced to Rs.50.00 per day for each day of default subject to a maximum of one percent of the estimated cost of the WORK put to tender. The ENGINEER-IN-CHARGE shall deduct such amount from bills or Contract Performance Security of the CONTRACTOR and credit the same to the Welfare Fund constitute under these acts. The decision of the ENGINEER-IN-CHARGE in this respect shall be final and binding.

104 Implementation of apprentices act, 1961:

104.1 The CONTRACTOR shall comply with the provisions of the Apprentices Act, 1961 and the Rules and Orders issued thereunder from time to time. If he fails to do so, his failure will be a breach of the CONTRACT and the ENGINEER-IN-CHARGE may, at his discretion, cancel the CONTRACT. The CONTRACTOR shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions, of the Act.



105 Contractor to indemnify the employer:

105.1

The CONTRACTOR shall indemnify the EMPLOYER and every member, office and employee of the EMPLOYER, also the ENGINEER-IN-CHARGE and his staff against all actions, proceedings, claims, demands, costs and expenses whatsoever arising out of or in connection with the matters referred to in Clause 102.0 and elsewhere and all actions, proceedings, claims, demands, costs and expenses which may be made against the EMPLOYER for or in respect of or arising out of any failure by the CONTRACTOR in the performance of his obligations under the CONTRACT DOCUMENT. The EMPLOYER shall not be liable for or in respect of or arising out of any failure by the CONTRACTOR in the performance of his obligations under the CONTRACT DOCUMENT. The EMPLOYER shall not be liable for or in respect of any

demand or compensation payable by law in respect or in consequence of any accident or injury to any workmen or other person. In the employment of the CONTRACTOR or his SUB-CONTRACTOR the CONTRACTOR shall indemnify and keep indemnified the EMPLOYER against all such damages and compensations and against all claims, damages, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.

ii) PAYMENT OF CLAIMS AND DAMAGES:

Should the EMPLOYER have to pay any money in respect of such claims or demands as aforesaid the amount so paid and the costs incurred by the EMPLOYER shall be charged to and paid by the CONTRACTOR and the CONTRACTOR shall not be at liberty to dispute or question the right of the EMPLOYER to make such payments notwithstanding the same, may have been made without the consent or authority or in law or otherwise to the contrary.

iii) In every case in which by virtue of the provisions of Section 12, Sub-section (i) of workmen's compensation Act, 1923 or other applicable provision of Workmen Compensation Act or any other Act, the EMPLOYER is obliged to pay compensation to a workman employed by the CONTRACTOR in execution of the WORK, the EMPLOYER will recover from CONTRACTOR the amount of the compensation so paid, and without prejudice to the rights of EMPLOYER under Section 12, Sub-section (2) of the said act, EMPLOYER shall be at liberty to recover such amount or any part thereof by deducting it from the Contract Performance Security or from any sum due to the CONTRACTOR whether under this CONTRACT or otherwise. The EMPLOYER shall not be bound to contest any claim made under Section 12, Sub-section (i) of the said act, except on the written request of the CONTRACTOR and upon his giving to the EMPLOYER full security for all costs for which the EMPLOYER might become liable in consequence of contesting such claim.



- 106.1 Health and sanitary arrangements for workers: In respect of all labour directly or indirectly employed in the WORKS for the performance of the CONTRACTOR's part of this agreement, the CONTRACTOR shall comply with or cause to be complied with all the rules and regulations of the local sanitary and other authorities or as framed by the EMPLOYER from time to time for the protection of health and sanitary arrangements for all workers.
- 106.2 The CONTRACTOR shall provide in the labour colony all amenities such as electricity, water and other sanitary and health arrangements. The CONTRACTOR shall also provide necessary surface transportation to the place of work and back to the colony for their personnel accommodated in the labour colony.

SECTION-IX Applicable Laws and Settlement of Disputes

107 Arbitration:

107.1 Unless otherwise specified, the matters where decision of the

Engineer-in-Charge is deemed to be final and binding as provided in the Agreement and the issues/disputes which cannot be mutually resolved within a reasonable time, all disputes shall be referred to arbitration by Sole Arbitrator.

The Employer [RSGL] shall suggest a panel of three independent and distinguished persons to the bidder/contractor/supplier/buyer (as the case may be) to select any one among them to act as the Sole Arbitrator.

In the event of failure of the other parties to select the Sole Arbitrator within 30 days from the receipt of the communication suggesting the panel of arbitrators, the right of selection of the sole arbitrator by the other party shall stand forfeited and the EMPLOYER (RSGL) shall have discretion to proceed with the appointment of the Sole Arbitrator. The decision of Employer on the appointment of the sole arbitrator shall be final and binding on the parties.

The award of sole arbitrator shall be final and binding on the parties and unless directed/awarded otherwise by the sole arbitrator, the cost of arbitration proceedings shall be shared equally by the parties. The Arbitration proceedings shall be in English language and venue shall be Jaipur

Subject to the above, the provisions of (Indian) Arbitration & Conciliation ACT 1996 and the Rules framed there under shall be applicable. All matter relating to this contract are subject to the exclusive jurisdiction of the court situated at Jaipur

Bidders/suppliers/contractors may please note that the Arbitration & Conciliation Act 1996 was enacted by the Indian Parliament and is based on United Nations Commission on International Trade Law (UNCITRAL model law), which were prepared after extensive consultation with Arbitral Institutions and centers of International Commercial Arbitration. The United Nations General Assembly vide resolution 31/98 adopted the UNCITRAL Arbitration rules on 15 December 1976.

107.2 FOR THE SETTLEMENT OF DISPUTES BETWEEN GOVERNMENT

DEPARTMENT AND ANOTHER AND ONE GOVERNMENT

DEPARTMENT AND PUBLIC ENTERPRISE AND ONE PUBLIC

ENTERPRISE AND ANOTHER THE ARBITRATION SHALL BE AS
FOLLOWS:

"In the event of any dispute or difference between the parties hereto, such dispute or difference shall be resolved amicably by mutual consultation or through the good offices of empowered agencies of the Government. If such resolution is not possible, then, the unresolved dispute or difference shall be referred to arbitration of an arbitrator to benominated by Secretary, Department of Legal Affairs ("Law Secretary")in terms of the Office Memorandum No.55/3/1/75-CF, dated the 19th December 1975 issued by the Cabinet Secretariat (Department of



Cabinet Affairs), as modified from time to time. The Arbitration Act 1940 (10 of 1940) shall not be applicable to the arbitration under this clause. The award of the Arbitrator shall be binding upon parties to the dispute. Provided, however, any party aggrieved by such

award may make a further reference for setting aside or revision of the award to Law Secretary whose decision shall bind the parties finally and conclusively.

108 Jurisdiction:

The CONTRACT shall be governed by and constructed according to the laws in force in INDIA. The CONTRACTOR hereby submits to the jurisdiction of the Courts situated at JAIPUR for the purposes of disputes, actions and proceedings arising out of the CONTRACT, the courts at JAIPUR only will have the jurisdiction to hear and decidesuch disputed, actions and proceedings.

SECTION-X Safety Codes

109 General:

109.1 CONTRACTOR shall adhere to safe construction practice and guard against hazardous, and unsafe working conditions and shall comply with EMPLOYER's safety rules as set forth herein. Prior to start of construction, CONTRACTOR will be furnished copies of EMPLOYER's "Safety Code" for information and guidance, if it has been prepared.

110 Safety regulations:

- 110.1 i) In respect of all labour, directly employed in the WORK for the performance of CONTRACTOR's part of this agreement, the CONTRACTOR shall at his own expense arrange for all the safety provisions as per safety codes of C.P.W.D., Indian Standards Institution. The Electricity Act, The Mines Act and such other acts as applicable.
 - ii) The CONTRACTOR shall observe and abide by all fire and safety regulations of the EMPLOYER. Before starting construction work CONTRACTOR shall consult with EMPLOYER's safety Engineers or ENGINEER- IN-CHARGE and must make good to the satisfaction of the EMPLOYER any loss or damage due to fire to any portion of the work done or to be done under this agreement or to any of the EMPLOYER's existing property.

111 First aid and industrial injuries:

111.0

- i) CONTRACTOR shall maintain first aid facilities for its employees and those of its SUB-CONTRACTOR.
- ii) CONTRACTOR shall make outside arrangements for ambulance service and for the treatment of industrial injuries. Names of those providing these services shall be furnished to EMPLOYER prior to start of construction and their telephone numbers shall be prominently posted in CONTRACTOR's field office.
- iii) All critical industrial injuries shall be reported promptly to EMPLOYER, and a copy of CONTRACTOR's report covering each personal injury requiring the attention of a physician shall be furnished to the EMPLOYER.

112 General rules:

Smoking within the battery area, tank farm or dock limits is strictly prohibited. Violators of the no smoking rules shall be discharged immediately.

113 Contractor's barricades:

113.0

i) CONTRACTOR shall erect and maintain barricades required in connection with his operation to



guard or protect:-

- a) Excavations
- b) Hoisting Areas.
- Areas adjudged hazardous by CONTRACTOR's or EMPLOYER's inspectors.
- d) EMPLOYER's existing property subject to damage by CONTRACTOR's Operations.
- e) Rail Road unloading spots.
- ii) CONTRACTOR's employees and those of his SUB-CONTRACTOR's shall become acquainted with EMPLOYER's barricading practice and shall respect the provisions thereof.
- iii) Barricades and hazardous areas adjacent to, but not located in normal routes of travel shall be marked by red flasher lanterns at nights.

114 Scaffolding:

114.1

- i) Suitable scaffolding should be provided for workmen for all works that cannot safely be done from the ground or from solid construction except such short period work as can be done safely from ladders. When a ladder is used an extra Mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying material as well, suitable footholds and handholds shall be provided on the ladder and the ladder shall be given an inclination not steeper than 1 in 4 (1 horizontal and 4vertical).
- ii) Scaffolding or staging more than 4 metres above the ground or floor, swing suspended from an overhead support or erected with stationary support shall have a guard rail properly attached, bolted, braced and otherwise retarded at least one metre high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such openings as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
 - iii) Working platform, gangway and stairway should be so constructed that they should not sag unduly or unequally and if the height of platform of the gangway or the stairway is more than 4 metres above the ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as in ii) above.
- iv) Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing of railing whose minimum heights shall be 1 metre.
 - v) Safe-means of access shall be provided to all



working platforms and other working places, every ladder shall be securely fixed. No portable single ladder shall be over 9 metres in length while the width between side rails in rung ladder shall in no case be less than 30 cms for ladder upto and including 3 metres in length. For longer ladder this width should be increased 5mm for each additional foot of length. Uniform steps spacing shall not exceed 30 cms. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed to cause danger or inconvenience to any person or public. The CONTRACTOR shall also provide all necessary fencing and lights to protect the workers and staff from accidents, and shall be bound to bear the expenses of defense of every suit, action or other proceeding of law that may be brought by any person for injury sustained owing to neglect of the above precautions and pay any damages and costs which may be awarded in any such suit or action or proceeding to any such person or which may with the consent of the CONTRACTOR be paid to compromise any claim by any such person.

115 Excavation and trenching:

All trenches 1.2 metres or more in depth, shall at all times be supplied with at least one ladder for each 50 metres length or fraction thereof.

Ladder shall be extended from bottom of the trenches to at least 1 metre above the surface of the ground. The sides of the trenches which are 1.5M in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides to collapse. The excavated materials shall not be placed within 1.5 metres of the edge of the trench or half of the trench width whichever is more. Cutting shall be done from top to bottom. Under no circumstances undermining or undercutting shall be done.

116 Demolition/general safety: 116.1

- i) Before any demolition work is commenced and also during the progress of the demolition work
- a) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
- b) No electric cable or apparatus which is liable to be a source of danger shall remain electrically charged.
- c) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- ii) All necessary personal safety equipment as considered adequate by the ENGINEER-IN-CHARGE, should be kept available for the use of the persons employed on the SITE and maintained in condition suitable for immediate use, and the CONTRACTOR shall take adequate steps to ensure proper use of equipment by those concerned.



- a) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective gloves.
- b) Those engaged in white washing and mixing or stacking or cement bags or any material which are injurious to the eyes be provided with protective goggles.
- c) Those engaged in welding and cutting works shall be provided with protective face & eye shield, hand gloves, etc.
- d) Stone breakers shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- e) When workers are employed in sewers and manholes, which are in use, the CONTRACTOR shall ensure that the manhole covers are opened and are ventilated at least for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or board to prevent accident to the public.
- f) The CONTRACTOR shall not employ men below the age of 18 years and women on the work of painting with products containing lead in any form. Wherever men above the age of 18 years are employed on the work of lead painting, the following precautions should be taken.
 - 1) No paint containing lead or lead product shall be used except in the form of paste or readymade paint.
 - 2) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint dry rubbed and scrapped.
 - 3) Overalls shall be supplied by the CONTRACTOR to the workmen and adequate facilities shall be provided to enable the working painters to wash them during and on cessation of work.
- iii) When the work is done near any place where there is risk of drowning, all necessary safety equipment should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision should be made for prompt first aid treatment of all injuries likely to be sustained during the course of the work.
- iv) Use of hoisting machines and tackles including their attachments, anchorage and supports shall conform to the



following standards or conditions:

- a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defect and shall be kept in good working order.
- b) Every rope used in hoisting or lowering materials or as means of suspension shall be of durable quality and adequate strength and free from patent defects.
- c) Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding, winch or give signals to the operator.
- d) In case of every hoisting machine and of every chain ring hook, shackle, swivel, and pulley block used in hoisting or lowering or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gears referred to above shall be plainly marked with the safe working load of the conditions under which it is applicable and the same shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond safe working load except for the purpose of testing.
- e) In case of departmental machine, the safe working load shall be notified by the ENGINEER- IN-CHARGE. As regards CONTRACTOR's machines, the CONTRACTOR shall notify the safe working load of the machine to the ENGINEER-IN-CHARGE whenever he brings any machinery to SITE of WORK and get it verified by the Engineer concerned.
- V) Motors, gears, transmission lines, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as to reduce to minimum the accidental descent of the load, adequate precautions should be taken to reduce the minimum risk of any part or parts of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energised, insulating mats, wearing apparel, such as gloves, sleeves, and boots as may be necessary should be provided. The workers shall not wear any rings, watches and carry keys or other materials which are good conductors of electricity.
- vi) All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe conditions and no scaffolds, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- vii) These safety provisions should be brought to the notice of all concerned by displaying on a notice board at a



prominent place at the work-spot. The person responsible for compliance of the safety code shall be named therein by the CONTRACTOR.

- viii) To ensure effective enforcement of the rules and regulations relating to safety precautions, the arrangements made by the CONTRACTOR shall be open to inspection by the Welfare Officer, ENGINEER-INCHARGE or safety Engineer of the Administration or their representatives.
- ix) Notwithstanding the above clauses there is nothing in these to exempt the CONTRACTOR for the operations of any other Act or rules in force in the Republic of India. The work throughout including any temporary works shall be carried out in such a manner as not to interfere in any way whatsoever with the traffic on any roads or footpath at the site or in the vicinity thereto or any existing works whether the property of the Administration or of a third party.

In addition to the above, the CONTRACTOR shall abide by the safety code provision as per C.P.W.D. Safety code and Indian Standard Safety Code from time to time.

- 117 Care in handling inflammable gas:
- 117.1 The CONTRACTOR has to ensure all precautionary measures and exercise utmost care in handling the inflammable gas cylinder/inflammable liquids/paints etc. as required under the law and/or as advised by the fire Authorities of the EMPLOYER

Temporary combustible structures:

- 118.1 Temporary combustible structures will not be built near or around work site.
- 119 Precautions against fire:
- 119.1 The CONTRACTOR will have to provide Fire Extinguishers, Fire Buckets drums at worksite as recommended bv ENGINEER-IN-CHARGE. They will have all to precautionary measures and exercise utmost care in handling the inflammable gas cylinders/ inflammable liquid/ paints etc. as advised by ENGINEER-IN-CHARGE. Temporary combustible structures will not be built near or around the work-site.

120 Explosives:

120.1 Explosives shall not be stored or used on the WORK or on the SITE by the CONTRACTOR without the permission of the ENGINEER-IN-CHARGE in writing and then only in the manner and to the extent to which such permission is given. When explosives are required for the WORK they will be stored in a special magazine to be provided at the cost of the CONTRACTOR in accordance with the Explosives Rules. The CONTRACTOR shall obtain the necessary license for the storage and the use of explosives and all operations in which or for which explosives are employed shall be at sole risk and responsibility of the CONTRACTOR and the CONTRACTOR shall indemnify the EMPLOYER against any loss or damage resulting directly or indirectly there from.

121 Mines act:

121.1 SAFETY CODE: The CONTRACTOR shall at his own expense arrange for the safety provisions as required by the ENGINEER-IN-CHARGE in respect of all labour directly employed



for performance of the WORKS and shall provide all facilities in connection therewith. In case the CONTRACTOR fails to make arrangements and provides necessary facilities as aforesaid, the ENGINEER-IN- CHARGE shall be entitled to do so and recover the costs thereof from the CONTRACTOR.

121.2 Failure to comply with Safety Code or the provisions relating to report on accidents and to grant of maternity benefits to female workers shall make the CONTRACTOR liable to pay Company Liquidated Damages an amount not exceeding Rs.50/- for each default or materially incorrect statement. The decision of the ENGINEER-IN-CHARGE in such matters based on reports from the Inspecting Officer or from representatives of ENGINEER-IN-CHARGE shall be final and binding and deductions for recovery of such Liquidated Damages may be made from any amount payable to the CONTRACTOR from all the provisions of the Mines Act, 1952 or any statutory modifications or re-enactment thereof the time being in force and any Rules and Regulations made thereunder in respect of all the persons employed by him under this CONTRACT and shall indemnify the EMPLOYER from and against any claim under the Mines Act or the rules and regulations framed thereunder by or on behalf of any persons employed by him or otherwise.

122 Preservation of peace:

122.1 The CONTRACTOR shall take requisite precautions and use his best endeavour to prevent any riotous or unlawful behaviour by or amongst his worker and others employed or the works and for the preservation of peace and protection of the inhabitants and security of property in the neighbourhood of the WORK. In the event of the EMPLOYER requiring the maintenance of a Special Police Force at or in the vicinity of the site during the tenure of works, the expenses thereof shall be borne by the CONTRACTOR and if paid by the EMPLOYER shall be recoverable from the CONTRACTOR.


123 Outbreak of infectious diseases:

123.1 The CONTRACTOR shall remove from his camp such labour and their facilities who refuse protective inoculation and vaccination when called upon to do so by the ENGINEER-IN-CHARGE's representative. Should Cholera, Plague or other infectious diseases break out the CONTRACTOR shall burn the huts, beddings, clothes and other belongings or used by the infected parties and promptly erect new huts on healthy sites as required by the ENGINEER-IN-CHARGE failing which within the time specified in the Engineer's requisition, the work may be done by the EMPLOYER and the cost thereof recovered from the CONTRACTOR.

124 Use of intoxicants:

124.1 The unauthorised sale of spirits or other intoxicants, beverages upon the work in any of the buildings, encampments or tenements owned, occupied by or within the control of the CONTRACTOR or any of his employee is forbidden and the CONTRACTOR shall exercise his influence and authority to the utmost extent to secure strict compliance with this condition.

In addition to the above, the CONTRACTOR shall abide by the safety code provision as per C.P.W.D. safety code and Indian Standard Code framed from time to time.





ATTACHMENT – I INDEMNITY BOND FOR FREE ISSUE ITEMS SUPPLY



PROFORMA OF INDEMNITY BOND FOR SUPPLY OF MATERIALS BY EMPLOYER

(To be executed on non-judicial stamped paper of appropriate value)

context Rajastl	EAS RSGL (hereinafter referred to as RSGL) which expression shall unless repugnant to the includes their legal representatives, successors and assigns having their Registered office at nan State Gas Ltd., Room no. 303, Khaniz Bhawan, Tilak Marg, C- Scheme, Jaipur - has entered into a CONTRACT with		
(hereina	after referred to as		
represer set out, part the	ne CONTRACTOR which expression shall unless repugnant to the context include their legal expresentatives, successors and assigns) for		
AND V	VHEREAS		
i)	RSGL has agreed to supply to the CONTRACTOR, equipment, plants and materials (finished, semi-finished and raw)for the purpose of EXECUTION of the said CONTRACT by the		

- RSGL has agreed to supply to the CONTRACTOR, equipment, plants and materials (finished, semi-finished and raw) for the purpose of EXECUTION of the said CONTRACT by the CONTRACTOR (the equipment, plants and materials to be supplied by RSGL to the CONTRACTOR, hereinafter for the sake of brevity referred to as the "said materials") and pending execution by the CONTRACTOR of the CONTRACT incorporating the said materials, the said materials shall be under the custody and charge of the CONTRACTOR and shall be kept, stored, altered, worked upon and/or fabricated at the sole risk and expense of the CONTRACTOR.
- ii) As a pre-condition to the supply of the said materials by RSGL to the CONTRACTOR, RSGL has required the CONTRACTOR to furnish to RSGL an Indemnity Bond in the manner and upon terms and conditions hereinafter indicated.
 - NOW, THEREFORE, in consideration of the premises aforesaid the CONTRACTOR hereby irrevocably and unconditionally undertakes to indemnify and keep indemnified RSGL from and against all loss, damage and destruction (inclusive but not limited to any or all loss or damage or destruction to or of the said materials or any item or part thereof by theft, pilferage, fire, flood, storm, tempest, lightning, explosion, storage, chemical or physical actionor reaction, binding, warping, exposure, rusting, faulty workmanship, faulty fabrication, or faulty method or technique of fabrication, strike, riot, civil commotion, or other act or omission or commission whatsoever within or beyond the control of the CONTRACTOR, misuse and misappropriation (inclusive but not limited to the misuse or misappropriation by the CONTRACTOR and the Contractor's servants and/or agents) whatsoever to, or of in thesaid materials or any part of them thereof from the date that the same or relative part of itemthereof was supplied to the CONTRACTOR upto and until the date of return to RSGL of thesaid materials or relative part of item thereof or completed fabricated works(s) incorporating the said material and undertake to pay to RSGL forthwith on demand in writing without protestor demur the value as specified by RSGL of the said material or item or part thereof, lost, damaged, destroyed, misused and/or misappropriated, as the case may be or, together with RSGL's costs and expenses (inclusive of but not limited to handling, transportation, cartage, insurance, freight, packing and inspection costs/or expenses upto) and aggregate limit of

Rs.

(Rupees



A	AND THE CONTRACTOR hereby agrees with RSGL that:				
į	This Indemnity/Undertaking shall be a continuing Indemnity/ Undertaking and shall remain valid and irrevocable for all claims of RSGL arising hereunder up to and until the midnight of However, if the CONTRACT for which this Indemnity/Undertaking is given is not completed by this date, the CONTRACTOR hereby agrees to extend the Indemnity/Undertaking till such time as is required to fulfil the CONTRACT.				
i	This Indemnity/Undertaking shall not be determined by any change in constitution or upon insolvency of the CONTRACTOR but shall be in all respects and for all purposes be binding and operative until payment of all moneys payable to RSGL in terms of hereof.				
i	The mere statement of allegation made by or on behalf of RSGL in any notice or demand or other writing addressed to the CONTRACTOR as to any of the said material or item or part thereof having been lost, damaged, destroyed, misused or misappropriated while in the custody of the CONTRACTOR and/or prior to completion of the completed fabricated work(s) and delivery to job site thereof incorporating the said materials shall be conclusive of the factum of the said material or item or part thereof having been supplied to the CONTRACTOR and/orthe loss, damage, destruction, misuse or misappropriation thereof, as the case may be, while in the custody of the CONTRACTOR and/or prior to the completion of the completed fabricated work(s) and delivery to job site thereof incorporating the said materials without necessity on the part of RSGL to produce any documentary proof or other evidence whatsoever in support of this.				
İ	The amount stated in any notice of demand addressed by RSGL to the CONTRACTOR as to the value of such said materials lost, damaged, destroyed, misused or misappropriated, inclusive relative to the costs and expenses incurred by RSGL in connection therewith shall be conclusive of the value of such said materials and the said cost and expenses as also of the amount liable to be paid to RSGL to produce any voucher, bill or other documentation or evidence whatsoever in support thereof and such amount shall be paid without any demur and on demand and no dispute shall be raised concerning the same.				
	The undersigned has full power to execute this Indemnity Bond on behalf of the CONTRACTOR under the Power of Attorney dated				
	(SIGNED BY COMPETENT AUTHORITY)				
Place:					
Dated:					
Official s	Official seal of the CONTRACTOR				
	Page 3 of 3				





PROFORMA FOR CONTRACT AGREEMENT

Contract Agreement for the work of of RSGL made on between (Name and Address), hereinafter called the "CONTRACTOR" (which term shall unlest excluded by or repugnant to the subject or context include its successors and permitted assignees) of the or part and RSGL hereinafter called the "EMPLOYER" (which term shall, unless excluded by or repugnant the subject or context include its successors and assignees) of the other part.	LOA No. RSGL/	dated
excluded by or repugnant to the subject or context include its successors and permitted assignees) of the or part and RSGL hereinafter called the "EMPLOYER" (which term shall, unless excluded by or repugnant	Contract Agreement for the work of of RSGL made on	
	excluded by or repugnant to the subject or context include its successors and permitted a part and RSGL hereinafter called the "EMPLOYER" (which term shall, unless excluded	ssignees) of the one

WHEREAS

- A. The EMPLOYER being desirous of having provided and executed certain work mentioned, enumerated or referred to in the Tender Documents including Letter Inviting Tender, General Tender Notice, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, Plans, Time Schedule of completion of jobs, Schedule of Rates, Agreed Variations, other documents has called for Tender.
- B. The CONTRACTOR has inspected the SITE and surroundings of WORK specified in the Tender Documents and has satisfied himself by careful examination before submitting his tender as to the nature of the surface, strata, soil, sub-soil and ground, the form and nature of site and local conditions, the quantities, nature and magnitude of the work, the availability of labour and materials necessary for the execution of work, the means of access to SITE, the supply of power and water thereto and the accommodation he may require and has made local and independent enquiries and obtained complete information as to the matters and thing referred to, or implied in the tender documents or having any connection therewith and has considered the nature and extent of all probable and possible situations, delays, hindrances or interferences to or with the execution and completion of the work to be carried out under the CONTRACT, and has examined and considered all other matters, conditions and things and probable and possible contingencies, and generally all matters incidental thereto and ancillary thereof affecting the execution and completion of the WORK and which might have influenced him in making his tender.
 - C. The Tender Documents including the Notice Letter Inviting Tender, General Conditions of Contract, Special Conditions of Contract, Schedule of Rates, General Obligations, SPECIFICATIONS, DRAWINGS, PLANS, Time Schedule for completion of Jobs, Letter of Acceptance of Tender and any statement of agreed variations with its enclosures copies of which arehereto annexed form part of this CONTRACT though separately set out herein and are included in the expression "CONTRACT" wherever herein used.

AND WHEREAS

The EMPLOYER accepted the Tender of the CONTRACTOR for the provision and the execution of the said WORK at the rates stated in the schedule of quantities of the work and finally approved by EMPLOYER (hereinafter called the "Schedule of Rates") upon the terms and subject to the conditions of CONTRACT.



NOW THIS AGREEMENT WITNESSETH AND IT IS HEREBY AGREED AND DECLARED AS FOLLOWS:-

- In consideration of the payment to be made to the CONTRACTOR for the WORK to be executed by him, the CONTRACTOR hereby covenants with EMPLOYER that the CONTRACTOR shalland will duly provide, execute and complete the said work and shall do and perform all other acts and things in the CONTRACT mentioned or described or which are to be implied there from or maybe reasonably necessary for the completion of the said WORK and at the said times and in the manner and subject to the terms and conditions or stipulations mentioned in the contract.
- In consideration of the due provision execution and completion of the said WORK, EMPLOYER does hereby agree with the CONTRACTOR that the EMPLOYER will pay to the CONTRACTOR the respective amounts for the WORK actually done by him and approved by the EMPLOYER at the Schedule of Rates and such other sum payable to the CONTRACTOR under provision of CONTRACT, such payment to be made at such time in such manner as provided for in the CONTRACT.

AND

3. In consideration of the due provision, execution and completion of the said WORK the CONTRACTOR does hereby agree to pay such sums as may be due to the EMPLOYER for the services rendered by the EMPLOYER to the CONTRACTOR, such as power supply, water supply and others as set for in the said CONTRACT and such other sums as may become payable to the EMPLOYER towards the controlled items of consumable materials or towards loss, damage to the EMPLOYER'S equipment, materials construction plant and machinery, such payments to be made at such time and in such manner as is provided in the CONTRACT.

It is specifically and distinctly understood and agreed between the EMPLOYER and the CONTRACTOR that the CONTRACTOR shall have no right, title or interest in the SITE made available by the EMPLOYER for execution of the works or in the building, structures or work executed on the said SITE by the CONTRACTOR or in the goods, articles, materials etc., brought on the said SITE (unless the same specifically belongs to the CONTRACTOR) and the CONTRACTOR shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the SITE or structures and the EMPLOYER shall have an absolute and unfettered right to take full possession of SITE and to remove the CONTRACTOR, their servants, agents and materials belonging to the CONTRACTOR and lying on the SITE.

The CONTRACTOR shall be allowed to enter upon the SITE for execution of the WORK only as a licensee simpliciter and shall not have any claim, right, title or interest in the SITE or the structures erected thereon and the EMPLOYER shall be entitled to terminate such license at any time without assigning any reason.



The materials including sand, gravel, stone, loose, earth, rock etc., dug up or excavated from the said SITE shall, unless otherwise expressly agreed under this CONTRACT, exclusively belong to the EMPLOYER and the CONTRACTOR shall have no right to claim over the same and such excavation and materials should be disposed off on account of the EMPLOYER according to the instruction in writing issued from time to time by the ENGINEER-IN-CHARGE.

In Witness whereof the parties have executed these presents in the day and the year first above written.

Signed and Delivered for and on on behalf of EMPLOYER.	Signed and Delivered for and on behalf of the CONTRACTORs.	
RSGL	(NAME OF THE CONTRACTOR)	
Date :	Date : Place:	
IN PRESENCE OF TWO WITNESSES		
1	1	
2	2	



SECTION - III 1.0 SPECIAL CONDITIONS OF CONTRACT (SCC) 2.0 ANNEXURE TO SCC



PART-III

CONTENTS

- 1.0 SPECIAL CONDITIONS OF CONTRACT
- 2.0 ANNEXURE TO SCC
- 3.0 PARTICULAR JOB SPECIFICATION



SECTION III

1. SPECIAL CONDITIONS OF CONTRACT



SPECIAL CONDITIONS OF CONTRACT

INDEX

	HODA
1.0	GENERAL
2.0	THE WORK
2.1	SCOPE OF WORK
2.2	SCOPE OF SUPPLY
2.3	TIME SCHEDULE
2.4	MEASUREMENT OF WORKS
2.5	TERMS OF PAYMENT
2.6	TEMPORARY WORKS
2.7	TEMPORARY FENCING
2.8	CONTRACTOR'S TEMPORARY STRUCTURE
2.9	STATUTORY APPROVALS
2.10	QUALITY ASSURANCE
2.11	NOTICE AND LICENSES
2.12	WORKING HOURS
2.13	RESPONSIBILITY OF CONTRACTOR
2.14	ADDITIONAL WORK / EXTRA WORKS
2.15	COMPENSATION OF IDLE TIME
2.16	POWER AND WATER CONNECTION
3.0	CONSTRUCTION
3.1	RULES AND REGULATIONS
3.2	PROCEDURES
3.3	SECURITY
3.4	DRAWINGS AND DOCUMENT
3.5	EXCAVATION BY BLASTING
3.6	CONSTRUCTION EQUIPMENT & MECHANIZATION OF CONSTRUCTION ACTIVITIES
3.7	SITE ORGANIZATION
3.8	HEALTH SAFETY AND ENVIRONMENT(HSE) MANAGEMENT
3.9	GENERAL GUIDELINES DURING AND BEFORE ERECTION
3.10	CONSTRUCTION PHOTOGRAPHS
3.11	SCHEDULE OF LABOUR RATES
3.12	SPECIFIC REQUIREMENT
3.13	SITE CLEANING
3.14	SURVEY OF WORK
4.0	TESTS, INSPECTION AND COMPLETION
4.1	TESTS AND INSPECTION
4.2	FINAL INSPECTION
4.3	DOCUMENTATION

5. REGISTRATION OF THE CONTRACT WITH STATUTORY AUTHORITIES

ISSUE AND RECONCILIATION OF MATERIAL GOVERMENT OF INDIA WILNOT BE RESPONSIBLE

STATEMENT OF FINAL BILLS ISSUE OF NO DEMAND CERTIFICATES

6. LIMITATION OF LIABILITY

4.4

4.5

4.6

- 7. CONTRACT PERFORMANCE GUARANTEE
- 8. TAXES, DUTIES AND LEVIES
- 9. SUBSEQUENT LEGISLATION



- 10. STATUTORY VARIATIONIN TAXES & DUTIES
- 11. INCOME TAX & CORPORATE TAX
- 12. CUSTOM DUTY ON CONSTRUCTION EQUIPMENTS
- 13. ISSUE OF CERTIFICATE- PERTAINING TO IMPORT
- 14. IMPORT LICENCE
- 15. WITHHOLDING, ACCOUNTING ANDTAX REQUIREMENTS
- 16. INTELLECTUAL PROPERTY
- 17. FIRM PRICE
- 18. WORKS CONTRACT
- 19. PROVIDENT FUND ACT
- 20. MOBILIZATION ADVANCE
- 21. TERMS OF PAYMENT
- 22. COMPENSATIONFOR EXTENDED STAY
- 23. COORDINATION WITH OTHER AGENCIES
- 24. SETTLEMENT OF DISPUTE BETWEEN TWO PSU'S
- 25. ROYALTY
- 26. SITE FACILITIES FOR WORKMEN
- 27. ARBITRATION
- 28. PROJECT PLANNING, SCHEDULING AND MONITORING SYSTEM
- 29. CHECKING OF LEVELS
- **30. STORAGE FACILITIES**
- 31. ABNORMALLY HIGH RATED ITEMS (AHR ITEMS)
- 32. BANK GUARANTEES
- 33. CENVAT BENEFITS
- 34. COMPUTERIZED BILLS
- 35. ORDER PLACEMENT OF BOUGHT OUT ITEMS
- 36. REQUIREMENTS FOR CONTRACTOR AT SITE
- 37. COMPLIANCE WITH LAWS
- 38. NOTES TO SCHEDULE OF RATES
- **39**. INSURANCE
- 40. PRICE REDUCTION SCHEDULE
- 41. DIRECT PAYMENTS TO SUB-VENDORS/ SUPPORTING AGENCIES OF MAIN CONTRACTOR
- 42. SUB-LETTING OF WORKS
- 43. BONUS FOR EARLY COMPLETION
- 44. JOINTS MEASUREMENT OF WORK EXECUTED, BILLING, INVOICE AND PAYMENTS
- 45. OPPORTUNITY OF EMPLOYMENT TO THE PEOPLE, BELONGING TO SCHEDULED CASTES AND WEAKER SECTIONS OF THE SOCIETY



1, GENERAL

- 1.0 Special conditions of contract (SCC) shall be read in conjunction with the General Conditions of Contract (GCC). Schedule of rates, specifications of work, drawings and any other document forming part of this contract wherever the context so requires.
- 1.1 Notwithstanding the sub-division of the document into these separate sections and volumes, every part of each with and into the contract so far as it may be practicable to do so.
- Where any portion of the GCC is repugnant to or at variance with any provisions of the special conditions of contract, then unless a different intention appears, the provision(s) of the special conditions of contract shall be deemed to override the provision(s) of GCC only to the extent that such repugnancies of variations in the special conditions of contract are not possible of being reconciled with the provisions of GCC.
- Wherever it is stated in this Bidding Document that such and such a supply is to be effected or such and such a work is to be carried out, it shall be understood that the same shall be effected/carried out by the contractor at his own cost, unless a different intention is specifically and expressly stated herein or otherwise explicit from the context. Contract value (also referred to as Contract price) shall be deemed to have included such cost.
- 1.4 The materials, design and workmanship shall satisfy the applicable relevant Indian Standards, the job specifications stipulate requirements in addition to those contained in the standard codes and specifications, these additional requirements shall also be satisfied. In the absence of any Standard/ Specifications/codes of practice for detailed specifications covering any part of the work covered in this Bidding on the contractor.
- 1.6 In partial modification to Clause No. 21.0 of GCC the following shall apply:

In case of contradiction between Indian or other applicable Standards, General Conditions of Contract, Special Conditions of Contract, Specifications, drawings, Schedule of Rates, the following shall prevail in order of precedence:

- i) Letter of acceptance along with statement of Agreed variations.
- ii) Fax / Letter of Intent / Fax of Acceptance
- iii) Schedule of Rates as enclosures to letter of acceptance
- iv) Job / Particular Specifications
- v) Drawings
- vi) Technical / Material Specifications
- vii) Special Conditions of Contract
- viii) General Conditions of Contract
- ix) Indian Standards
- x) Other Applicable Standards
- 1.7 It will be contractor's responsibility to bring to the notice of Engineer-in-charge any irreconcilable conflict in the contract documents before starting the work(s) of making the supply with reference which the conflict exists.

In the absence of any specifications covering any material, design of work(s)



in the same shall be performed / supplies / executed in accordance with Standards Engineering Practice as per the instructions / directions of the Engineer-in-charge, which will be binding on the Contractor.

- 1.8 The requirements of any statutory body and authority like Indian boiler regulation, Tariff Advisory Committee, Chief controller of Explosives, etc, shall govern where these are more stringent than the requirements specified above.
- 1.9 Owner's representative means authorized representative of RSGL.

2.0 THE WORK

2.1 Scope of work

The scope of work covered in this Contract will be as described in **Annexure-1** to SCC at Particular job specifications, Standard Specifications, Schedule of Rates etc.

2.2.1 Scope of Supply

The scope of supply covered in this Contract will be as described in **Annexure-2** to SCC Particular Job Specifications, Standard Specifications, Schedule of Rates etc.

2.3 Time schedule

- 2.3.1 The work shall be executed strictly as per time schedule given in **Annexure-3** to SCC. The period of completion given includes the time required for mobilization as well as testing, rectifications, if any, retesting, demobilization and completion in all respects to the satisfaction of the Engineer-in-Charge.
- 2.3.2 A joint program of execution of work will be prepared by the Engineer-in- Charge and Contractor. This program will take into account the time of completion mentioned in 2.3.1 above.
- 2.3.3 Monthly/Weekly execution program will be drawn up by the Engineer-in- Charge jointly with the Contractor based on availability of materials, work fronts and the joint program of execution as referred to above. The contractor shall scrupulously adhere to the Targets/Programs by deploying adequate personnel Construction Equipment, Tools and Tackles and also by timely supply of required materials coming within his scope of supply as per Contract. In all matters concerning the extent of target set out in the weekly/monthly program and the degree of achievement, the decision of the Engineer- in- Charge will be final and binding on the Contractor.
- 2.3.4 Contractor shall give every day category-wise labour and equipment deployment report along with the progress of work done on previous day in the proforma prescribed by the Engineer-in-Charge.

2.4 Measurement of Works

In addition to the provisions of Clause 88.1 of the General Conditions of Contract and associated provisions thereof, the provisions of **Annexure – 4** to SCC shall apply.

2.5 Terms of Payment

Terms of Payment will be as specified in Annexure – 5 to SCC.



2.6 Temporary Works

All temporary works, ancillary works, enabling works, including dewatering of surface and subsoil water, temporary drains at the work site, preparing approaches to working areas, wherever required, for execution of the work, shall be the responsibility of Contractor.

2.7 Temporary Fencing

The Contractor shall, at his own costs and expenses, erect and maintain in good condition temporary fences and gates along the boundaries of the site assigned to him wherever required as per instruction of Engineer-in-charge. Wherever trenchingis being done specially at crossing site near habitation and public movement. The contractor shall provide barricading as pe sketch enclosed and provide proper night light as per requirement and to the satisfaction of EIC. The Contractor shall, except when authorized by the Engineer-in-Charge, confine his men, materials and plant etc. within the site of which he is given possession. The Contractor shall not use any part of the site for purpose not connected with the works unless prior written permission or consent of the Owner/Engineer-in-Charge has been obtained. Access to site shall be made only through the approved gateways. The Contractor shall maintain sufficient watchmen at site to the satisfaction of the Owner/Engineer- in-Charge.

2.8 Contractor's Temporary Structure

The Contractor may, at his own costs and expenses and subject to the approval of the Engineer-in-Charge and statutory authorities, construct offices, stores, workshop and remove the same as per the orders of the Engineer-in-Charge on completion of the contract. Whenever required the Contractor shall furnish such details of his temporary works as may be called for by the Owner/Engineer-in-Charge as to their safety and efficiency. The Owner/Engineer-in-Charge may direct those temporary works which he considers unsafe or, inefficient be removed and replaced in a satisfactory manner. The Contractor shall immediately follow Owner/Engineer-in- Charge's direction/instruction, on maintenance of all the equipments and he shall ensure that they are suitable for the work and is maintained in such a manner as to ensure their efficient working. The Owner/Engineer-in-Charge, may if they deem fit, direct the Contractor to remove from site any equipment which are not efficient and/or prejudicial to the quality of work to be replaced by equipment to their satisfaction. The Contractor shall immediately follow Owner/Engineer-in- Charge's direction/instruction.

2.9 Statutory Approvals

2.9.1 All associated activities required for obtaining necessary clearances, approvals, all licenses from all concerned authorities in respect of pipeline crossing & all related works shall be the responsibility of the Contractor and the cost of the same shall be deemed to have been included in the quoted prices.

The approval from any authority required as per statutory rules and regulations of Central/State Government shall be the Contractor's responsibility unless otherwise specified in the Bidding Document. The application on behalf of the Owner for submission to relevant authorities along with copies of required certificate complete in all respects shall be prepared and submitted by the Contractor well ahead of time so that the actual construction of the work is not delayed for want of the approval/inspection by concerned



authorities. The inspection of the works by the authorities shall be arranged by the Contractor and necessary coordination and liaison work in this respect shall be the responsibility of the Contractor. However statutory fees paid, if any, for all inspections and approvals by such authorities shall be reimbursed at actual by the Owner to the Contractor on production of documentary evidence.

Any change/addition required to be made to meet the requirements of the statutory authorities shall be carried out by the Contractor free of charge. The inspection and acceptance of the work by statutory authorities shall however, not absolve the Contract from any of his responsibilities under this Contract.

2.10 Quality Assurance

- 2.10.1 Bidder shall include in his offer the quality assurance programme containing the overall quality management and procedures, which is required to be adhered to during the execution of contract. After the award of contract detailed quality assurance program shall be prepared by the contractor for the execution of Contract for various works, which will be mutually discussed and agreed to.
- 2.10.2 The Contractor shall establish document and maintain an effective quality assurance system as outlined in recognized codes.
- 2.10.3 Quality Assurance System plans/procedures of the Contractor shall be furnished in the in the form of QA manual. This document should cover details of the personnel responsible for the quality assurance, plans or procedures to be followed for quality control in respect of Design, Engineering, Procurement, Supply, Installation, Testing and Commissioning.

The quality assurance system should indicate organizational approach for quality control and quality assurance of the construction activities, at all stages of work at site as well as at manufacturer's works and dispatch of materials.

- 2.10.4 The RSGL's representative / TPIA shall reserve the right to inspect/ witness, review any or all stages of work at shop/site as deemed necessary for quality assurance.
- 2.10.5 The Contractor has to ensure the deployment of quality Assurance and Quality Control Engineer(s) depending upon the quantum of work. This QA /QC group shall be fully responsible to carryout the work as per standards and all code requirements. In case Engineer- in-charge feels that contractor's QA/QC Engineer (s) are incompetent or insufficient, contractor has to deploy

other experienced Engineer(s) as per site requirement and to the full satisfaction of engineer-in- charge.

- 2.10.6 In case contractor fails to follow the instructions of Engineer –in-charge with respect to above clauses, next payment due to him shall not be released unless until he complies with the instructions to the full satisfaction of Engineer –in –charge.
- 2.10.7 The contractor shall adhere to the quality assurance system as per Standard specification enclosed in the bidding document as Annexure-6.

2.11 Notice and Licenses

The Contractor shall at his costs and expenses give to the Municipal or Panchayat, Police and other authorities all notices etc., that may be required in law to be given and obtain all necessary permissions and licenses etc., for temporary obstructions, enclosures and pay all fees, taxes charges etc. which may be leviable by such authorities for that purpose. The Contractor shall make good any damage to the adjoining property whether public or private.



2.12 Working Hours

Depending upon the requirements, time schedule/ drawn up programs and the target set to complete the job in time the works may have to continue beyond normal working hours to the extent of round the clock and on holidays also for which no extra claim shall be entertained.

2.13 Responsibility of Contractor

Preparing approaches and working area for the movement and operation or the cranes, leveling the area for assembly and erection shall also be the responsibility of the Contractor. The Contractor shall acquaint himself with access availability, facilities such as railway siding, local labour etc.

The procurement and supply in sequence and at the appropriate time of all materials and consumables covered under Contractor's scope of supply shall be entirely the Contractor's responsibility. Contractor shall not use any of the equipment or materials issued to him by Owner for temporary works, manufacturing erection aids etc. Misuse of materials will be seriously viewed and deduction at penal rates will be made from the Contractors bill for such quantities that are misused.

Contract Price is deemed to be inclusive of all expenses towards above responsibilities.

2.14 Additional Works/Extra Works

Owner reserve their right to execute any additional works/ extra works, during the execution of Work, either by themselves or by appointing any other agency, even though such works are incidental to and necessary for the completion of works awarded to the Contractor. In the event of such decisions taken by Owner, Contractoris required to extend necessary cooperation and act as per the instructions of Engineer-in-Charge

2.15 Compensation for Idle Time

The owner shall make every reasonable effort to have the materials and working front available so as not to delay laying activities. No idle time claim shall be entertained under any circumstances.

2.16 Power and Water Connection

RSGL will not provide any power and water during construction period. Contractor shall apply and obtain necessary power and water during connection from relevant authority and will pay its usage charge or arrange the same from the other sources.

3.0 <u>CONSTRUCTION</u>

RSGL reserves the right to inspect all phases of Contractor's operations to ensure conformity to the SPECIFICATIONS. RSGL will have Engineers, Inspectors or other duly authorized representatives, made known to the Contractor present during progress of the WORK and such representatives shall have free access to the WORKat all times. The presence or absence of



an RSGL's representative does not relieve the Contractor of the responsibility for quality control in all phases of the WORK. In the event that any of the WORK being done by the Contractor or any Sub-Contractor is found by Owner's representatives to be unsatisfactory or not in accordance with the DRAWINGS, procedures and SPECIFICATIONS, the Contractor shall, upon written notice of such irregularity, rectify the work in a manner to conform to the relevant DRAWINGS, procedures and SPECIFICATIONS.

3.1 Rules and Regulations

Contractor shall observe in addition to Codes specified in respective specification, all national and local laws, ordinances, rules and regulations and requirements pertaining to the work and shall be responsible for extra costs arising from violations of the same.

3.2 Procedures

Various procedures and method statements to be adopted by Contractor during the construction as required in the respective specifications shall be submitted to Engineer-in-Charge in due time for approval. No construction activity shall commence unless approved by Engineer-in-Charge in writing.

3.3 Security

The work being in protected area, entry into the work area shall be restricted and governed by issue of photo gate passes by the Security/CISF. The Contractor shall arrange to obtain through the Engineer-in-Charge, well in advance, all necessary entry permits/gate pass for his staff and labour and entry and exit of his men and materials shall be subject to vigorous check by the security staff. The Contractor shall not be eligible for any claim or extension of time whatsoever on this account.

3.4 Drawings and Documents

- 3.4.1 The drawings accompanying the bid document (if any) are of indicative nature and issued for bidding purpose only. Purpose of these drawing is to enable the bidder to make an offer in line with the requirements of the RSGL. However no extra claim whatsoever, shall be entertained for variation in the "Approved for Construction" and "Bid document drawings" regarding any changes/units. Construction shall be as per drawings/specifications issued/approved by the Engineer-in-Charge during the course of execution of work. Detailed construction drawings (wherever required) on the basis of which actual execution of work is to proceed will be prepared by the contractor.
- 3.4.2 The drawings and documents to be submitted by the Contractor to RSGL after award of the work as per the requirements enlisted in the bidding document shall be for RSGL's review, information and record. The Contractor shall ensure that drawings and documents submitted to RSGL are accompanied by relevant calculations, data as required and essential for review of the document/ drawings. TPIA shall review the drawings/ documents within two weeks from the date of submission provided the same are accompanied by relevant calculations, data as required and essential for review.
- 3.4.3 All documents and drawings including those of Contractors sub-vendor's manufacturer's etc. shall be submitted to RSGL after having been fully vetted in detail, approved and co-opted by the Contractor & shall bear Contractor seal/ certifications to this effect. All documents/drawings & submissions made to RSGL without compliance to this requirement will not be acceptable and the delay & liability owing to this shall be to the Contractor's account.



3.4.4

The review of documents and drawings by RSGL shall not absolve Contractor from his responsibility to meet the requirements of specifications, drawings etc. and liabilities for mistakes and deviations. Upon receiving the comments on the drawing/documents reviewed by RSGL, Contractor shall incorporate the comments as required and ensure their compliance.

- 3.4.5 Copies of all detailed working drawing relating to the works shall be kept at the contractors' office at the site and shall be made available to the Engineer- in-charge at any time during execution of the contract. However no extra claim what so ever shall be entertained for any variation in the "approved/issued for construction drawings" and "tender drawings" regarding any changes/units unless otherwise agreed.
- 3.4.6 The Contractor shall rectify any inaccuracies, errors and non-compliance to contractual requirements. Any delay occurring on this shall not construe a reason for delay/ extension.

3.5 Excavation by blasting

Excavation by blasting is not permitted wherever required in hard strata other mechanical tools shall be used.

3.6 Construction Equipment & Mechanization of Construction Activities

Contractor shall, without prejudice to his overall responsibility to execute and complete the Work as per specifications and time schedule, adopt as far as practicable, mechanized construction techniques for major site activities. However, Contractor agrees that he will deploy the required numbers and types of the part & machinery applicable for different activities in consultation with the Engineer-In- Charge during execution of works.

The Contractor shall mechanize the construction activities to the maximum extent by deploying all necessary construction equipment/machinery in adequate numbers and capacities.

Wherever Structural/Piping works are included in the scope, the Contractor's responsibilities shall include establishing and maintaining of a proper fabrication workshop with transportation facilities to site to carryout fabrication of steel structures, piping specials etc., preparing approaches working areas for the movement/operation of cranes and leveling the areas for assembly/erection to ensure effective mechanization on the works. The Contractor shall acquaint himself with availability of access, facilities such as railway siding, local labour etc. and the Contractor may have to build temporary access roads to aid his work and the quoted and agreed rates shall be deemed to include the same. It may be noted that all fabrication work shall be carried out in fully mechanized workshops to reduce site fabrication to minimum.

For speedy execution of work, Contractor shall also ensure use of computer software for at least the following:

- (i) Billing
- (ii) Planning & Scheduling
- (iii) Progress Reporting
- (iv) Material Control & Warehousing
- (v) Safety Records
- (vi) Resource Deployment
- (vii) Communication



Contractor further agrees that Contract price is inclusive of all the associated costs) which he may incur for actual mobilization, required in respect of use of mechanized construction techniques and that the Owner/Consultant in this regard shall entertain no claim whatsoever.

3.7 Site Organization

The Contractor shall provide all necessary superintendence during the design and execution of the Works and as long thereafter as the Engineer-in-Charge may consider necessary for the proper fulfilling of the Contractor's obligations under the Contract. Such superintendence shall be given by sufficient persons having adequate knowledge of the operations to be carried out including the methods and techniques required the hazards likely to be encountered and methods of preventing accident for the satisfactory and safe execution of the Work. The workmen deployed, by the Contractor should also possess the necessary license etc., if required under any law, rules and regulations.

Subject to the provisions in the Contract Document and without prejudice to Contractor's liabilities and responsibilities to provide adequate qualified and skilled personnel on the Work, Contractor shall augment the same as decided by the Engineer-in-Charge depending on the exigencies of Work.

3.7.1 SUPERVISION

All construction work will be carried out as per direction of EIC, and this will be the primary point of contact between the Contractor and RSGL on site. All work will be issued and sanctioned through the EIC and site control exercised by site engineers. The Contractor shall ensure that technical quality standards are maintained, that construction is carried out cost effectively and that a good customer and public imageis maintained for RSGL.

The Contractor will appoint his own supervisors of minimum number instructed by EIC. These personnel will be responsible to the SE for monitoring construction standards and for ensuring that all detailed technical requirements are met on each and every job which is undertaken. The Contractor's supervisor(s) will have day to day liaison with the SE, and will provide the SE with technical reports and audits, and other management information as is required on work progress and construction quality standards.

The Contractor's supervisor shall have mobile telephones or pagers to ensure that they can be contacted at all times. The Contractor will also nominate one person who canbe contacted if necessary out of hours, for the duration of the works. The Contractor's supervisor will have access to transport at all times to allow them to visit sites and attend meetings with RSGL/TPIA as is required. The normal day to day issue of work instructions, communication between RSGL/TPIA and the Contractor's supervisor and the SE. No deviation from the approved technical specification / issued construction drawings shall be undertaken without written approval of EIC.



3.8 Health Safety and Environment (HSE) Management

After the award of the contract, detailed Health, Safety and Environment (HSE) program to be followed for execution of contract under various divisions of works will be mutually discussed and agreed between Contractor, Client & PMC.

The Contractor shall establish document and maintain an effective Health, Safety and Environment (HSE) management system.

<u>In case contractor fails to follow the instructions of Engineer-in-charge with respect to above clauses, next payment due to him shall not be released unless until he complies with the instructions to the full satisfaction of Engineer-in- charge.</u>

The Contractor shall adhere to the Health, Safety and Environment (HSE) management system as per RSGL, Specification and General Conditions of Contract.

It will be the Contractor's responsibility to acquaint his site staff and operatives of all current safety legislation, statutory requirements and RSGL safety standards. In addition, and before any work takes place all the Contractor's operatives shall be given training in site safety by the trained person under supervision of RSGL/TPIA. If the Contractor wishes to start any new operatives on site, he must first inform the SE, who will arrange for such training to be arranged.

3.9 General Guidelines During and Before Erection

- 3.9.1 The Contractor shall be responsible for organizing the lifting of the structural element, equipment in the proper sequence, that orderly progress of the work is ensured and access routes for erecting the other structures/ equipments are kept open.
- 3.9.2 During the performance of the work the Contractor at his own cost, shall keep structures, materials and equipment adequately braced by guys, struts or otherwise approved means which shall be Supplied and installed by the Contractor as required till the installation work is satisfactorily completed.

Such guys, shoring, bracing, strutting, planking supports etc. shall not interfere with the work of other agencies and shall not damage or cause distortion to other works executed by him or other agencies.

- 3.9.3 Manufacturer's recommendations and detailed specifications for the installation of the various equipment and machines shall be fulfilled by the Contractor.
- 3.9.4 Various tolerances required as marked on the drawings and as per specifications and instructions of the Engineer-in-Charge, shall be maintained.

Verticality shall be maintained. Verticality shall be verified with the Theodolite/advanced instruments,

3.10 Construction Photographs

The Owner desires to have two sets of monthly progress reports with photographs showing the progress of construction. Before utilizing any photograph for publicity, the Contractor shall obtain prior approval of the Owner.



3.11 Schedule of Labour

Schedule of Labour Rates attached as **Annexure-9** to SCC shall be used for analyzing rates for extra items.

Schedule of equipment rates attached as **Annexure-9** to SCC shall be used for analyzing rates for extra items.

3.11.1. Construction Equipment

Minimum construction equipment to be deployed is enclosed as **Annexure-8** to SCC. However, any other equipment required for completion of work but not specifically mentioned here, shall be deployed by contractor without any additional cost. The list of equipments mentioned in **Annexure-8** is the minimum to be deployed by contractor and contractor shall ensure the availability at site of listed equipments in good working condition.

3.12 Specific Requirements

Specific requirements spelt out in various technical parts of the Bidding Document shall be followed by Contractor.

3.13 SITECLEANING

- 3.13.1 The contractor shall take care for cleaning the working site from time to time for easy access to work site and also from safety point of view.
- 3.13.2 Working site should be always kept cleaned up to the entire satisfactions of the Engineer-in-charge.

Before handing over and work to owner, the contractor in addition to other formalities to be observed as detailed in the document shall clear the site to the entire satisfaction of Engineer-in-charge.

3.14 SURVEY OF WORK

Before the WORK or any part thereof are begun, the Contractor's agent and the Engineer-in-Charge's representative shall together survey the SITE and decide the tentative route considering all obstructions on which the pipeline is to be laid and on which measurements of the WORK are to be based. Such particulars shall be plotted by the contractor and trial pits started thereon.

The Contractor shall be entirely responsible for the correctness of every part of

the WORK and shall rectify any errors or imperfections therein. Such rectifications shall be carried out by the Contractor at his own cost, when instructions are issued to this effect by the Engineer-in-Charge or his representative.

WORK shall be suspended for such times as necessary for checking lines and levels on any part of the WORK.

The Contractor shall at his own expense provide all assistance, which the Engineer- in-Charge may require for checking the setting out to WORKS.

Before commencement of any activity, Contractor's quality control set up duly approved by company must be available at site.



4.0 <u>TESTS, INSPECTION AND COMPLETION</u>

4.1 Tests and Inspection of Material under Contractor's Scope

Inspection and test prior to shipment of material and at final acceptance shall be as specified in Technical Specification. However, without prejudice to the provision of Technical Specification following shall hold good.

The Owner/Consultant or its representative shall have the right to inspect ad or to test the material to conform their conformity to the specification.

If any inspected or tested material fail to conform the specification, the Owner/Consultant may reject them and the contractor shall either replace the rejected materials or make all the alteration necessary to meet the specification, free of cost to RSGL.

RSGL / TPIA right to inspect , test and where ever necessary reject the material after the material's arrival in the RSGL site shall in no way be limited to or waived by reason of the material having previously been inspected , tested and passed by RSGL / TPIA or their representative prior to the material shipment from the material supplier.

4.2 Tests and Inspection during execution

The Contractor shall carry out the various tests as enumerated in the technical specifications of this Bidding Document and technical documents that will be furnished to him during the performance of the work at no extra cost to the Owner.

All the tests either on the field or at outside laboratories concerning the execution of the work and supply of materials by the Contractor shall be carried out by Contractor at his own cost.

The work is subject to inspection at all times by the Engineer-in-Charge. The Contractor shall follow all instructions given during inspection and shall ensure that the work is being carried out according to the technical specifications of this Bidding Document, the technical documents that will be furnished to him during performance of work and the relevant codes of practice.

The Contractor shall provide for purposes of inspection access ladders, lighting equipment for testing, necessary instruments etc. at his own cost, low voltage lighting equipment for tray fixing and inspection work.

Compressed air for carrying out works shall be arranged by the Contractor at his own cost.

For material supplied by Owner, Contractor shall carryout the tests, if required by the Engineer-in-Charge, and the cost of such tests shall be reimbursed by the Owner at actual to the Contractor on production of documentary evidence.

Contractor shall inspect carefully all equipment before receiving them from Owner for installation purposes. Any damage or defect noticed shall be brought to the notice of Engineer-in- Charge immediately.

All results of inspection and tests will be recorded in the inspection reports,



proforma of which will be approved by the Engineer-in-Charge. These reports shall form part of the completion documents. Any work not conforming to execution drawings, specifications or codes shall be rejected and the Contractor shall carryout the rectifications at his own cost.

Inspection and acceptance of the work shall not relieve the Contractor from any of his responsibilities under this Contract.

4.3 Final Inspection during execution

After completion of all tests as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defect is noticed, the Contractor will be notified by the Engineer-in-Charge and he shall make good the defects at his own cost and risk with utmost speed. If, however, the Contractor fails to attend to these defects within a reasonable time (time period shall be fixed by the Engineer-

in-Charge) then Engineer-in-Charge may have defects rectified at Contractor's cost.

When these works are carried out at the risk and cost of the Contractor, the Engineer- incharge would recover the actual cost incurred towards labour, supervisions and material, consumables or otherwise, plus 100% towards overheads from any pending bill of the Contractor or the security deposit.

4.4 **Documentation**

4.4.1 As - Built Drawings

Notwithstanding the provisions contained in standard specifications, upon completion of commissioning, the BIDDER shall complete all of the related approved drawings along with bill of materials to the "AS BUILT" stage provide to a **scale of 1:200** and submit to RSGL/TPIA, the following:

- a) One complete set in reduced size (279 mm x 432 mm).
- b) One complete set of Soft Copy in CD of all original drawings.
- c) One complete set (original) of approved prints in A2 / A3 sizes for site office and one set for RSGL.
- d) One complete set shall also be submitted/Updated in case the requirement is raised by EIC on the GIS (Map) platform of RSGL.

4.4.2 Completion Document

The following documents shall be submitted in hard binder by the BIDDER in two sets One complete set (original) for site office and one set for RSGL, as a part of completion documents: -

- d) Copies of the Inspection reports, Laying Graphs, HDD Profiles (IF ANY) and valve pit drawings (IF ANY).
- e) Pre testing, final Hydrostatic / pneumatic and other Test results and reports.
- f) Consumption statements of PE / GI / Cu certified by Owner's / Consultant's Site Engineer.
- g) Final Material Reconciliation, stores issue & return statements
- h) All other requirements as specified in the respective specifications.
- i) Completion Certificate issued by Owner's Site Engineer.



- j) No claim certificate by the BIDDER.
- k) Completion certificate for embedded and covered up works wherever applicable.
- l) Recovery statement, if any.
- m) Deviation statement.
- n) Statement for reconciliation of all the payments and recoveries made in the progress bills.
- o) Copies of deviation statement and order of extension of time, if granted.
- p) Any other contractual documents required on completion.
- q) Total list of houses in the area allotted to him giving details of connections provided & reasons where connection could not be given/completed.
- r) The details recorded in measurement cards of every domestic house.
- s) Details of houses where extra piping done along with materials used.
- t) Total material consumption report.
- u) Material reconciliation with respect to the materials issued.
- v) Test reports & test certificates of gauges.
- w) Any other documents / records required.

4.5 Statement of Final Bills - Issue of No Demand Certificate

The final bill of Contractor shall be accompanied by no-demand certificate from the following departments of the Owner:

- i) Administration & Personnel Department regarding vacation of land, housing accommodation, recovery of tents etc.
- ii) Fire and Safety Officer and CISF. (IF REQUIRED)

The Contractor shall obtain such no-demand certificates from the concerned authorities and furnish the same to the Engineer-in-Charge.

4.6 Issue and Reconciliation of Material

Refer Annexure-7 to SCC for details.

4.7 GOVERNMENT OF INDIA NOT LIABLE

It is expressly understood and agreed by and between the Contractor and RSGL that RSGL is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that the Government of India is not a party to this agreement and has no liabilities, obligations or rights there under. It is



expressly understood and agreed that RSGL is an independent legal entity with power and authority to enter into contract, solely in its own behalf under the applicable laws of India and general principal of Contract Law. The Contractor expressly agrees, acknowledges and understands that RSGL is not an agent, representative or delegate of Govt. of India. It is further understood and agreed that the Govt. of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, contractor hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Govt. of India arising out of this contract and covenants not to sue to Govt. of India as to any manner, claim, cause of action or thing whatsoever arising of or under this agreement.

5.0 REGISTRATION OF THE CONTRACT WITH STATUTORY AUTHORITIES (FOR FOREIGN BIDDER (if applicable)

Within 30 days of execution of the Contract agreement, the Contractor shall register themselves and the Contract at their own cost with the Reserve Bank of India, Income Tax, and such other statutory authorities, as may be required under the rules and regulations governing in India. The Contract Price shall be deemed to include all costs towards the same. A copy of all documents related to all such registration shall be submitted to RSGL for record.

6.0 LIMITATION OF LIABILITY

- 6.1 The final payment by the RSGL in pursuance of the Contract terms shall not mean release of the Contractor from all of his liabilities under the Contract. The Contractor shall be liable and committed under this contract to fulfil all his liabilities and responsibilities till the time of release of contract performance guarantee by RSGL.
- Notwithstanding anything contrary contained herein, the aggregate total liability of Contractor under the Contract or otherwise shall be limited to 100% of Contract value. However, neither party shall be liable to the other party for any indirect and consequential damages, loss of profit or loss of production.

7.0 CONTRACT PERFORMANCE GUARANTEE

- 7.1 Please refer clause no. 37 of ITB (Vol. I) & clause no. 24.0 of GCC (General Condition of Contract).
- 7.2 In addition to above, following will also apply:
 - a) In the event completion of works is delayed beyond the Scheduled Completion Date for any reasons whatsoever, the Contractor shall have the validity of the guarantee suitably extended to cover the period mentioned above.
 - b) RSGL shall have an unqualified option under this guarantee to invoke the Banker's Guarantee and claim the amount there under in the event of Contractor failing to honour any of the commitments entered into under this Contract and/or in respect of any amount due from the Contractor to RSGL. In case Contractor fails to furnish the requisite Bank Guarantee as stipulated above, then RSGL shall have the option to terminate the Notification of Award of Work and forfeit the Bid Security/Earnest Money amount and compensation for the works performed shall be payable upon such termination.
 - c) Upon completion of the Works as per Completion Schedule stipulated in Contract, the above said guarantee shall be considered to constitute the Contractor's warranty/guarantee for the work done by him or for the Works supplied and performance as per the specifications and any other conditions against this Contract. The warranty/guarantee shall remain in force for 12 months from the date of issuance of



- certificate of Completion and Acceptance against this Contract as per GCC. Contractor shall also arrange for the Performance Guarantee to remain valid until expiration of the guarantee period for entire works covered under the contract.
- d) In the event of Completion of Project being delayed beyond the Scheduled Completion Date, RSGL may without prejudice to any other right or remedy available to RSGL, operate the Bank Guarantee to recover the Compensation for delay leviable as per Clause 27 of GCC. The Bank Guarantee amount shall thereupon be increased to the original amount, or the Contractor may alternatively submit a fresh Bank Guarantee for the equivalent amount of compensation for delay recovered.

8.0 TAXES, DUTIES AND LEVIES IN INDIA

- 8.1 The Contractor agrees to and does hereby accept full and exclusive liability for the payment of any and all taxes, duties, including GST, custom duty, etc. now in force and hereafter increased, imposed or modified from time to time in respect of works and materials and all contributions and taxes for unemployment compensation, insurance and old age pensions or annuities now or hereafter imposed by any Central or State Government authorities which are imposed with respect to or covered by the wages, salaries, or other compensations paid to the persons employed by the Contractor and the Contractor shall be responsible for the compliance with all obligations and restrictions imposed by the Labour Law or any other law affecting employer-employee relationship and the Contractor further agrees to comply, and to secure the compliance of all subcontractors with all applicable Central, State, Municipal and local law and regulation, and requirement of any central, State or Local Government agency or authority. Contractor further agrees to defend, indemnify and hold RSGL harmless from any liability or penalty which may be imposed by the Central, State or Local authorities by reason of any violation by Contractor or Subcontractor of such laws, regulations or requirements and also from all claims, suits or proceedings that may be brought against RSGL arising under, growing out of, or by reason of the work provided for by this Contract, by third parties, or by Central or State Government authority or any administrative sub-division thereof. The prices shall also be inclusive of Works Contract Tax/ VAT/ Trade tax/ turnover tax as applicable.
- **8.2** RSGL shall make from Contractors bills such tax deductions as are required as per rules and regulations in force from time to time.
- **8.3** If GST or other duty is applicable during site fabrication, the same must be assessed and deemed to be included by the bidder in the quoted prices. The bidder in this regard shall arrange all required formalities

9.0 SUBSEQUENT LEGISLATION

All duties, taxes (including sales tax on works contract/ trade tax/ turnover tax/GST as applicable), fees, charges, expenses, etc. (except where otherwise expressly provided in the Contract) as may be levied/ imposed in consequence of execution of the works or in relation thereto or in connection therewith as per the Acts, Laws, Rules, Regulations in force shall be to Contractor's account. However, any new taxes /duties imposed after the date of submission of last price bid & up to Contractual Completion date shall be to the RSGL account but such Taxes /duties imposed beyond Contractual Completion date shall be to the Contractor's account. However if such new taxes etc. is in substitute of existing taxes, same will be considered on merit of each case.

10. STATUTORY VARIATION IN TAXES & DUTIES

Refer Clause no. 12.8 of ITB, Vol.-I.

11.0 INCOME TAX & CORPORATE TAX



- Income Tax deductions shall be made from all payments made to the Contractor as per the rules and regulations in force in accordance with the Income Tax Act prevailing from time to time.
- 11.2 Corporate Tax liability, if any, shall be to the contractor's account.
- 11.3 Works Contract tax/ VAT as may be applicable shall be deducted as per the trade tax act.

12.0 CUSTOMS DUTY ON CONSTRUCTION EQUIPMENTS

- 12.1 Contractor is liable to pay custom duty on the equipments brought into India for executing the project. The Contractor shall be fully liable for observing all the formalities in this regard as well as to pay the custom duty chargeable on the equipments, including any deposit payable for such purposes. No adjustment in contracted rates shall be permissible for any change in duty drawback applicable in respect of equipment & machinery brought in India for the use of the project and for re-export of equipment and machinery, on completion of the project.
- 12.2 If the Custom Authorities require the Contractor to furnish a bond to secure payment of any custom duty in respect of any import and that such Bond shall be furnished by /Consultant, RSGL may at the request of the Contractor furnish the said Bond against the Contractor furnishing a Bank Guarantee to RSGL, of the like amount in the form and from a Bank in India approved by RSGL.
- 12.3 If for any reason RSGL is required by the Customs Authorities during pendency of Contract to pay any customs duty due to the importation or retention by the Contractor of any imports, the Contractor shall forthwith on demand by the RSGL pay the same to RSGL, with the right in RSGL (without prejudice to any other mode of recovery or right of RSGL) to deduct the same from the on account and other payments due and/or becoming due or payable to the Contractor from time to time. The payments under such a case shall be subject to submission of Bank Guarantee from a Bank approved by RSGL, by the Contractor in favour of RSGL for an amount equivalent to amount of custom duty.
- The obligations undertaken and/or any bond or facility provided by RSGL Consultant to the Contractor shall be based on the clear understanding that the said equipment shall be utilised by the Contractor only for the performance of the work covered under this contract and that RSGL shall be discharged forthwith from all said obligations and shall be entitled forthwith to discontinue and recall any bond or other facility to the Contractor if the Contractor shall utilise or permit to be utilised the said equipment(s) or any of them for the performance of any work other than the work covered by the Contract in which event any amount due from Contractor in this connection shall also carry interest @22% (Twenty two percent) per annum from the date of relative payment by RSGL up to the date of recovery in full.

13 ISSUE OF CERTIFICATE- PERTAINING TO IMPORT

RSGL shall not provide any kind of certificate in this regard.

14.0 IMPORT LICENCE

14.1 Contractor shall arrange import of all materials required for permanent incorporation in the works as well as construction equipment as per the guidelines laid down by the Government of India. RSGL shall not provide import license.



15.1

15.0 WITHHOLDING, ACCOUNTING AND TAX REQUIREMENTS

Contractor agrees for withholding from wages and salaries of its agents, servants or employees all sums, required to be withheld by the laws of the Republic of India orany other agency having jurisdiction over the area where Contractor is conducting operations, and to pay the same promptly and directly when due to the proper authority. Contractor further agrees to comply with all accounting and reporting requirements of any Nation having jurisdiction over the subject matter hereof and to conform to such laws and regulations and to pay the cost of such compliance. If requested, Contractor will furnish the evidence of payment of applicable taxes, in the country(ies) of the Contractor's and his sub-contractor(s) and expatriate employees.

16.0 INTELLECTUAL PROPERTY

Neither RSGL/TPIA nor Contractor nor their personnel, agents nor any sub-contractor shall divulge to any one (other than persons designated by the party disclosing the information) any information designated in writing as confidential and obtained from the disclosing party during the course of execution of the works so long as and to the extent that the information has not become part of the public domain. This obligation does not apply to information furnished or made known to the recipient of the information without restriction as to its use by third parties or which was in recipient's possession at the time of disclosure by the disclosing party. Upon completion of the works or in the event of termination pursuant to the provisions of the contract, Contractor shall immediately return to RSGL all drawings, plans, specifications and other documents supplied to the Contractor by or on behalf of RSGL or prepared by the Contractor solely for the purpose of the performance of the works, including all copies made thereof by the Contractor.

17.0 FIRM PRICE

17.1 The quoted prices shall be firm and shall not subjected to price escalation till the work is completed in all respects.

18.0 WORKS CONTRACT

18.1 The work covered under this contract shall be treated as "Works Contract".

19.0 PROVIDENT FUND ACT

19.1 The Contractor shall strictly comply with the provisions of Employees Provident Fund Act and register themselves with RPFC before commencing work. The Contractor shall deposit Employees and RSGL contributions to the RPFC every month. The Contractor shall furnish along with each running bill, the challan/receipt for the payment made to the RPFC for the preceding months.

20.0 MOBILIZATION ADVANCE- NOT APPLICABLE

21.0 TERMS OF PAYMENT

Terms of payment shall be as set out in **Annexure-5 to SCC**.

22.0 COMPENSATION FOR EXTENDED STAY- NOT APPLICABLE



23.0 COORDINATION WITH OTHER AGENCIES

Work shall be carried out in such a manner that the work of other agencies operating at the site is not hampered due to any action of the Contractor. Proper coordination with other agencies will be Contractor's responsibility. In case of any dispute, the decision of Engineer-in-Charge shall be final and binding on the Contractor.

24.0 SETTLEMENT OF DISPUTE BETWEEN TWO PSU

FOR THE SETTELEMENT OF COMMERCAIL DISPUTES BETWEEN PUBLIC SECTOR ENTERPRISES (s) INTER-SE AND PUBLIC SECTER ENTERPRISES(s) AND GOVERNMENT DEPARTMENT(s) THROUGH PERMANANET MACHINERY OF ARBITRATION (PMA) IN THE DEPARTMENT OF PUBLIC ENTERPRISES.

"In the event of any dispute or difference between relating to the interpretation and application of the provisions of the contracts, such disputes or difference shall be referred by either party for Arbitration to the sole Arbitrator in the Department of Public Enterprises to be nominated by the Secretary to the Government of India in- charge of the Department of Public Enterprises. The Arbitration and Conciliation Act, 1996 shall not be applicable to arbitrator under this clause. The award of the Arbitrator shall be binding upon the parties to the disputes, provided, however, any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary or the Special Secretary / Additional Secretary, when so authorized by the Law Secretary, whose decision shall bind the Parties finally and conclusively. The parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator."

25.0 ROYALTY

25.1 Contractor's quoted rate should include the royalty on different applicable items as per the prevailing Government rates. In case, RSGL is able to obtain the exemption of Royalty from the State Government, the contractor shall pass on the same to RSGL for all the items involving Royalty.

26.0 THE FACILITIES FOR WORKMEN

- Following facilities are to be ensured at all work places where workmen are deployed / engaged by Contractor & any other, as required by law at the time of execution.
 - Arrangement of first aid
 - Arrangement for clean drinking water
 - Toilets
 - Canteen where tea & snacks are available
 - A crèche where 10 or more women workmen are having children below the age of 6 years.
- 27.0 ARBITRATION (LATEST CIRCULARS/NOTIFICATION/OFFICE ORDER BY GOVT. OF RAJASTHAN/ GOVT. OF INDIA SHALL BE APPLICABLE AS A GUIDELINES FOR ARBITRATION)
- 27.1 Clause No.107.1 of GCC pertaining to Arbitration shall be replaced by the following:-
- 27.1.1 All disputes, controversies, or claims between the parties (except in matters where the decision of the Engineer-in-Charge is deemed to be final and binding) which cannot be mutually resolved within a reasonable time shall be referred to Arbitration by sole arbitrator.



- 27.1.2 RSGL shall suggest a panel of three independent and distinguished persons to the party (Bidder/Contractor/ Supplier/Buyer as the case may be) to select any one among them to act as the sole Arbitrator.
- 27.1.3 In the event of failure of the other party to select the sole Arbitrator within 30 days from the receipt of the communication suggesting the panel of arbitrators, the right of selection of sole Arbitrator by the other party shall stand forfeited and RSGL shall have discretion to proceed with the appointment of the sole Arbitrator. The decision RSGL on the appointment of Sole Arbitrator shall be final and binding on the parties.
- 27.1.4 The award of the Sole Arbitrator shall be final and binding on the parties and unless directed/awarded otherwise by the Sole Arbitrator, the cost of arbitration proceedings shall be shared equally by the Parties. The arbitration proceeding shall be in English language and the venue shall be at Jaipur, India.
- 27.1.5 Subject to the above, the provisions of (Indian) Arbitration & Conciliation Act, 1996 and the rules framed there under shall be applicable.
- 27.1.6 All matters relating to this contract are subject to the exclusive jurisdiction of the Courts situated in the **State of Rajasthan (India)**.
- 27.1.7 Bidders/ Supplier/ Contractors may please note that the Arbitration & Conciliation Act, 1996 was enacted by the Indian Parliament and is based on United Nations Commission on International Trade Law (UNCITRAL, model law), which were prepared after extensive consultation with Arbitral Institutions and centres of International Commercial Arbitration. The United Nations General Assembly vide resolution 31/98 adopted the UNCITRAL Arbitration rules on 15 December 1976.

27.1.8 DISPUTE RESOLUTION

27.1.8.1 GENERAL

Any dispute(s)/difference(s)/issue(s) of any kind whatsoever between/ amongst the Parties arising under/ out of/ in connection with this agreement shall be settled in accordance with provisions of this Article.

27.1.8.1 INVITATION FOR CONCILIATION

- 27.1.8.1.1 In case of any dispute(s)/ difference(s)/issue(s), as mentioned above, a Party shall notify the other party(ies) in writing about such a dispute(s)/ difference(s)/issue(s) between/ amongst the Parties and that such a Party wishes to refer the dispute(s)/ difference(s)/issue(s) to Conciliation. Such Invitation for Conciliation shall contain sufficient information as to the dispute(s)/ difference(s)/issue(s) to enable the other Party (ies) to be fully informed as to the nature of the dispute(s)/ difference(s)/issue(s), the amount of monetary claim, if any, and apparent cause(s) of action.
- 27.1.8.1.2 Conciliation proceedings commence when the other Party(ies) accept(s) the invitation to conciliate. If the acceptance is made orally, It is advisable that it be confirmed in writing. If the other Party(ies) reject(s) the invitation, there will be no conciliation proceedings.
- 27.1.8.1.3 If the Party initiating conciliation does not receive a reply within thirty days from the date on which he/she sends the invitation, or within such other period of time as specified in the invitation, he/she may elect to treat this as a rejection of the invitation to conciliate. If he/ she so elects, he/she shall inform to other Party(ies) accordingly.



27.1.8.2 CONCILIATION

Where Invitation for Conciliation has been furnished under Article 2, the Parties shall attempt to settle such dispute(s) amicably under Part-III of the Indian arbitration and Conciliation Act, 1996 and GAIL Gas Limited Conciliation Rules, 2013 (available on GAIL Gas website: www.gailgas.com applicable for RSGL). It would be only after exhausting the option of Conciliation as an Alternate Dispute Resolution Mechanism that the Parties hereto shall go for Arbitration as per the provisions of arbitration clause. For the purpose of this Article, the option of 'Conciliation' shall be deemed

to have been exhausted, even in case of rejection of 'Conciliation' by any of the Parties.

- 27.1.8.2.2 For dispute(s)/ difference(s)/issue(s) pending before Arbitral of Judicial proceeding, pendency of such proceeding shall not constitute any bar on commencement of Conciliation proceeding and Invitation for Conciliation under Article 2, even if the Conciliation proceedings under this Article are on the same subject matter(s)/ issue(s) as the Arbitral or Judicial proceedings.
- 27.1.8.2.3 The cost of Conciliation proceeding including but not limited to fees for Conciliator(s), Airfare, Local Transport, Accommodation, cost towards conference facility etc. shall be borne by the Parties equally.
- 27.1.8.2.4 The Parties shall freeze claims (s) of interest, if any, and shall not claim the same during pendency of Conciliation proceedings.

The Settlement Agreement, as and when reached/ agreed upon, shall be signed between the Parties and Conciliation proceeding shall stand terminated on the date of the Settlement Agreement.

27.2 Clause No.107.2 of GCC-Works pertaining to Arbitration shall be replaced by the following:- Refer Clause 24.0 above.

28.0 PROJECT PLANNING, SCHEDULING AND MONITORING SYSTEM

28.1 The Contractor shall follow the specifications with respect to Project Planning, Scheduling and Monitoring system as giving in Bidding Document.

29.0 CHECKING OF LEVELS

- 29.1 The Contractor shall be responsible for checking levels, orientation plan of all foundations, foundation bolts, etc., well in advance of taking up the actual erection work and bring to the notice of Engineer-in-Charge discrepancies, if any. In case of minor variations in levels etc. the Contractor shall carry out the necessary rectifications to the foundations within his quoted price.
- The Contractor shall also be responsible for checking with templates, wherever necessary, the disposition of foundation bolts with the corresponding bases of structure and shall effect rectifications, as directed, within his quoted rate.

30.0 STORAGE FACILITIES

- The Contractor shall maintain wherever required an air-conditioned room for the storage of the instruments as well as for calibration and testing of the instruments athis own cost. The contractor shall provide these facilities within the quoted price.
- 31.0 ABNORMALLY HIGH RATED ITEMS (AHR ITEMS) NOTAPPLICABLE

32. <u>COMPUTERIZED CONTRACTORS BILLING SYSTEM</u>



- Without prejudice to stipulation in General Conditions of Contract, Contractor should follow following billing system.
- The bills will be prepared by the contractors based on joint measurement carried out by contractor and TPIA on their own PCs as per the standard formats and codification scheme proposed by RSGL / TPIA. The contractors will be provided with data entry software to capture the relevant billing data for subsequent processing. Contractors will submit these data to RSGL / TPIA in an electronic media along with the hard copy of the bill, necessary enclosures and documents. The contractor will also ensure the correctness and consistency of data so entered with the hard copy of the bill submitted for payment.
- 32.3 RSGL/TPIA will utilize these data for processing and verification of the Contractor's bill and payment."

33. ORDER PLACEMENT OF BOUGHT OUT ITEMS

The contractor is required to place firm order for all bought out items of adequate quantity (including 1st lot in those cases where items are required to be procured in more than one lot, if so stated in SOR/ SCC) within 30 days from the date of placement of order, failing which owner reserves the right to procure the same at the risk & cost of the contractor. However the contractor shall always take prior approval of owner and consultant for items required to be procured.

Further lots (for those cases where items are required to be procured in more than one lot, if so stated in SOR/SCC) shall be procured after suitable period so as to ensure adequate availability of material at site throughout the execution period).

34. REQUIREMENTS FOR CONTRACTOR AT SITE

- 34.1 Contractor shall establish site office in the respective areas with adequate facilities like tables, chairs, telephone, and computer with mailing facility etc. for effective communication and documentation.
- Contractor shall provide as and when required a wagon(s) suitable for soil removal, for the delivery or reinstatement materials and for the transport of pipe to and from site.
- Contractor shall supply transport for their technical staff and operatives to move from site to site, and to move tools and equipment from site to site, this vehicle will also be fitted with a tow bar suitable for the towing of a mobile air compressor or pipe trailer.
- Contractor shall make appropriate arrangements to ensure that their supervisor(s) are adequately mobile and can attend sites or meeting with RSGL/ TPIA & other authorities or customers as required, without any undue delay.
- Contractors shall provide cell phones to their supervisors for day to day communication with RSGL/ TPIA.
- The RCM/ site in-charge must be a permanent employee of the contractor having desired qualification and work experience, Any change in key persons working at site shall be informed to the Owner promptly.
- Owner will not allow switching/ swapping of key personnel of any contractor working at site from one contractor to another during the continuity of the contract.

35. COMPLIANCE WITH LAWS

35.1 The Contractor shall abide by all applicable rules, regulations, statutes, laws governing



the performance of works in India, including but not limited to the following:

- Contract Labour (Regulation & Abolition) Act 1970 & the centre rules, 1971 framed there under.
- ii) Payment of Wages Act.
- iii) Minimum Wages Act.
- iv) Employer's Liability Act.
- v) Factory Act.
- vi) Apprentices Act.
- vii) Workman's Compensation Act.
- viii) Industrial Dispute Act.
- ix) Environment Protection Act.
- x) Wild life Act.
- xi) Maritime Act.
- xii) Any other Statute, Act, Law as may be applicable.
- xiii) PNGRB Act.

36.0 NOTES TO SCHEDULE OF RATES (SOR)

- i) The SOR items to be operated as per job requirement and shall be decided by Engineer- In- Charge.
- ii) The quantities stated in SOR are tentative and may vary considerably on ± side depending upon site condition, methodology adopted as per site requirement. The payment will be made as per actual certified Measurement at site and as instructed by EIC.
- iii) The scope as mentioned in the SOR is of **indicative nature only** and shall include all activities as detailed in the relevant clauses of the specifications attached and other relevant documents enclosed with tender.
- iv) Any other materials & activities not mentioned/covered in SOR, but otherwise required for satisfactory completion/safety of work as defined in tender has to be supplied /done by contractor within the specified schedule at no extra cost to owner.

37.0 Insurance

All kind of Insurances including transit Insurance shall be borne & arranged by the bidder in line with clause no. 101 of GCC-Works. Price quoted in SOR shall be inclusive of this cost.

38.0 PRICE REDUCTION SCHEDULE

The Price reduction schedule shall be applicable at the rate mentioned as per clause no. 27 of GCC-Works as per following:

In case of delay in completion of work as per total scope of work within the completion schedule, Price Reduction Schedule shall be applicable at the rate of ½ % of the total contract value per week of delay or part thereof.

The maximum PRS shall be 5% of total contract value.

For PRS purpose, Contract value shall be excluding of GST.

The compensation on account of any liability (lies) including penalties other than above shall be as per provisions of bidding documents and shall be applicable in addition to PRS.



39.0 DIRECT PAYMENTS TO SUB-VENDORS/ SUPPORTING AGENCIES OF MAIN CONTRACTOR

Normally, the payment is to be made to vendor/ contractor only as per provision of contract. During execution, in case of financial constraints, RSGL may make direct payment to their sub-vendor/ supporting agencies as an exception from the amounts due to the vendors/ contractors from any of their bills under process upon certification by EIC subject to receipt of such request from the vendor/ contractor. Further, the request for direct payments to the sub-vendor/ sub- contractor shall be considered in performance evaluation of such vendor/ contractor.

40.0 SUB-LETTING OF WORKS

Pursuant to Clause No. 37 of GCC-Works:

The contractor shall not, sublet with previous consent in writing of the Engineer-in-charge, sublet, transfer or assign the contract or any part thereof or interest therein or benefit or advantage thereof in any manner whatsoever. Provided, nevertheless, that any such consent shall not relieve the contractor from any obligation, duty or responsibility under the contract.

However, subletting of WHOLE WORKS is prohibited. Vendor/ Contractor shall submit undertaking to this effect along with each invoice/ bill.

41.0 BONUS FOR EARLY COMPLETION- - NOT APPLICABLE

The Clause 27.3 of GCC-Works for Bonus for early completion shall not be applicable in this Contract.

42.0 JOINTS MEASUREMENT OF WORK EXECUTED, BILLING, INVOICE AND PAYMENTS.

Measurement shall be recorded as per the methods of measurement spelt out in Specification/Contract Documents/ Procedure of RSGL.

43.0 Opportunity of employment to the people, belonging to Scheduled Castes and weaker sections of the society:

While engaging the contractual manpower, Contractors are required to make efforts to provide opportunity of employment to the people belonging to Scheduled Castes and weaker sections of the society also in order to have a fair representation of these sections



ANNEXURES TO SCC

CONTENTS

Annexure-1 : Scope of Work

Annexure-2 : Scope of Supply

Annexure-3 : Time Schedule

Annexure-4 : Measurement of Work

Annexure-5 : Terms of Payment

Annexure-6 : Quality Assurance

Annexure-7 : Conditions for issue & reconciliation of material

Annexure-8 : Construction equipment to be deployed Annexure-

9 : Schedule of Labour Rate

Annexure-10 : Schedule of Equipment Hourly Rental Rate



SCOPE OF WORK

(ANNEXURE-1 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE-1 TO SCC

1.0 **SCOPE OF WORK**

Scope of work shall be as detailed in Particular Job Specification, Technical Specifications, Schedule of Rates & various other parts of this Bidding Document.



SCOPE OF SUPPLY

(ANNEXURE-2 TO SPECIAL CONDITIONS OF CONTRACT)





1.0 SCOPE OF SUPPLY

1.1 Owner's Scope of Supply (Free Issue Item): NIL

Owner's scope of supply shall be as specified in Particular Job Specification, Technical Specifications, Schedule of Rates & various other parts of the Bidding Document.

If in case, In order to speed up the project Free Issue Materials and also the material on replacement basis shall be issued to the Contractor from the designated store(s) of RSGL/and Contractor shall be responsible for lifting the free issue materials from Owner's storage point(s) and transporting the same to work site(s) at his own cost. In case the material is required to be lifted from a location other than Gwalior, the cost towards transportation shall be payable as extra work.

Conditions for Issue and Reconciliation of Materials shall be as per Document enclosed as **Annexure-7** to Special Conditions of Contract.

1.2 Contractor's Scope of Supply

All materials including fitting, clamps etc. except what is under Owner's scope of supply as mentioned in Clause No. 1.1 above, and required for successful completion of works in all respects shall be supplied by the Contractor and the cost of such supply shall be deemed to have been included in the quoted price without any additional liability on the part of Owner.



TIME SCHEDULE

(ANNEXURE-3 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE-3 TO SCC

TIME SCHEDULE

The time schedule for Completion is 6 (Six) months from the date of issuance of FAX of Acceptance (FOA)

Note: The above time schedule is inclusive of mobilization period of 15 days.

- 1) The time of completion shall be reckoned from the date of award of contract, which shall be the date of issue Fax of Acceptance.
- 2) The time indicated is for completing all the works in all respects as per specifications, codes, drawings and instructions of Engineer-in-charge.
- 3) It should be noted that the period of construction given above includes preparation of drawings (if required), procurement and supply of materials including their inspection & testing, mobilization at site, construction, laying, fabrication, erection inspection, testing, rectification (if any), pre-commissioning, commissioning and demobilization works etc. complete in all respects to the entire satisfaction of Owner/ Engineer-in- charge.

(STAMP & SIGNATURE OF BIDDER)



MEASUREMENT OF WORK

(ANNEXURE-4 TO SPECIAL CONDITIONS OF CONTRACT – TECHNICAL)



ANNEXURE-4 TO SCC

MEASUREMENT OF WORK

1.0 GENERAL

- 1.1 The mode of measurement shall be as mentioned in relevant standard specification incorporated in the bidding Document. Any other mode of measurements not covered in above specifications shall be followed in accordance with relevant BIS codes/ Schedule of Rates/ Specifications etc. and/ or as decided by Engineer-in- charge.
- 1.2 Payment will be made on the basis of joint measurements taken by Contractor and certified by TPIA Engineer. Measurement shall be based on "Approved for Construction" drawings, to be the extent that the work conforms to the drawings and details are adequate. Checking of measurement shall be 100% by TPIA, 15% by Site Engineer and 5% by Engineer- In-Charge/Work-In-Charge.
- **1.3** Wherever work is executed based on instructions of Engineer-in-charge or details are not adequate in the drawings, physical measurements shall be taken by Contractor in the presence of Engineer-in-charge.
- **1.4** Measurements of weights shall be in metric tonnes corrected to the nearest Kilogram. Linear measurements shall be in meters corrected to the nearest centimeters.
- 1.5 The weights mentioned in the drawing or shipping list shall be the basis for payment. If mountings for panels etc. are packed separately their erection weights shall include all mountings.
- **1.6** Welds, bolts, nuts, washers etc. shall not be measured. Rates for structural steel work shall be deemed to include the same.
- 1.7 No other payment either for temporary works connected with this Contractor for any other item such as weld, shims, packing plates etc. shall be made. Such items shall be deemed to have been included for in the rates quoted.
- **1.8** Measurement will be made for various items under schedule of rates on the following basis as indicated in the unit column.

i) Weight : MT or Kgii) Length : M (Meter)iii) Number : No.

iv) Volume : Cu.M v) Area : Sq.M

2.0 PIPING

2.1 Length of pipes shall be measured along the curvilinear centre of the pipelines laid/installed and shall include all types of fittings, bends etc. but excluding all types of valves. Length of valves shall be excluded from piping measurement and shall be considered on number basis.

3.0 FOR PIPELINE CROSSINGS BY HDD (if required) / BORING / MOLING METHOD

Payment shall be made as specified in SOR, PJS and Technical Specification.



TERMS OF PAYMENT

(ANNEXURE-5 TO SPECIAL CONDITIONS OF CONTRACT)



1.0 TERMS OF PAYMENT

Pending completion of the whole works, provisional progressive payments for the part of work executed by the contractor shall be made by Owner on the basis of said work completed and certified by the Engineer-In-Charge as per the agreed milestone payment schedule and the percentage break-ups given below.

Contractor shall submit his invoices to the Engineer-In-Charge monthly in the manner as instructed by Owner. Each invoice will be supported by documentation acceptable to Engineer-In-Charge and certified by the Engineer-In-Charge. Payments made by owner to the contractor for any part of the work shall not deem that the Owner has accepted the work.

The Contractor has to raise the RA bill on monthly basis and payment shall be madeas per the following terms: -

- a) Completion of individual work as per SOR including supply (wherever applicable): 70%
- b) Completion of all activities and their acceptance submission of final documents, final bill and acceptance of these by owner thereafter for successful closure of work order: 20 %
- c) successful closure of work order :10%

Note: Any further breakup of each activity for the payment purpose can be done depending upon the site situation / requirement and recommendation by EIC and approval of construction in-charge

2. PAYMENT METHODOLOGY

- I. The Contractor shall raise invoices on monthly basis. Bidder shall enclose all documents as per checklist issued by RSGL/TPIA including during Kickoff meeting
- II. The payment of the contractor will be released within 15 days from the date of receipt of bill duly certified by TPIA/Site Engineer and EIC.
- III. RSGL will release payment through e-payments only as detailed in bidding document.
- IV. All payments against running bills are advance against the work and shall not be taken as Final acceptance of work / measurement carried out till the final bill.
- V. Further break-up of Lumpsum Prices, if deemed necessary for any progressive payment of individual item may be mutually arrived at between Engineer-in- Charge and the Contractor.
- VI. Successful bidder(s) to submit material reconciliation certificate along with each bill.
- VII. Bills shall be raised by contractor in line with check list attached in Tender document.
- VIII. As per CBDT Notification No. 95/2015 dated 30.12.2015, mentioning of PAN no. is mandatory for procurement of goods / services/works/consultancy services exceeding Rs. 2 Lacs per transaction.
- Accordingly, supplier/contractor/service provider/consultant should mention their PAN no. in their invoice/bill for any transaction exceeding Rs. 2 lakh. As provided in the notification, in case supplier/contractor/service provider/consultant do not have PAN no., they have to submit declaration in Form 60 along with invoice/bill for each transaction.

above requirement.

RSGL PAN Card No. is AAGCR7499P



QUALITY ASSURANCE (ANNEXURE-6 TO SPECIAL CONDITIONS OF CONTRACT)

(Attached Separately- Technical Vol.-II of II- of tender document)



CONDITIONS FOR ISSUE AND RECONCILIATION OF MATERIAL

(ANNEXURE-7 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE-7 TO SCC

1.0 CONDITIONS FOR ISSUE OF MATERIALS

Whenever any material is issued by Owner, following conditions for issue of material in addition to other conditions specified in the contract shall be applicable.

- 1.1 Necessary indents will have to be raised by the Contractor as per procedure laid down by the Engineer-in-charge from time to time, when he requires the above material for incorporation in permanent works.
- Materials will be issued only for permanent works and not for temporary works, enabling works etc. unless specifically approved by the Engineer-in-charge and the same shall not be taken into account for the purpose of materials reconciliation.
- 1.3 The contractor shall beer all other cost including lifting, carting from issue points to work site/ contractor's store, custody and handling etc. and return of surplus/ serviceable scrap materials to Owner's storage points to be designated by the Engineer-in-charge etc. No separate payment for such expenditure will be made.
- **1.4** No material shall be allowed to be taken outside the plant without a gate pass.
- **1.5** The contractor shall be responsible for proper storage, preservation and watch & ward of the materials.

1.6 Reconciliation of Owner supplied materials

1.6.1 Every month, the contractor shall submit an account for all materials issued by Ownerin the Performa prescribed by the Engineer-in-charge. On completion of the work the contractor shall submit "Material Appropriation Statement" for all materials issued by the Owner in the Performa prescribed by the Engineer-in-charge.

Waste materials like part lengths of pipes and other partly used items are the property of RSGL and must be returned to the store with the appreciate documentation so that they can be considered as part of the material reconciliation.

The PE pipe less than 0.5 Mtr. Shall be declared as scrap.

For PE pipes allowable scrap shall be upto 2% of total free issue materials.

The percentage allowance shall be accounted on the basis of final measurement book.

1.6.2 All unused, scrap materials and salvageable materials shall be the property of the Owner and shall be returned by the Contractor category-wise at his cost to



the Owner's designated store yard(s). In case the Contractor fails to do so/ or exceeds the limits of allowances specified above for scrap/ serviceable materials, then recovery for such quantities not returned as well as returned in excess of permitted limit by the Contractor will be done at the penal rate i.e. 125% of landed cost at the time of final bill/ closing of contract by Engineer-in- charge shall be effected from the Contractor's bill(s) orfrom any other dues of the Contractor to the Owner. Contractor shall be responsible for the adjustment/ weighment/ measurement of the surplus materials to be returned to the store. Contractor shall also be responsible for suitable segregation of returned materials into separate stacks of serviceable and scrap materials.



CONSTRUCTION EQUIPMENT TO BE DEPLOYED

(ANNEXURE-8 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE-8 CONSTRUCTION EQUIPMENT TO BE DEPLOYED

Sl. No.	Description of Item	Qty. to be Deployed* for GWALIOR
i.	Electro-fusion machine with Bar Code, GPS antena, Memory to store upto 2048 weld data, USB interface and control box with leads	2
ii.	Moling Equipment	As and when required
iii.	PE Squeeze Tools for 20mm / 32mm /63mm /125mm Pipes	2
iv.	Universal pipe scrapper 20mm, 32mm, 63mm, 125mm / hand scrappers	2
v.	Tapping tools for PE service tees	2 sets of all size
vi.	PE pipe cutter / Guillotine	2
vii.	Gas detection equipment, wherever required	As and when required
viii.	Cable and pipe locator	As and when required
ix.	PE closure plugs / test ends for 20mm / 32mm pipes	As and when required
х.	Towing heads	As required
xi.	Pipe alignment clamps, jointing of elbow, tee, top loading clamps for top tee	2
xii.	Pipe straighteners, re-rounding tools of all pipe sizes	2
xiii.	Jumping Jack compactor	As and when required
xiv.	Roller for asphalting	As and when required
XV.	Water tanker	As and when required
xvi.	Hammer Drill	2
xvii.	Power Generator a) 5.5 kVA, b) 2.5kVA	1 2
xviii.	Piston Drill	As and when required
xix.	Conversion Kit	As and when required
XX.	Pneumatic Test Pumps	2
xxi.	Die sets for thread preparation	2
xxii.	Soldier Torch	4
xxiii.	Cleaning pads	4
xxiv.	Cleaning Brush	4
xxv.	Voltage Stabilizer	2
xxvi.	Calibrated Pressure Gauge (0-6 Bar)	4
xxvii	Acetone/ H2O2 (pipe cleaner)	As and when required
xxviii	Harness belts & clamps	As and when required
xxix.	Lacquer and Thinner	As and when required

(*) Number of equipment indicated hereinabove may be revised by Engineer In-charge for various sites depending on quantum of work and work front made available to the contractor. Any additional equipment requirement, whenever asked for by the Engineer In-charge, shall be deployed by the contractor at site without any additional cost to Owner

Notes:

- 1. Any other equipment required for completion of work but not specifically mentioned hereinabove, shall be deployed by contractor without any additional cost to Owner. Contractor shall deploy above mentioned equipments in good working condition & properly calibrated.
- 2. Mobilization shall be considered complete only after equipments having quantity specifically mentioned hereinabove / quantity decided by engineer-in-charge on case to case basis at site are made available at site in good wood working condition as verified by EIC.

(SIGNATURE OF BIDDER)



SCHEDULE OF LABOUR RATES

(ANNEXURE-9 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE -9 to SCC

SCHEDULE OF LABOUR RATES (FOR EXTRA WORKS)

	Sl. Classification No. Personnel	Rates in INR for 8 hours	Rate per Hour for OT, Sunday & Holiday	
		Standard Time (Rs.)	In Rs.	
1.	Engineer	2500/-	650	
2.	Surveyor Foreman	2000/-	430	
3.	Pipe Fitter	750/-	150	
4.	Pipe Welder	750/-	150	
5.	Gas Cutter	700/-	170	
6.	Grinder	700/-	170	
7.	Mason	520/-	120	
8.	Plumber	500/-	120	
9.	Carpenter	500/-	130	
10.	Painter	500/-	120	
11.	Electrician	600/-	150	
12.	Cable Jointer	780/-	190	
13.	Instrument Technician	1000/-	190	
14.	Rigger	400/-	110	
15.	Watchman/Helper	250/-	80	
16.	Concrete Mixer Operator	250/-	80	
17.	Heavy Machine Operator	700/-	170	
18.	Fusion Operation/ Jointer	500	120	
19.	Civil labour (unskilled labour)	300	60	

(SIGNATURE OF BIDDER)

NOTES:-

Above rates are final and Tenderer is to sign only without deviation.



EQUIPMENT HOURLY RENTAL RATES FOR EXTRA WORKS

(ANNEXURE-10 TO SPECIAL CONDITIONS OF CONTRACT)



ANNEXURE-10 TO SCC

EOUIPMENT HOURLY RENTAL RATES FOR EXTRA WORKS

SL. NO.	DESCRIPTION OF EQUIPMENT	HOURLY RENTAL RATES FOR EXTRA WORKS INCLUDING
		CONSUMABLES
1)	Dozers	Rs. 4500/-
2)	Excavator/Back Hoe-ex 280/300 & above	
	Or equivalent	Rs. 7000/-
3)	Moling machine	Rs. 1200/-
4)	Compressors 210 CFM	Rs. 2000/-
5)	Dewatering Pumps	Rs. 800/-
6)	Fusion Jointing Machine	Rs. 1000/-
7)	Diesel operated power generators	Rs. 3000/-
8)	Gas cutting set with cylinders	Rs. 350/-
9)	Compressor 600 CFM Capacity	Rs. 2500/-
10)	Trucks	Rs. 2000/-
11)	Car/Jeep	Rs. 800/-
12)	Tractor with trolley	Rs. 600/-
13)	Tripod with 5 Tons Chain Pulley Block	Rs. 300/-
14)	Pipe Trailor (FB/ Semi Low Bed)	Rs. 3500/-
15)	Dumper	Rs. 1500/-

NOTES:-

- 1) Rates are final and Tenderer is to sign only without deviation.
- 2) In case of foreign bidder, Conversion rate applicable on one day prior to price bid Opening date published by the State Bank of India will be considered.
- 3) Rates are inclusive of operators / drivers as applicable
- 4) Rates are inclusive of contractor's overhead &profit
- 5) The recovery rate shall be the rates provided above plus 20%

(SIGNATURE OF BIDDER)



HIRING / RECOVERY RATE FOR DEPLOYMENT OF MANPOWER

(Annexure-11 of Special Condition of Contract)



ANNEXURE -11 TO SCC

HIRING / RECOVERY RATE FOR DEPLOYMENT OF MANPOWER

- 1. The Labour rates are "all inclusive". These rates include but are not limited to all payroll costs and allowances, payroll taxes, fringe benefits, protective and/or special clothing, construction supplies required for work of a nature included in this contract, overhead, profit insurance, transportation and travel time.
- 2. The rates are inclusive of providing hand tools and consumables such as electrodes, filler wire, gases, grinding wheels where the concerned category of labour is expected to use in execution of the job but exclusive of all major equipment and machineries.
- 3. The normal time labour rates shall apply for all hours worked upto eight (8) hours in a day and overtime rates shall apply for all hours worked in excess of eight (8) hours in one working day, Sundayand Public Holidays. The payment for part of the day shall be made on prorata basis.

Sl. No.	Classification Personnel	Rates per day of Normal Hours	Rate per hour for OT Sunday & Holiday
		(in Rs.)	(in Rs.)
1.	Foreman	2475	545
2.	Supervisor	2475	545
3.	Engineer	3300	650
4.	Gas Cutter	1155	215
5.	Grinder	1155	215
6.	Brick Mason	660	150
7.	Stone Mason	660	150
8.	Structural welder	1650	330
9.	Qualified Arc welder – manual /		
	semi-automatic	1980	330
10.	Qualified Arc welder - automatic	e 2000	430
11.	Welder helper	380	150
12.	Pipe Fitter /Bender	825	190
13.	Structural Fitter	660	150
14.	Pipeline Fitter	990	240
15.	Coater	660	152
16.	Mechanic	660	152
17.	Site Equipment / Machine Operat	tor 660	152



18.	Electrician	825	190
19.	Fabricator	825	190

Sl. No.	Classification Personnel	Rates per day of Normal Hours	Rate per hour for OT, Sunday & Holiday
		(in Rs.)	(in Rs.)
20.	Carpenter	760	165
21.	Plumber	660	150
22.	Painter	660	150
23.	Cable Jointer	990	240
24.	Instrumentation Technician	990	240
25.	Insulator	570	140
26.	Rigger	570	140
27.	Bhisti (water man)	315	75
28.	Heavy duty driver	910	215
29.	Civil Surveyor	750	130
30.	Document Controller	1000	300
31.	Account Officer	1500	360
32.	Store Keeper / Incharge	1000	300
33.	AUT Interpreter	5000	750
34.	Liasioning Team (2 persons)	2000	430
35.	Light duty driver	660	150
36.	Sand Blaster	735	165
37.	Qualified Surveyor	750	130
38.	Un skilled Worker	380	80
39.	Construction Manager	10000	1000
40.	QA/QC / Safety / Planning / NDT Engineer	5000	750

(SIGNATURE OF BIDDER)

NOTES:-

- 1. Rates are final and Tenderer is to sign only without deviation.
- 2. In case of foreign bidder, conversion rate applicable on one day prior to price bid opening date published by the State Bank of India will be considered.
- 3. The recovery rates shall be the rates provided above plus 20% (twenty percent).



SECTION – IV PARTICULAR JOB SPECIFICATION

(PLEASE ALSO REFER

TECHNICAL VOLUME- II OF II)



PARTICULAR JOB SPECIFICATION



CONTENTS

<u>S. No.</u>	<u>Description</u>
1.0	Project Description & Scope of Work
2.0	General Terms and Condition
3.0	Procurement
4.0	Scope of Supply
5.0	Documents, Specifications, Standards & Drawings
6.0	Resources/ Facilities
7.0	Project Scheduling & Monitoring
8.0	Construction
9.0	Documentation
10.0	Survey and Level/ Setting out Work
11.0	Order of Works/ Permissions/ Right of Entry/ Care of Existing Services
12.0	Make of Material/ Bought Out Items
13.0	Inspection of Supply Items
14.0	Escalation
15.0	Documents to be submitted / produced along with R.A. Bills
16.0	Insurance for Free Issue Material
17.0	Special Points pertaining to Specification
18.0	Special notes pertaining to Schedule of Rates (SOR)
19.0	Appendix-I to Particular Job Specification



1.0 PROJECT DESCRIPTION & SCOPE OF WORK

1.1 **PROJECT DESCRIPTION**

This tender deals with Construction of De-Compression Unit (DCU) at RSGL Sirol, Site Gwalior..

1.2 SCOPE OF WORK

The scope of work includes laying of underground PE Pipe Laying and PNG connections. As per SOR Further the scope of work also includes identification of existing structures, buildings, roads, paves / bylanes, nallahs, culverts, drains, utility lines, electric poles, type of ground surface and marking on drawings along with location of allhouses by their names and identification number along with preparation of drawings.

The broad scope of this tender comprised of but not limited to the following:

- Installation of Domestic / Commercial / Service / Field Regulators, Domestic & Commercial Meters & other associated fittings (including supply of fittings).
- Supply and above ground GI installation including riser kit (PE to GI transition fittings) from regulator at consumer end.
- Supply of copper tube, isolation valves & appliance valves.
- Supply & installation of GI Pipe connection within Kitchen of Domestic consumers including installation of meters (free issue), regulators (free issue), anaconda, appliance / isolation valve, brassfittings, copper tube etc. complete in all respect.
- Conversion of Domestic appliances (like burner, hotplate etc) for application / use of PNG.
- Supply and Installation of TF along with GI Sleeve.
- Supply and installation of valves and end caps.
- Reconciliation of material received from store each time before submission of RA bills.

2.0 **GENERAL** Terms and Condition

- i. Special Condition of Contract shall be read in Conjunction with the General Conditions of Contract, SOR, PJS of work, specifications, Drawings and any other documents forming part of this contract whereverthe context so requires.
- ii. Notwithstanding the sub-division of the documents into these separate sections and volumes every part of each shall be deemed to be supplementary to and complementary of every other part and shallbe read with and into the contract so far as it may be practicable to do so.
- iii. Where any portion of the General Condition of Contract is repugnant, to or at variance withany provisions of the Special Conditions of Contract, unless a different intention appears, the provisions of the Special Conditions of Contract shall be deemed to over-ride the provisions of the General Condition of Contract andshall to the extent of such repugnancy or variations, prevail.
- iv. The materials, design and workmanship shall satisfy the relevant INDIAN STANDARDS, the TECHNICAL SPECIFICATIONS contained herein and CODES referred to. Where the technical



- specification stipulate requirement in addition to those contained in the standard codes and specifications, these additional requirements shall also besatisfied.
- v. Wherever it is mentioned in the specifications that the CONTRACTOR shall perform certain work or provide certain facilities, it is understood that the CONTRACTOR shall do so at his cost and the VALUE OF CONTRACT shall be deemed to have included cost of such performance and provisions, so mentioned.
- vi. It will be Contractor's responsibility to bring to the notice of Engineer-in- charge any irreconcilable conflict in the contract documents before starting the work(s) or making the supply with reference whichthe conflict exists.
- vii. In the absence of any specifications covering any material, design of work(s) the same shall be performed/ supplied/ executed in accordance with T4S Standard Engineering Practice as per the instructions/directions of the Engineer-in-charge, which will be binding on the Contractor.

3.0 Procurement

- 3.1.1 CONTRACTOR shall procure and supply all the materials other than OWNER supplied materials, required for permanent installation in sequence and at appropriate time. Allequipment, materials, components etc. shall be suitable for the intended service. Approved vendor list has been indicated in the bid package for various items. For items which are not covered in the vendor list, CONTRACTOR shall obtain Owner's prior approval for the vendor based on PTR document.
- 3.1.2 CONTRACTOR shall procure all materials, components, equipment, consumable etc. required for successful completion of the system. CONTRACTOR shall also procure and supply spares required for pre-commissioning and commissioning/ start up as recommended for all items supplied by him as per specifications provided in the bid package. Where no specification is available in the contract, the same shall be prepared by the CONTRACTOR based on the piping material specification and shall be subject to Owner's approval.
- 3.1.3 Material take-off with complete description of size, rating, material, thickness and specifications to be prepared by contractor.
- 3.1.4 Only single offer shall be provided by the bidder fully complying to specifications/ drawings/ requirements for Owner's review and approval. CONTRACTOR shall provide for inspection of the items at vendor's works by the OWNER/ Owner's REPRESENTATIVE or by a reputed inspection agency and shall submit inspectionreports for Owner's clearance.
- 3.1.5 Stores management including receipt, warehousing, preserving the material in good condition, issue of material to construction site, reconciling/ handing over surplus material to OWNER for OWNER supplied items.
- 3.1.6 Carry out proper documentation of inspection and quality assurance programmes for all equipmentand bulk materials duly approved by OWNER. CONTRACTOR shall maintain an accurate and traceable listing of procurement records for the location, quality and character of all permanent materials in the Project.
- 3.1.7 CONTRACTOR shall immediately report to the OWNER of all changes which will affect material quality, and recommend any necessary corrective actions to be taken.
- 3.1.8 Submit periodic progress reports highlighting hold ups and slippages, if any, to OWNER andtake remedial measures.
- 3.1.9 Interact with authorities such as Sales Tax, Octroi, Excise, Customs etc. as necessary and arrange for transportation of the materials under his scope of supply to site.
- 3.1.10 All purchase requisitions including purchase orders shall be approved by Owner/Owner's Representative.



3.1.11 Compliance with vendor's and supplier's instructions and recommendations for transportation, handling, installation & commissioning.

3.2 Construction

3.2.1 General

3.2.1.1 All construction works shall be carried out as per "Approved for Construction" drawings, procedures, specification and applicable codes and standards. Any changes at site shall also need prior approval from the OWNER and revision of drawings. Construction drawings will be submitted by the Contractor in a phased manner of Owner's approval in accordance with the procurement and construction plan prepared and furnished by contractor & agreed by Owner.

Owner will take minimum 7 working days from the date of submission of the documents / drawings submitted by the contractor for Owner's comments / approval.

3.2.1.2 Statutory Approvals

The Owner shall provide to the Contractor the basic / in principal approval, the Contractor at his own initiative shall obtain all permissions, permits and licenses necessary for the performance of thework. If any such permission, permit or license required for the performance of the work by the contractor can only be granted at the request or recommendation of the Owner, the Owner shall at the request of the Contractor, provide recommendatory letters to the contractor to obtain or procure the same. The contractor shall not, however be entitled to any additional compensation over and above contracted rates of services for any hardship or increased cost caused by any idleness, suspension or disruption of work or any other account whatsoever as a result of the inability of the contractor to obtain the permission(s), permit(s), license(s) aforesaid to match with the progress of the work nor shall the same constitute a ground for extension of time.

- a) The approval from any authority required as per statutory rules and regulations of Central/ State Government agencies etc. shall be the contractor's responsibility unless otherwise specified in the tender document. The application on behalf of the Owner for submission to relevant authorities along with copies of required certificates complete in all respects shallbe prepared and submitted by the Contractor well ahead of time so that the actual construction/ commissioning of the work is not delayed for want of the approval/ inspection by concerned authorities. The Contractor shall arrange the inspection of the works by the authorities and necessary coordination and liaison work in this respect shall be the responsibility of the Contractor. However statutory fees paid, if any, for all inspections and approvals by such authorities shall be reimbursed at actual by the Owner to the Contractor on production of documentary evidence.
- b) The defective work resulting from poor workmanship and/ or material supplied by contractor, aspointed out by any statutory authority shall be rectified by the contractor at no extra cost to the Owner. Any change/ addition required to be made to meet the requirements of the statutory authorities, the same shall be carried out by the contractor free of charge. The inspection and acceptance of the work by statutory authorities shall, however, not absolve the contractor from any of his responsibilities under this contract.
- **3.2.1.3** The Contractor shall comply with all the conditions and requirements issued by Authoritieshaving jurisdiction in the area where the work is to be performed.

It shall be the Contractor's sole responsibility to make arrangements for land for setting up of its string fabricationyards, all storage areas for line pipe and other materials, wherever required, and all other work areas.

The Contractor shall make all arrangements for access to his work site at his own cost and responsibility. If nopublic road exists Contractor shall arrange on his own for access to his work area at no extra cost to the COMPANY.

The CONTRACTOR shall be responsible for claims if any arising out of damage/ obstruction to public utilities likelines of DOT etc. where the claims will cover the restoration costs as well as loss of revenue



due to down time.

- **3.2.1.4** Providing schedules, progress reporting, organization chart at construction site, quality assuranceplan and developing quality control procedures, as per requirements indicated elsewhere in the bid package.
- **3.2.1.5** Coordination and supervising the work of sub-contractors.
- **3.2.1.6** Transportation of appropriate materials and taking delivery of Company supply materials, store, worksite, intermediate storage points, maintaining and operating an adequate material control procedure at worksite.
- **3.2.1.7** Fabrication of all GI piping, structural components as per approved drawings.
- **3.2.1.8** All civil/structural works, electrical and instrumentation, laying and commissioning works shall be performed in accordance with relevant specifications and requirements enclosed elsewhere in the bid package.
- **3.2.1.9** CONTRACTOR shall provide complete details of manpower, equipment etc. to be deployed. Mobilizing and providing all equipments, manpower (skilled and unskilled), consumable and other resources etc. for each spread as required for the execution of the complete job defined hereinand thereafter demobilizing the same upon completion of work.
- **3.2.1.10** Provide, maintain and operate all temporary facilities required for the construction related works and remove after completion of work. Providing barricading at trench in city area as per instruction of engineer in charge forsafety.
- **3.2.1.11** Hook up / tie-in of pipeline and piping system with other facilities etc.
- **3.2.1.12** All works related to cleaning, testing, dewatering, swabbing, drying, pre-commissioning and commissioning of the work tendered.
- **3.2.1.13** Idle time preservation, if required.
- **3.2.1.14** All incidental and associated works and any other works not specifically listed therein but are required to be carried out to complete entire work related terminals.

3.2.2 Branch

3.2.2.1 Familiarization

Bidders are advised to make site visits to familiarize themselves with all the salient. Contractor shall not be eligible forany compensation in terms of cost and / or time, on account of site conditions varying to any extent from whatever described in the BidPackage.

- **3.2.2.2** Supply, loading, unloading, handling, stacking, storing and transportation to workshop/ work site of all materials that may be used for the construction
- **3.2.2.3** Installation of all inline / online instruments / valves / fittings / transition fittings / appurtenances etc.as per requirements of approved drawings.

3.2.2.4 Testing

The testing will be carried out by Contractor and it is to be ensured that Measuring instruments shall have been calibrated and their accuracy and sensitivity confirmed.

3.2.2.5 Markers



Installation of all types of markers including all associated civil works. Any other work not specifically mentioned above but required for making the entire system ready for operation.

3.2.2.6 Priorities

The Contractor shall start the execution work as per approved execution methodology / plan / procedure to complete the scope of work and shall deploy adequate manpower, machinery, tool & tackles etc. accordingly.

However, Owner may, at its sole option, assign priority of construction to any part/ segment of the work. Contractor shall comply with such priority of execution and their deployment without any time and cost implication to the Owner.

3.2.2.7 Pre-commissioning and Commissioning Assistance

- Pre-commissioning including supply of all materials, consumables and manpower of the complete system
- Making the entire system ready for commissioning and providing assistance during the complete duration of commissioning operations.
- Completion of all pipeline activities as detailed in SOR.

3.2.2.8 Civil Works

- Civil works shall be carried out as per scope mentioned at SOR and as per Indian Standardnorms.
- Any other work not specifically listed herein but required for the completion of the work.

3.2.2.9 Installation

All material & activities not mentioned/covered above, but otherwise required for satisfactory completion/safety of work as defined in tender has to be supplied / done by contractor within specified schedule at no extra cost to Owner

4.0 SCOPE OF SUPPLY

4.1 Owner's Scope of Supply (Free Issue Item)

Nil

In acse if In order to speed up the project Materials if available with Owner shall be issued on replacement basis to the Contractor from the designated store(s) of RSGL Contractor shall be responsible for liftingthe free issue materials from Owner's storage point(s) and transporting the same to work site(s) at his own cost.



4.2 Material to be supplied by Contractor

All materials to be supplied by the contractor **as required** for completing the work.

Notes:-

- i. All the supply items shall be procured from the vendors / manufacturers listed in tenderdocuments.
- ii. For any other item(s) for which the vendor list is not provided, bidders can supply those item(s) from vendors/ suppliers who have earlier supplied same item(s) for the intended services in earlier projects and the item(s) offered is in their regular manufacturing/ supply range. The bidder is required to submit documentary evidences (PO copies, Inspection Certificate etc.) before procurement / Placement of Order for approval to Owner /.



- iii. For supply items the contractor has to **submit Material test certificate** and other relevantdocuments from the approved / listed manufacturer for review of Owner /.
- iV. In case, Contractor proposes a vendor other than those as per the suggested vendor list, Contractor is required to submit documentary evidences such as PO copies, Inspection Certificate and any other information etc (such as reasons for proposing the change of vendor) before procurement / Placement of order forapproval to Owner /.
- v. Owner / reserve the right to accept material on MTC basis from listed / approved vendors for procurement of supply items by the contractor.

5.0 DOCUMENTS, SPECIFICATION, STANDARDS AND DRAWINGS

- **5.1** Owner shall furnish tender purpose drawings as listed in content of Volume-II of II of the tender document and other typical standard drawings attached with respective technical specifications enclosed with Volume-II of II of the tender document. Contractor shall prepare detail engineering drawing, bill of materials and all construction drawings and submit to Consultant for approval prior to start of the job / any procurement.
- **5.2** Contractor shall prepare isometric drawings, any specific detail drawings (if required by Engineer-in-charge) & bill of materials and submit the same for Owner/ Consultant's approval / record.

Contractor shall prepare drawing for utilities line as required or as per SOR and submit the same for Owner/Consultant's approval/record.

- **5.3** No construction small or big shall be carried out without proper construction / standard drawingsduly approved by EIC
- **5.4** After completion of construction & commissioning of system, Contractor shall incorporateall the correction in drawings, prepare and issue the drawings "as built drawings" as listed below to Owner as final submission of drawings. For alignment sheet, all block valves location & details, pipe book etc. and for tap-off point & consumers premises, piping GAD, Isometric and all civil drawings including hook-up arrangement with Meter Regulator. For final submission only 4 sets of documents shall be handed over by Contractor. Any construction done byContractor without duly approved drawings shall be wholly at his risk and cost. Contractor shall also submit soft copy of pipe book in excel along with hard copy. Soft copy of all as- built drawings shall be also submitted in AutoCAD.

5.5 Specifications

The work shall be carried out by CONTRACTOR strictly in accordance with the specifications enclosed in Volume-II o II of this document:

5.6 Drawings

The drawings to the extent available are included in Vol.-II of the bid package for BIDDER's reference purpose only; Bidders are advised to go through these drawings and also visit the site before submitting their bids. The Contractor shall develop all drawings including for all crossings, along with the all connection drawings required for construction works as detailed in respective SCC, PJS & SOR etc.

6.0 RESOURCES / FACILITIES

6.1 Recruitment of Personnel by Contractor

The Contractor shall not recruit personnel of any category from among those who are already employed by the other agencies working at the sites but shall make maximum use of local labour available.

6.2 Construction Water and Power Supply

No water and power will be provided by the Owner. It should be the responsibilities of the contractor to arrange water



and power at his own cost.

6.3 Land for Residential Accommodation

Owner shall not provide any land for residential accommodation of contractors staff and labour.

7.0 PROJECT SCHEDULING & MONITORING

The following schedules/documents/reports shall be prepared and submitted by the Bidder/Contractor for review/approval at various stages of the contract.

7.1 Along with Bid

a) <u>Time Schedule</u>

The Completion Time Schedule for the work (including mobilization period) as per SCC Annexure- 3 of Tender in all respect, from the date of issue of telex/telegram/letter/Fax of Intent.

The Bidder is required to submit a Project Time Schedule in Bar Chart Form, along with the Bid. The Schedule shall cover all aspects like sub-ordering, manufacturing and delivery, indicated in the Bid Document. The Owner interface activities shall be clearly identified with their latest required dates. Owner reserves the right to disqualify the Bidder if the above Schedule submitted by the Bidder is not in line with the over all Project requirement.

b) <u>Scheduling & Monitoring System</u>

The Bidders should describe their system of Project Scheduling and monitoring, the extent of computerization, level of detailing, tracing methodology etc. with the name of computer package and sample outputs.

7.2 After the Award of Contract

a) Overall Project Schedule

The Contractor shall submit within 1 week of Fax of Intent, a sufficiently detailed over all Project Schedule in the activity network form, clearly indicating the major milestones, interrelationship/ interdependence between various activities together with analysis of critical path and floats.

The network will be reviewed and approved by Engineer- in-Charge and the comments if any shall be incorporated in the network before issuing the same for implementation. The network thus finalized shall form part of the contract document and the same shall not be revised without the prior permission from Engineer-in- Charge during the entire period of contract.

b) Progress Measurement Methodology

The contractor is required to submit within 1 week of award of WORK, the methodology of progress measurement of sub-ordering, manufacturing/ delivery, sub- contracting construction and commissioning works and the basis of computation of overall services/physical progress informed. Owner reserves the right to modify the methodology in part or in full.

c) Functional Schedules

The contractor should prepare detailed functional schedules in line with network for functional monitoring and control and submit scheduled progress covers for each function viz. ordering, delivery and construction.



7.3 Project Review Meetings

The Contractor shall present the programme and status at various review meetings as required.

a) Weekly Review Meeting

Level of Participation: Contractor's/Consultant's RCM/ Site In charge & Job Engineers.

Agenda: a) Weekly programme v/s actual achieved in the past week & programme for next week.

- b) Remedial Actions and hold up analysis.
- c) Client query/ approval.

Venue: Site Office

b) Monthly Review Meeting

Level of Participation: Senior Officers of RSGL / and Contractor.

Agenda: a) Progress Status/ Statistics

- b) Completion Outlook
- c) Major hold ups/slippages
- d) Assistance required
- e) Critical issues
- f) Client query / approval

Venue: RSGL office

7.4 Progress Reporting Performa

A) Monthly Progress Report

This report shall be submitted on a monthly basis within 10 (ten) calendar days from cut-off date, as agreed upon covering overall scenarios of the work. The report shall include, but not limited to the following:

- a) Brief Introduction of the work.
- b) Activities executed / achievements during the month.
- c) Schedule versus actual percentage progress and progress curves for Detail Engg. Sub-ordering, Manufacturing / Delivery, Sub- contracting, Construction, Commissioning and Overall and quantum wise status & purchase orders against schedule.
- d) Area of concern/ problem/ hold-ups, impacts and action plans.
- e) Resources deployment status.
- f) Annexures giving status summary for drawings, MRs, deliveries, sub-contracting and construction.
- g) Procurement status for items to be supplied by Contractor.



B) Weekly Reports

The report will be prepared and submitted by the Contractor on weekly basis and will cover following items:

- a) Activities programmed and completed during the week.
- b) Resource deployed men and machines.
- c) Quantities achieved against target in construction
- d) Record of Man-days lost.
- e) Construction percentage progress schedule and actual.

C) <u>Daily Repots</u>

- a) Activity programme for the day
- b) Progress of the previous day and commutative progress.
- c) Manpower & machinery deployed.

7.5 Progress Reports

7.5.1 CONTRACTOR shall make every effort to keep the OWNER adequately informed as to the progress of the WORK throughout the CONTRACT period.

CONTRACTOR shall keep the OWNER informed well in advance of the construction schedule so as to permit the OWNER to arrange for requisite inspection to be carried out in such a manner as to minimize interference with progress of WORK. It is imperative that close coordination be maintained with the OWNER during all phases of WORK.

- 7.5.2 By the 10th (tenth) of each month, CONTRACTOR shall furnish the OWNER a detailed report covering the progress as of the last day of the previous month. These reports will indicate actual and scheduled percentage of completion of construction as well as general comments of interest or the progress of various phases of the WORK. The frequency of progress reporting by the CONTRACTOR shall be weekly.
- 7.5.3 Once a week, CONTRACTOR shall submit a summary of the WORK accomplished during the preceding week in form of percentage completion of the various phases of the WORK, to the OWNER.
- 7.5.4 Progress reports shall be supplied by CONTRACTOR with documents such as chart, networks, photographs, test certificate etc. Such progress reports shall be in the form and size as may be required by the OWNER and shall be submitted in at least 3 (three) copies.
- 7.5.5 Contractor shall prepare Daily Progress Report (DPR) in the desired format and submit it to Engineer-in-charge along with schedule of next day to Engineer-in-charge.

8.0 <u>CONSTRUCTION</u>

OWNER reserves the right to inspect all phases of CONTRACTOR's operations to ensure conformity to the SPECIFICATIONS. Owner will have Engineers, Inspectors or other duly authorized representatives, made known to the CONTRCTOR present



during progress of the WORK and such representatives shall have free access to the WORK at all times. The presence or absence of OWNER's representative does not relieve the CONTRACTOR of the responsibility for quality control inall phases of the WORK. In the event that any of the WORK being done by the CONTRACTOR or any SUB-CONTRACTOR is found by OWNER's representatives to be unsatisfactory or not in accordance with the DRAWINGS, procedures and SPECIFICATIONS, the CONTRACTOR shall, upon verbal notice of such, revise the work in a manner to conform to the relevant DRAWINGS, procedures and SPECIFICATIONS.

8.1 Rules & Regulations

CONTRACTOR shall observe in addition to Codes specified in respective specification, all National and Local Laws, Ordinances, Rules and Regulations and requirements pertaining to the WORK and shall be responsible for extra costs arising from violations of the same.

8.2 Procedures

Various procedures and method statements to be adopted by CONTRACTOR during the construction as required in the respective specifications shall be submitted to OWNER in due time for APPROVAL. No such construction activity shall commence unless approved by OWNER in writing.

8.3 Field Inspection

CONTRACTOR shall have at all times during the performance of the WORK, a Competent Superintendent on the premises. Any instruction given to such superintendent shall be construed as having been given to the CONTRACTOR.

8.4 Erection and Installation

The CONTRACTOR shall carry out required supervision and inspection as per quality assurance plan and furnish all assistance required by the OWNER in carrying out inspection work during this phase. The OWNER will have engineers, inspectors or other authorized representatives present who are to have free access to the WORK at all times. If an OWNER's representative notifies the CONTRACTOR's authorized representative not lower than a Foreman of any deficiency, or recommends action regarding compliance with the SPECIFICATIONS, the CONTRACTOR shall make every effort to carry out such instructions to complete the WORK conforming to the SPECIFICATIONS and approved DRAWINGS in the fullest degree consistent with best industry practice.

8.5 Construction Aids, Equipment, Tools & Tackles

CONTRACTOR shall be solely responsible for making available for executing the work, all requisite Construction Equipments, Special Aids and Tools, Tackles and testing equipments and appliances. Such construction equipments etc.shall be subject to examination by Owner and approval for the same being in first class operating condition. Any discrepancies pointed out by OWNER shall be immediately got rectified, repaired or the equipment replaced altogether, by CONTRACTOR.



OWNER shall not in any way be responsible for providing any such equipment, machinery, tools and tackles.

The OWNER reserves the right to rearrange such deployment depending upon the progress and priority of work invarious sections.

Tie-end between main line and starting point of terminal is included in the scope of contract, as and when main linesection is available for Tie-ins.

9.0 **DOCUMENTATION**

9.1 "As Built" Drawings

The Contractor will be required to submit computerized as-built drawings duly certified by EIC in A1/A2 sheet form at 1:200 scale with one set for RSGL site office in original hard copy and one set hard copy for RSGL, JAIPUR, plus soft copy. The as-built drawing shall be submitted on area wise as specified. The bill of materials used for the particular area shall be specified on the drawings

9.2 Completion Document –

The following documents shall be submitted in hard binder by the BIDDER in one set for RSGL site office in original and one set for RSGL, JAIPUR, as a part of completion documents: -

- a) Copies of the Inspection reports, Laying Graphs, HDD Profiles (if required) and valve pitdrawings (if required).
- b) Pre testing, final Hydrostatic / pneumatic and other Test results and reports.
- c) Consumption statements as certified by Owner's Site Engineer.
- d) Material Reconciliation, stores issue & return statements
- e) All other requirements as specified in the respective specifications.
- f) Completion Certificate issued by Owner's Site Engineer.
- g) No claim certificate by the BIDDER.
- h) Completion certificate for embedded and covered up works wherever applicable.
- i) Recovery statement, if any.
- j) Deviation statement.
- k) Statement for reconciliation of all the payments and recoveries made in the progress bills.
- l) Copies of deviation statement and order of extension of time, if granted.
- m) Any other contractual documents required on completion.
- n) Total list of houses in the area allotted to him giving details of connections provided &reasons where connection could not be given / completed.
- o) The details recorded in measurement cards of every domestic house.
- p) Details of houses where extra piping done along with materials used.
- q) Total material consumption report.
- r) Material reconciliation with respect to the materials issued.
- s) Test reports & test certificates of gauges etc.
- t) Any other documents / records required.



10.0 SURVEY AND LEVEL / SETTING OUT WORK

- 10.1 Before the WORK or any part thereof are begun, the CONTRACTOR's agent and the Engineer-in-Charge's representative shall together survey and take levels of the SITE and decide all particulars on which the surveyis to be made, and on which measurements of the WORK are to be based. Such particulars shall be plotted by the CONTRACTOR and after agreement the drawings shall be signed by the Engineer-in-Charge.
- The CONTRACTOR shall be entirely responsible for the horizontal and vertical alignment, the level and correctness of every part of the WORK and shall rectify any errors or imperfections therein. Such rectifications shall be carried out by the CONTRACTOR at his own cost, when instructions are issued to this effect bythe Engineer-in-Charge or his representative.
- 10.3 The Engineer-in-Charge shall furnish the relevant existing grid point with Bench Mark on the land. It shall be CONTRACTOR's responsibility to set out the necessary control points in and to set out the alignment of the the the theorem works. The CONTRACTOR shall have to employ efficient survey team for this purpose and the accuracy of such setting out work shall be CONTRACTOR's responsibility.
- 10.4 The CONTRACTOR shall give the Engineer-in-Charge not less than 24 (twenty four) hours noticein writing of his intention to set out or give levels for any part of the WORK so that arrangements may be made checking the same.
- WORK shall be suspended for such times as necessary for checking lines and levels on any part of the WORK.
- 10.6 The CONTRACTOR shall at his own expense provide all assistance, which the Engineer-in-Chargemay require for checking the setting out of WORKS.
- **10.7** Before commencement of any activity, contractor's quality control set up duly approved by company must be available at site.

11.0 ORDER OF WORKS / PERMISSIONS / RIGHT OF ENTRY / CARE OF EXISTINGSERVICES.

11.1 The order in which the WORK shall be carried out shall be subject to the approval of the Engineer-in-charge and shall be so as to suit the detailed method of construction adopted by the CONTRACTOR, as well as theagreed joint programme. The WORK shall be carried out in a manner so as to enable the other contractors, if any, to work concurrently.

OWNER reserves right to fix up priorities which will be conveyed by Engineer-in-Charge and the CONTRACTOR shall plan and execute work accordingly.

11.2 Existing Service

11.2.1 Drains, pipes, cables, overhead wires and similar services encountered in course of the works shallbe guarded from injury by the CONTRACTOR at his own cost, so



that they may continue in full and uninterrupted use to the satisfaction of the Owners thereof, or otherwise occupy any part of the SITE in a manner likely to hinder the operation of such services.

11.2.2 Should any damage be done by the CONTRACTOR to any mains, pipes, cables or lines (whetherabove or below ground etc), whether or not shown on the drawings the CONTRACTOR must make good or bear thecost of making good the same without delay to the satisfaction of the Engineer-in-Charge.

12.0 MAKE OF MATERIAL / BOUGHT OUTITEMS

Approved vendors for various major items are enclosed as Appendix-I to Particular Job Specification with this tender document. The bidder shall consider such names only as indicated in the aforesaid list and clearly indicate in the bid the name(s) as selected against these items. For any other item not covered in the list enclosed with this tender document, prior approval shall be obtained by the contractor for its make/ supplier's name.

13.0 **INSPECTION OF SUPPLY ITEMS**

All inspections and tests shall be made as required by the specifications forming part of this contract. Contractor shall advise Owner/ Consultant in writing at least 10 days in advance of the date of final inspection/tests. Manufactures inspection or testing certificates for equipment and materials supplied, may be considered for acceptance at the discretion of Owner/ Consultant. All costs towards testing etc. shall be borne by the contractor within their quoted rates. All inspection of various items shall be carried out based on Quality Assurance Plan, which will be submitted by the Contractor and duly approved by Owner/ Consultant.

14.0 **ESCALATION**

The Unit Rates quoted shall be kept firm till completion of work and no price Escalation shall be paid.

15.0 DOCUMENTS TO BE SUBMITTED / PRODUCED ALONGWITH R.A. BILLS

Refer 'the checklist- F-21' for details of the documents to be submitted. Checklist duly signed will become part of RA bill.

16.0 INSURANCE FOR FREE ISSUE MATERIAL

Insurance for Free Issue Material

Contractor shall at his own expense arrange, secure and maintain insurance cover for Owner's supplied free issue materials as defined in Tender Document of adequate value as intimated by Owner / consultant. Contractor's quoted price shall be inclusive of all costs on account of insurance liabilities covered under the Contract. Contractor to note that the beneficiary of insurance cover shall be RSGL.

16.2. Insurances in India

- 16.2.1 Contractor shall at his own expense arrange, secure and maintain insurance with Indian insurance companies to the satisfaction of the Owner as may be necessary and to its full value for all such amounts to protect the works in progress from time to time and the interest of Owner against all risks as detailed herein. Theform and the limit of such insurance as defined herein together with the under writer works thereof in each case should be as acceptable to the Owner. However, irrespective of work acceptance the responsibility to maintain adequate insurance coverage at all times during the period of Contract shall be that of Contractor alone. Contractor's failure in this regard shall not relieve him of any of this responsibilities and obligations under Contractor.
- Any loss of damage to the equipment during inland transportation, storage, erection and commissioning till such time the Work is taken over by Owner shall be to the account of Contractor. Contractor



shall be responsible for preferring of all claims and make good for the damage or loss by way of repairs and/or replacement of the parts of the Work damaged or lost. Contractor shall provide the Owner with a copy of all insurance policies and documents shall be submitted to the Owner immediately upon the Contractor having taken such insurance coverage. Contractor shall also inform the Owner regarding the expiry cancellation and/or changes in any of such documents and ensure revalidation/ renewal etc., as may be necessary well in time.

- 16.2.3 The risks that are to be covered under the insurance shall include, but not be limited to the lossor damage in handling, transit, theft, pilferage, riot, civil commotion, weather conditions, accidents of all kinds, fire, war risk etc. The scope of such insurance shall cover the entire value of supplies of equipments, plants and materials.
- 16.2.4 All cost on account of insurance liabilities covered under this Contract will be to Contractor's account and will be included in Contract Price. However, the Owner may from time to time, during the currency of the Contract, ask the Contractor in writing to limit the insurance coverage risk and in such a case, the parties to the Contract will agree for a mutual settlement, for reduction in Value of Contract to the extent of reduced premium amounts.

Contractor as far as possible shall cover insurance with Indian Insurance Companies.

17.0 SPECIAL POINTS PERTAINING TO SPECIFICATION:-

The technical specification & safety standards as prescribed in PNGRB is to be followed further

- The detailed engineering for above ground installation shall include detail engineering pertaining to all disciplines (if required) along with bill of materials.
- All the documents/ drawings prepared by the Contractor shall be submitted to Owner/ Engineer-in-charge for review and approval. All works shall be executed based on the approved drawings/ documentsonly.
- Contractor shall obtain all clearance from Government authorities (if required). Howeverbank guarantee/required fee or charges shall be submitted by Owner.
- 17a. If any ambiguity arises between SCC (Tech.) & Particular Job Specification in that case later shallgovern. However in some cases, decision of Engineer-in-charge shall be final and binding to the contractor.

17b Following points shall be taken care by the contractor before during execution works.

- i) Contractor shall be responsible for taking necessary precautions regarding traffic (installation of notice / warning boards).
- ii) Contractor shall be totally responsible for the occurrence of any accident during excavation froad and shall be liable for damages / expenses due to the same.
- iii) Concerned authority / Owner shall not be responsible for any loss / damage.
- iv) One copy of the permission shall be made available with contractor's responsibleworkman (if required) at the place where excavation is undertaken.
- v) While executing the subject work, excavation shall be done in consultation with the concerned authority engineer of that area.
- vi) Necessary safety measures shall be taken for the gas, since high tension lines andother services carriers are running along with in gas route in the area.



18.0 SPECIAL NOTES PERTAINING TO SCHEDULE OF RATES (SOR)

- i) All SOR item shall be quoted by the bidder in the price part of the bid, other-wise bid will be rejected.
- ii) The quantities given above against individual items are indicative and shall not be considered tobe binding. The quantities may be increased, decreased or deleted at site at the time of actual execution and as per discretion of Owner/ Engineer-in- charge. The unit rate shall be operated to work out the final payment due to Contractor.
- iii) The payment will be made as per actual certified measurement at site.
- iv) The scope as mentioned in the SOR is of indicative nature only and shall include all activities as detailed in the relevant clauses of the respective Particular Job Specifications, Technical Specifications, Data Sheets & drawings, etc.

19.0 APPENDIX-I TO PARTICULAR JOB SPECIFICATION

LIST OF APPROVED SUPPLIER FOR BOUGHT OUT ITEMS

PE FITTINGS & PE VALVES

1)	M/s Friatech AG, Germany (represented by M/s Sherman Sales in India)
2)	M/s Jain Irrigation Systems Ltd. Jalgaon (Fusion, UK)
3)	M/s George Fisher
4)	M/s Plasson Ltd.
5)	M/s Agru, Australia
6)	M/s Kimplas, Nasik (PE Fittings only)
7)	M/s Innogaz & M/s Frialen of M/s Aliaxis Utilities & Industry Pvt. Ltd.
,	(formerlyGlynwed pipe systems)
8)	AL-Aziz Plastics

HDPE PIPES & DUCT

1)	M/s Climax Synthetics (P) Ltd., Vadodra
2)	M/s Indian Poly Pipes, Calcutta
3)	M/s Jain Irrigation Systems Ltd., Jalgaon
4)	M/s Kirti Industries (India) Ltd., Indore
5)	M/s Ori Plast Limited, Calcutta
6)	M/s Phoel Industries Limited, Delhi
7)	M/s Sangir Plastics (P) Ltd., Mumbai
8)	M/s Veekay Plast, Jaipur
9)	M/s Kisan Irrigation
10)	M/s Dutron Polymers Ltd.
11)	M/s Manikya Plastichem (P) Ltd
12)	M/s Mangalam Pipes Pvt. Ltd., Bengaluru
13)	M/s Shand Pipe industry Pvt. Ltd., Bengaluru
14)	M/s Varun Pipes Pvt. Ltd., Bengaluru
15)	M/s EPP Composite Pvt. Ltd., Rajkot
16)	M/s DM Engineering Co., Mumbai



GI PIPES

1)	M/s Goodluck Steel Tubes Ltd, Ghaziabad
2)	M/s Indus Tubes Ltd, New Delhi
3)	M/s Jindal Pipes Ltd , New Delhi
4)	M/s Jyotindra Steel & Tubes Ltd, Firozabad
5)	M/s Rama Steel Tubes Ltd, New Delhi
6)	M/s Surya Roshni Ltd, Bhadurgarh
7)	M/s Vishal Pipes Ltd.
8)	M/s Advance Steel Ltd.
9)	M/s Swastik Pipe Ltd.
10)	M/s Fortune Pipe Ltd.
11)	M/s Indian Seamless Metal Tubes Ltd., Pune
12)	M/s Appolo Tubes, Bengaluru
13)	M/s Nezone Tubes Ltd., Kolkata
14 [°])	M/s Topworth Pipes & Tubes Pvt. Ltd., Navi Mumbai

WARNING MAT

1)	M/s Sparco Multiplast Pvt. Ltd., Ahmedabad
2)	M/s Singhal Industries, Ahmedabad
3)	M/s Raychem RPG Ltd.
4)	M/s Puja Packings, Mumbai
5)	M/s Bina Enterprises, Mumbai
6)	M/s Shree Vijay Wire & Cables Industries, Jaipur

GI FITTINGS

1)	M/s Jainsons Industries, Jalandhar
2)	M/s Jupiter Metal Industries Ltd.
3)	M/s Rajnesh Malleables Ltd., Delhi
4)	M/s Industrial Valves & Components, Delhi
5)	M/s Sarin Industries, Delhi
6)	M/s Excel Metal & Engineering Industries, Mumbai
7)	M/s Modern Stores & Engineering Concern, Kolkata
8)	M/s Jinan Meide Casting Co. Ltd., China
9)	M/s Mehta Brother & Co., Mumbai- (Make: M/s Jinan Meide Casting Co.
Ltd., Japan)confirming to	IS 1879:2010 latest standard
10)	M/s Chokhawala Distributors

COPPER TUBES AND FITTINGS

1)	M/s Paras Industries Ltd.
2)	M/s Rajco Metal
3)	M/s Chandan Enterprises
4)	M/s Mehta Tubes
5)	M/s Cofit Industries, Bengaluru
6)	M/s Mandev Tubes
7)	M/s Sagardeep Alloys
8)	M/s Pallavi Copper Pipes

BRASS FITTINGS

1) M/s Chandan Enterprises



2)	M/s Paras Industries Ltd.
3)	M/s Umesh Enterprises
4)	M/s Om brass Enterprises
5)	M/s KPC Flexi Tubes
6)	M/s Mehta Bros, Mumbai

FLEXIBLE HOSE (ANACONDA)

1)	M/s KPC Flex Tubes
2)	M/s Vestas Hose Division
3)	M/s Alfa Flexitubes

4) M/s Bengal Industries Pvt. Ltd.

5) M/s Vikram & co.

6) M/s Gaytri Industrial Corporation, Thane (W)

PE PIPES

1)	M/s Jain Irrigation System Ltd., New Delhi
2)	M/s Pennwalt Agru Plastics Ltd., Navi Mumbai
3)	M/s Pioneer Polyfeb Ltd. Ghaziabad
4)	M/s Kriti Industries (i) Ltd., Indore
5)	M/s Ori Plast Ltd., Kolkata
6)	M/s.Purma Plast Pvt Ltd, Rajasthan

METERS AND REGULATORS

1)	M/s Actaris Metering System, New Delhi
2)	M/s Elster Messtechnik Gmbh, Lampertheim
3)	M/s Emerson Process Management (India) Pvt. Limited, Mumbai
4)	M/s Equimeter Inc., USA
5)	M/s Gorter Controls B.V., Netherlands
6)	M/s Instromet International, Belgium
7)	M/s Invensys Metering Systems India Ltd., Pune
8)	M/s Mesura SA, France
9)	M/s Pietro Fiorentini S.p.A, Italy
10)	M/s RMG Regal – Messtechnik Gmbh, Germany
11)	M/s Raychem RPG Limited, Kolkata
12)	M/s Rockwin Flowmeter India Pvt. Ltd., New Delhi
13)	M/s Itron India Pvt. Limited, delhi
14)	M/s. Daniel Solutions Pvt. Ltd. Gurgaon

STEEL REINFORCED RUBBER HOSE

1)	M/s Suraksha Products Pvt. Ltd.
2)	M/s Vansh Industries
3)	M/s T &L Gases
4)	M/s Vikram & Co.
5)	M/s Gayatri
6)	M/s Luxmi Rubtech

ISOLATION VALVES AND APPLIANCE VALVES



1)	M/s Universal Srl
2)	M/s Tiemme Raccorderie Sede
3)	M/s Jainson Industries
4)	M/s Enolgas Bonimu s.a.s.
5)	M/s Fratelli Fortis s.r.l
6)	M/s Giacomo Climbrio
7)	M/s Parker Hannifin S.P.A.
8)	M/s Singapore Valve & Amp; Fittings Pte Limited, Singapore
9)	M/S Rubinetterie Utensilerie Bonomi (RUB)
10)	M/s Zhegiang Valogin Technology Co. Ltd., China
11)	M/s Ningbo Huaping Metalwork Co. Ltd., China
12)	M/s Mehta Brothers, Mumbai.
13)	M/s Chokhawala Distributors



SECTION-5 (SCHEDULE OF RATES)



RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05 DATED: 06-08-2025 TENDER DOCUMENT FOR CONSTRUCTION OF DE-COMPRESSION UNIT (DCI) AT RSGL SIROL, SITE GWALIOR S.No. **Description of Item** Unit Rate inclusive of all Total Amount inclusive of all applicable taxes, duties & applicable taxes & duties & other levies [if anyl payable other levies [if any] payable by by the Contractor under the the Contractor under the Unit **Ouantity** Contract, or for any other Contract, or for any other cause cause except final GST except final GST 3 5 6 Rough excavation banking/filing excavated earth: Earth work in excavation/ by mechanical means (Hydraulic Excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom disposal of excavated earth, CUM 148.74 lead up to 50 m and lift up to 1.5 m, disposed earth to be levelled and neatly dressed. 2 Earth work in excavation by mechanical means (Hydraulic Excavation soil: excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom disposal of excavated earth, lead up to 50m and lift up to 1.5m, disposed earth to be levelled and neatly dressed. (No extra lift is payable if work is done by mechanical means) All kinds of soil Column Footing Footing F1 For Boundary 104.98 Cum Footing F2 For Office Building 38.99 Cum Earth work in excavation/ by mechanical means (Hydraulic 3 Excavation rock: Excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom disposal of excavated earth, lead up to 50 m and lift up to 1.5 m, disposed earth to be levelled and neatly dressed. Ordinary rock Column Footing Footing F1 For Boundary Cum 11.66 4.33 Footing F2 For Office Building Cum



व्यक्तिक जिन्हे	Extra for additional lift: Extra for every additional lift of 1.5 m or part thereof in excavation. (No extra lift is payable if work is done by mechanical			
	means)			
	All kinds of soil.			
	Footing F1 For Boundary	Cum	17.50	
	Footing F2 For Office Building	Cum	6.50	
5	Extra for additional lift: Extra for every additional lift of 1.5 m or part	Cum	0.50	
	thereof in excavation. (No extra lift is payable if work is done by mechanical means)			
	Ordinary rock			
	Footing F1 For Boundary	Cum	11.66	
	Footing F2 For Office Building	Cum	4.33	
6	C.C. up to plinth level: Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work			
	With 40 mm metal: With 40mm nominal size graded stone aggregate.			
	M-15: M I5 - Grade concrete			
	Footing F1 For Boundary	Cum	6.91	
	Footing F2 For Office Building	Cum	2.60	
7	RCC up to plinth: Providing and laying in position specified grade of			
	reinforced cement concrete (nominal / design mix with 20mm nominal size graded			
	stone aggregate) excluding the cost of centering, shuttering, finishing and			
	reinforcement - All work up to plinth level			
	M-20: M-20 Grade Concrete			
	Column Footing Plain Area			
	Footing F1 For Boundary	Cum	18.43	
	Footing F2 For Office Building	Cum	7.80	
	Column UP TO PLINTH LVL		1100	
	Column C1	Cum	5.53	
	COLUMN C2	Cum	1.82	
	BEAMS			
	BEAMS horizontal For Boundary	Cum	4.21	
	BEAMS horizontal For Office	Cum	0.75	
	BEAMS horizontal For Office	Cum	0.12	
	BEAMS vertical	Cum	1.68	
	BEAMS	Cum	0.62	
	Grid Slab	Cum	52.87	
	RCC Wall		21.98	



MITSELLET.			1	T	1
W 323 VIII 8	Centering and Shuttering: Centering and shuttering in cluding strutting,				
	propping etc. and removal of form for:				
	Up to plinth: Foundations, footings, bases of columns, etc. for concrete up to				
	plinth level				
	Column Footing				
	Footing F1 For Boundary	SQM	46.08		
	Footing F2 For Office Building	SQM	18.36		
9	Columns: Columns, Pillars, Piers, Abutments, Posts and Struts.				
	Column				
	Column C1	SQM	84.91		
	COLUMN C2	SQM	27.98		
10	Walls: Walls (Thickness as per site condition) in cluding attached				
	pilasters butter esses, plinth beams and string courses etc.				
	Up to plinth level: Up-to plinth level.				
	BEAMS				
	BEAMS horizontal For Boundary	SQM	36.58		
	BEAMS horizontal For Office	SQM	6.55		
	BEAMS horizontal For Office	SQM	1.08		
	BEAMS vertical	SQM	14.64		
	BEAMS	SQM	5.40		
	RCC Wall	SQM	129.32		
11	Reinforcement: Reinforcement for R.C.C. work including straightening,				
	cutting, bending, placing in position and binding including cost of binding wire all				
	wastages and overlaps, couplers (overlaps shall be provided as per requirement of				
	IS 13920 for ductile detailing IS 456 RCC Design & SP 34 Reinforcement				
	detailing) etc. complete .				
	(Note:-				
	1. Spacer bars (chairs) shall be paid separately as shown in the drawing and as	CUM	115.81		
	per direction of engineer in charge.	COM	113.61		
	2. No extra payment shall be done for overlaps and/or couplers.				
	3. Couplers shall be conforming to IS code on "Reinforcement Couplers for				
	Mechanical Splices of Bars for Concrete Reinforcement - Specification")				
	TMT/TMX: Thermo-Mechanically Treated bars. (TMT) FE-500D				
	conforming to IS: 1786				
12	Filling available excavated earth: Filling available excavated earth				
1-	(excluding hard rock/Ordinary rock) in trenches, plinth, sides of foundations				
	etc. in layers not exceeding 20cm in depth, consolidating each deposited layer	Cum	100.88		
	by ramming and watering, lead up to 50 m and lift				
	2 9				



Transportation by mechanical means: Transportation By Mechanical Transport including loading, unloading and stacking. Earth: Earth (It assume that average Oty will be of Black cotton soil) Cum 32.32 Supplying and filling in plinth under floors including 14 Under floor filling: watering ramming consolidating in layers not exceeding 20cm in depth and dressing complete. With hard muram having CBR >12 % at under Hard muram hard copra: floors including watering, ramming and compacting (minimum compaction 95%) of MDD) in layers not exceeding 20cm in thickness and dressing complete. (Note:- maximum thickness of this layer to be provided shall be 30cm) Inside to Inside Area 1057.30 cum Under floor filling stone dust: Supplying and filling in plinth with crusher 15 stone dust / coarse sand under floors including, watering, ramming and 88.11 Inside to Inside Area cum C.C. upto plinth level: Providing and laying in position cement concrete 16 of specified grade excluding the cost of centering and shuttering - All work With 40mm nominal size graded stone aggregate. With 40 mm metal: M-10 Nominal (Mix -1 Cement : 3 sand : 6 graded stone Inside to Inside Area 35.24 cum Plinth protection by C.C.: Making plinth protection 50mm thick of cement 17 concrete grade M10 over 75mm bed of dry metal ballast 40mm nominal size well rammed and consolidated and filled with sand including finishing Plinth Protection Area 10.70 sqm GROUND FLOOR RCC in walls, columns, pillars etc: 18 Reinforced cement concrete work (with 20 mm nominal size graded stone aggregate) in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, posts and struts etc. above plinth level and upto floor two level excluding cost of centering, shuttering, finishing M-20 Grade Concrete 2.05 Cum COLUMN C2 1.22 Cum 19 Centering and Shuttering: Centering and shuttering in cluding strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts. Columns: Column C1 **SQM** 31.48



COLUMN C2 SOM 18.76 RCC in beams, floors, staircases etc: Reinforced cement concrete work (with 20 mm nominal size graded stone aggregate) in beams, suspended floors, roofs having slope of any degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral staircases above plinth level and upto floor two level excluding the cost of centering, shuttering, finishing and reinforcement in concrete grade. M-20: M-20 Grade Concrete BEAMS horizontal For Office Cum 1.00 BEAMS horizontal For Office Cum 0.17 BEAMS 0.83 Cum 2.10 Rcc Coping Cum LINTEL WINDOW W1 Cum 0.08 0.23 DOOR D1 Cum CHAJJA PROJECTION WINDOW W1 Cum 0.10 Roof Slab Office Building 4.49 Cum Centering and Shuttering: Centering and shuttering in cluding strutting, 21 propping etc. and removal of form for: Lintels, Beams and Cantilevers: Lintels, beams, girders, bressumers BEAMS horizontal For Office SOM 2.51 BEAMS horizontal For Office SOM 8.74 0.41 BEAMS horizontal For Office SOM SQM BEAMS horizontal For Office 1.44 2.07 SOM BEAMS horizontal For Office BEAMS horizontal For Office SOM 7.20 18.29 SOM Rcc Coping Rcc Coping SQM 7.32 LINTEL WINDOW W1 SQM 0.31 WINDOW W1 SQM 0.34 DOOR D1 SQM 0.93 DOOR D1 SOM 1.01 22 Centering and Shuttering: Centering and shuttering in cluding strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, Suspended floors, roofs etc: ROOF SLAB



SOM 34.52 Office Building Centering and Shuttering: Centering and shuttering in cluding strutting. propping etc. and removal of form for: Weather shade and chaijas: Weather shade, Chaijas, corbels etc., Weather shade. WINDOW W1 SOM 0.82 WINDOW W1 SOM 0.27 WINDOW W1 SOM 0.06 24 Reinforcement for R.C.C. work including straightening. Reinforcement: cutting, bending, placing in position and binding including cost of binding wire all wastages and overlaps, couplers (overlaps shall be provided as per requirement of IS 13920 for ductile detailing IS 456 RCC Design & SP 34 Reinforcement detailing) etc. complete. (Note:-1. Spacer bars (chairs) shall be paid separately as shown in the drawing and as per direction of engineer in charge. 2. No extra payment shall be done for overlaps and/or couplers. 3. Couplers shall be conforming to IS code on "Reinforcement Couplers for Mechanical Splices of Bars for Concrete Reinforcement -TMT/TMX: Thermo-Mechanically Treated bars, (TMT/TMX) FE 500 or COLUMN CUM 3.27 SLAB & BEAM & LINTEL .ALL Chajia + Door Lintel CUM 9.63 STEEL= 125KG/CUM 25 Autoclaved Aerated Concrete (AAC) blocks masonry: Providing and laving Autoclaved Aerated Concrete (AAC) blocks masonry, using AAC blocks (Size length 300, 400, 500, 600 mm Height 200, 250, 300 mm Width 100, 150, 200, 250 mm) conforming to IS 2185 PART 3, having compressive strength not less than 4 MPa (Grade II) in super structure, blocks iointed with approved block laving polymer modified adhesive mortar as per ASTM 1660-09, applied in uniform thickness of 2 to 3 mm in horizontal and verticals joints using special trowel, polymer modified mortar having minimum compressive strength and minimum splitting tensile strength of not less than 5MPa and 0.34 MPa respectively as per ASTM international standard including raking out joints. The surface of masonry units (AACBlock) should be slightly moist prior to application of jointing mortar. Block should be gently pressed down using a rubber mallet to expel out entrapped air and the masonry shall be cured two days. 1st layer of masonry block shall be placed on perfectly leveled surface, which if required, shall be leveled with M-15 cement concrete at plinth

S				Page 274 of 288
Paradina Compile Indicates	or floor level. Masonry shall have 75mm thick RCC band with M-15 cement concrete having 2 bars horizontal of 8 mm dia with 8mm dia U- shaped single stirrup @ 300mm C/C. Such horizontal bands shall be placed at sill level and lintel level where there is a provision of windows in walls otherwise placed at vertical interval of 1.8 meter in vertical direction shall be spaced at 4.5 meter in horizontal direction. Mullion, Vertical bands, shall be placed along jams (vertical member of chowkhats) and extend upto lintel levels to arrest cracking at corner openings. RCC bands shall be measured with AAC block masonry. Rates include all materials including steel bars, wastages, RCC, Centering scaffolding and all labour etc. complete.			
	AAC Masonry in polymer modified mortar			
	For Boundary Wall	Cum	25.24	
	For Boundary Wall	Cum	10.10	
	For Office Building	Cum	7.41	
	For Office Building	Cum	4.07	
26	Autoclaved Aerated Concrete (AAC) blocks masonry: Providing and laying Autoclaved Aerated Concrete (AAC) blocks masonry, using AAC blocks (Size length 300, 400, 500, 600 mm Height 200, 250, 300 mm Width 100, 150, 200, 250 mm) conforming to IS 2185 PART 3, having compressive strength not less than 4 MPa (Grade II) in super structure, blocks jointed with approved block laying polymer modified adhesive mortar as per ASTM 1660- 09, applied in uniform thickness of 2 to 3 mm in horizontal and verticals joints using special trowel, polymer modified mortar having minimum compressive strength and minimum splitting tensile strength of not less than 5MPa and 0.34 MPa respectively as per ASTM international standard including raking out joints. The surface of masonry units (AACBlock) should be slightly moist prior to application of jointing mortar. Block should be gently pressed down using a rubber mallet to expel out entrapped air and the masonry shall be cured two days. 1st layer of masonry block shall be placed on perfectly leveled surface, which if required, shall be leveled with M-15 cement concrete at plinth			



व्याच्या प्राप्ता व्याच्या श्रीचेत्व	or floor level. Masonry shall have 75mm thick RCC band with M-15 cement concrete having 2 bars horizontal of 8 mm dia with 8mm dia U- shaped single stirrup @ 300mm C/C. Such horizontal bands shall be placed at sill level and lintel level where there is a provision of windows in walls otherwise placed at vertical interval of 1.8 meter in vertical direction shall be spaced at 4.5 meter in horizontal direction. Mullion, Vertical bands, shall be placed along jams (vertical member of chowkhats) and extend upto lintel levels to arrest cracking at corner openings. RCC bands shall be measured with AAC block masonry. Rates include all materials including steel bars, wastages, RCC, Centering scaffolding and all labour etc. complete.			
	Polymer modified mortar: AAC Masonry in polymer modified mortar			
	100 mm Wall			
	WALL	SQM	8.85	
27	Extra for M.S. bars in half brick masonry: Extra for providing and placing in position 2 Nos. 8mm dia. M.S. bars at every third course of in half brick masonry.	SQM	8.85	
28	Aluminum work for doors, windows, ventilators & partitions: Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings Fixed: For fixed portion.			
	Powder coated: Powder coated aluminum (minimum thickness of			
	powder coating 50 micron)			
	WINDOW W1 6 KG/SQM	sqm	1.08	



Openable: For shutters of doors, windows and ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber I neoprene gasket required (Fittings shall be paid for separately). Powder coated: Powder coated aluminium (minimum thickness of powder coating 50 micron) WINDOW 'S SHUTTER WINDOW WI 4 KG/SQM sqm 1.08 Laminated sheet: Providing and Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S including cost of adhesive of approved quality.	
powder coating 50 micron) WINDOW 'S SHUTTER WINDOW W1 4 KG/SQM 30 Laminated sheet: Providing and Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality	
WINDOW W1 4 KG/SQM 30 Laminated sheet: Providing and Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality	
4 KG/SQM 30 Laminated sheet: Providing and Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality	
sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality	
1.0MM: 1.0 mm thick.	
DOOR D1 SQM 6.75	
Glazing in aluminium door, window, ventilator shutters and partitions: Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.	
4.0 mm: With float glass panes of 4.0 mm thickness (weight not less	
WINDOW W1 SQM 1.08	
M.S. grills and windows: Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc.	
Fixed to steel windows: Fixed to steel windows by welding.	
WINDOW W1 Frames @ 15 Kg/ Sq.m. SQM 1.08	
shutters decorative type 1st class hard wood and well matched teak 3 ply: Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters of such	
35 mm butt hinges: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	
DOOR D1 SQ.m. 6.75	



विश्वकात्रकात्रकात्रकात्रकात्रकात्रकात्रकात्र	Extra for lipping: Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).			
35	Extra for rebate: Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).			
	Total Qty (ITEM NO. 9.18.1)	Sq.m.	6.75	
36	M.S. box for ceiling fan: Providing and fixing circular/ Hexagonal cast iron or M.S. sheet box for ceiling fan clamp of internal dia 140mm, 73mm height, top lid of 1.5mm thick M.S. sheet with its top surface hacked for proper bonding, top lid shall be screwed into the cast iron/ M.S. sheet box by means of 3.3mm dia. round headed screws, one lock at the corners.	Each	1.00	
37	6 mm cement plaster: 6 mm cement plaster of mix: 1:3 (1 cement: 3			
	Roof Slab			
	Office Building	SQM	34.52	
	BEAM	SQM	5.13	
	Weather Shade			
	WINDOW W1	SQM	0.82	
	WINDOW W1	SQM	0.27	
	WINDOW W1	SQM	0.06	
38	12 mm cement plaster: 12 mm cement plaster of mix:			
	1:6 (1 cement : 6 sand)			
	For Boundary Wall	SQM	219.46	
	For Office Building	SQM	59.40	
	For Office Building	SQM	35.40	
	For Office Building	SQM	70.80	
	HALF BRICK WORK			
	WALL	SQM	8.16	
39	15 mm cement plaster: 15 mm cement plaster on the rough side of single or half brick wall of mix			
	1:6 (1 cement : 6 sand)			
	40 % of the total qty	Sq.m.	44.02	
40	Gola: Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 sand : 4	_		
	stone aggregate 10mm and down grade) including finishing with cement mortar 1:3 (1 cement : 3 sand) as per standard design : In			
	WINDOW W1	METER	1.36	
41	Plaster drip course/ groove: Providing for plaster drip course/ groove in plastered surface or moulding to R.C.C. projections.			
	WINDOW W1	Rm	1.36	
	1			



W 321 WI 42 작가 네마지	Vitrified floor tiles multi charged: Providing and laying vitrified floor-tiles Full Body Design Homogenous Body matt/rustic finish in different size with water absorption less than 0.05% and conforming to IS:15622 of approved make in all colours& shades, 1st quality/premium quality in flooring laid on 20mm thick cement mortar 1:4(1cement :4sand) including			
	Light shade: In light colour and shades as ivory, beige blanco, grey etc. 600X600: (b) Size 600X600mm thickness 9-10mm			
	Office Building	Sq.m.	16.43	
43	Vitrified floor-tiles full body skirting, riser: Providing and laying vitrified floor tiles Multi/Double charged (Minimum top layer thickness 2.0mm) Neno Polished self-design, in different size with water absorption less than 0.05% and conforming to IS:15622 of approved make in all colours& shades, 1st quality/ premium quality in skirting laid on 12mm thick cement	- 4		
	Light colour: In light shade glossy/ rustic /stain finished			
	600X600: size 600x600 mm thickness 9-10mm			
	SKIRTING 10 % OF THE QUANTITY	SQM	1.64	
44	Granite work in flooring: Providing and laying gang saw cut 12mm thick, mirror polished pre moulded (wherever required) and pre polished machine cut granite stone of required size and shape of approved shade, colour and texture in flooring laid over 20mm thick base of cement mortar 1:4(1cement:4sand) including grouting the joints with white cement mixed with matching pigments, epoxy touch ups etc. complete as per direction of Engineer-in-Charge.			
	Area more than 0.18 sqm: Area of tiles not less 0.18 sqm			
	Fine grained granite pattern: Fine grained granite dark Black/dark Red/ White with self-design/ pattern/crystals of other colors of glitter			
	FRONT STEP			
	TREADS	Sq.m.	1.08	
45	Vitrified tiles (PGVT)/(GVT) in skirting, riser, dado and wall lining: Providing and laying digital print random design(PGVT)/(GVT) vitrified tiles in different sizes with water absorption less than 0.05% and conforming to IS:15622 of approved make in all colours& shades, 1st quality / premium in skirting, riser, dado and wall lining laid our 12mm thick cement mortar 113 including grouting the joints with white cement and matching pigments etc. Complete			



MERSINIE Persinien	For skirting, dado				
মাত জিমক	and wall lining: For skirting, riser, dado and wall lining etc.				
	glossy/ rustic /stain/matt finished in all colours				
	and shades				
	600X600: Size 600X600 mm thickness 9-10 mm				
	FRONT STEP				
	RISER	Sq.m.	0.54		
46	Extra for nosing: Extra for pre finished nosing in treads of steps of Kota	RM	1.50		
47	Wood work in frames of doors, windows: Providing wood work in frames of				
•	doors, windows, clerestory windows and other frames, wrought framed and fixed in				
	position with hold fast lugs or with dash fasteners of required dia and length				
	(hold fast lugs or dash fastener shall be paid for separately).				
	Sal wood: Sal wood				
	DOOR D1	CUM	0.03		
	Factory made laminated veneer lumber door shutter: Providing and				
	fixing 35 mm thick factory made laminated veneer lumber door shutter				
	conforming to IS: 14616 and TADS 15:2001 (Part B) including ISI marked				
	M.S. pressed butt hinges bright finished of required size with necessary screws, all				
	complete as per directions of Engineer-in charge				
	and paneling with panels of:				
	Particle board prelamination decorative both sides: 12 mm thick pre-				
	laminated particle board (decorative lamination on both sides) grade - 1, medium				
	density flat pressed, three layer particle board FPT - I or graded wood particle				
	board FPT - I, conforming to IS: 3087 bonded with BWP type synthetic resin				
	adhesive as per IS: 848 and pre-lamination conforming to IS: 12823 Grade 1,				
	Type - II marked:				
	DOOR D1	SQM	6.75		
48	White cement based putty: Providing and applying white cement based				
	putty of average thickness 1 mm, of approved brand over the plastered wall				
	surface to prepare the surface even and smooth i/c all cost of material, labour and				
	scaffold etc in all position complete.				
	Note: Putty shall be applied only on the internal walls, for application on				
	Qty is Same as Per Plaster work	Sqm	110.04		
49	Deluxe multi surface paint: Finishing walls by any mechanical or manual	- 4		- 	
7	means with Deluxe Multi surface paint system for interiors and exteriors				
	13.54.3: Two or more coats applied on walls @ 1.25 ltr/10 sqm. Over				
	and including one coat of Special primer applied @ 0.75 ltr / 10 sqm.	Sqm	110.04		
	and including one coat of special printer applied (a) 0.73 til / 10 sqm.				



MORRI ALL'ÉO				
50	Acrylic distemper: Distempering by any mechanical or manual means with			
	1st quality acrylic distemper, having VOC (Volatile Organic Compound)			
	content less than 50 grams/ litre, of approved brand and manufacture, including			
	applying additional coats wherever required, to			
	Two coat: Two coats.			
	QTY B/F VIDE ITEM NO. 13.8.1	Sqm	40.80	
51	Synthetic emulsion Paint on G.S. sheet: Painting on G.S. sheet with			
	synthetic enamel paint of approved brand and manufacture of required colour to			
	give an even shade: New work (two or more coats) including a			
	Door & Window Frame			
	QTY B/F FROM ITEM NO. 10.13.2.1	Sqm	0.26	
	STEEL	Sqm	100.00	
	MS GRILL			
	CONSTANT (0.50 X 2 = 1.00)			
	BOTH SIDE			
	WINDOW WI	Sqm	1.08	
52	S.S. door latches: Providing and fixing ISI marked stainless steel door	Sqiii	1.00	
32	latchs with necessary screws etc complete.			
	DOOR D1	Each	6.00	
	DOOK DI	Each	6.00	
53	S.S. sliding door: Providing and fixing ISI marked stainless steel sliding	Lacii	0.00	
33	door bolts with nuts and screws etc. complete:			
	300 mm: 300x16mm			
	DOOR D1	Each	6.00	
5.4		Eacii	6.00	
54	S.S. handles: Providing and fixing ISI marked stainless steel handles			
	with necessary screws etc. complete:			
	125mm	т 1	6.00	
	DOOR D1	Each	6.00	
55	S.S. tower bolt: Providing and fixing ISI marked stainless steel tower			
	bolts black finish (barrel type) with necessary screws etc. complete :			
	250 mm: 250X10 MM			
	DOOR D1	Each	6.00	
56	Stainless steel hanging type floor: Providing and fixing stainless steel			
	hanging type floor door stopper with necessary screws etc. complete:			
	DOOR D1	Each	6.00	
57	Heat /light control film to frosted glass: Providing and fixing 50 micron			
	thick Frosted heat /light control film to window/door glazing as marketed			
	under the brand name garware/3M or equivalent as			
	WINDOW'S			
	WINDOW W1	SQM	1.08	



Silicon sealant: Filling the gap in between alumnum frame and adjacent with the company of the c	58 THE 188			1	1	T T
approved quality as per architectural drawings and direction of WINDOWS WINDOWS WINDOWS WINDOW WI SP Concrete interlocking paver block: Providing and laying factory made machine pressed precast connect concrete interlocking paver block of any shape and size conforming to 18:15658-2006 and 181 marked of 60 mm thickness, M-30 grade with gery center and prignent all as specified. Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office All Floor Office GROG grading: Grading roof for receiving water proofing treatment with CC, 1:24: Cement concrete 1:24:(1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) common strong aggregate of 20 mm nominal size) file Nhuras: Making khuras 45:45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:24: (1 cement : 3 sand) and a coat of neat tement rounding the edge and making and finishing the outlet complete as as to receive rain water' spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. G2 Uphasticized rigid PVC pipe: Providing and fixing on wall face Rigid Uphasticized rigid PVC (cpvc) Single socketed rain water pipes conforming to 15: 13592 Type A including jointing with seal ring 11 mm: 110 mm dameter (minimum wall thickness 2.2mm) fill mm bend (minimum wall face) Rigid PVC rain water pipes conforming to 15: 13592 Type A including jointing with seal ring 11 l. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall face) Rigid PVC rain water pipes conforming to 10: 10: 10: 10: 10: 10: 10: 10: 10: 10:	58	Silicon sealant: Filling the gap in between aluminium frame and adjacent				
WINDOW S WINDOW WI 59 Concrete interlocking paver block: Providing and laying factory made mushine presend present corrects connected interlocking paver block of any shape and size conforming to IS:15658-2006 and ISI marked of 60 mm thickness, M-30 grade with grey cement and pignent all as specified. Made by block making methine with strong vibratory compaction, laid in required colour and pattern over and including 30mm thick compacted. All Floor Office 60 Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:24: Cement connecte 1:24 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 61 Khuras: Making khuras 45454 sine (sunk area) with average minimum thickness of 5 cm cement connecte 1:24 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm nominal size) over P. V.C. sheet Institute of the stone aggregate of 20 mm of t						
WINDOW WI S9 Concrete interlocking paver block: Providing and laying factory made machine pressed precast cement concrete interlocking paver block of any shape and size conforming to IS-15688-2006 and ISI marked of 60 may shape and size conforming to IS-15688-2006 and ISI marked of 60 may shape and size conforming to IS-15688-2006 and ISI marked of 60 may think the strong with strong without over and including 50mm thick compacted. All Floor Office						
59 Consecte introlocking power block: Providing and laying factory made machine pressed precast cement concrete interlocking paver block of any shape and size conforming to 18:16588-2006 and 181 marked of 60 mm thickness, M-30 grade with grey cement and pigment all as specified. Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office 60 Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:24: Cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 61 Khuras: Making khuras 45345 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) over P.V.C. sheet Inx1 mx400micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water spillage water on roof in a sank area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 18: 13592 Type A including jointing with scal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm) 63 Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to 18: 13592 Type A including jointing with scal ring 11 I. Beach: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) 11 II. Brock: Bioc (Plain)						
machine pressed precast eement concrete interlocking paver block of any shape and size conforming to IS:15658-2006 and ISI marked of 60 mm thickness, M-30 grade with grey cement and pigment all as specified. Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office On Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:2:4: Cement concrete 1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 1.89 aggregate 20 mm nominal size) Claim Skinras: Making khurras 45:45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet Irms Irms 400minors, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive min water's spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. Column 10 mm 110 mm diameter (minimum wall face PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC pipe: Providing with scal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm) All Unplasticised - UPVC moulded fittings' accessories for Upplasticised Rigid PVC rain water pipes conforming to IS: 1392 Type A including jointing with scal ring 110 mm: 110 mm bend (minimum wall thickness 2.2mm) Il Denu: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm)			RM	3.30		
and size conforming to IS:15658-2006 and ISI marked of 60 mm thickness, M-30 grade with grey cement and pignent all as specified. Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office O.C. 1:2-4: Coment concrete 1:2-4 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 61 Khurras: Making khurras 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2-4 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over I-VC sheet Inx Imx400micron, finished with I2mm cement plaser I: 3 (1 cement : 3 sand) and a coat of heat evenent rounding the edge and making and finishing the outlet complete so as to receive rain water spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall face Unplasticised - UVPC moutled fittings) accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 11	59					
grade with grey cement and pigment all as specified. Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office All Floor Office On Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:24: Cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) C.C. 1:24: Cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate 220 mm nominal size) Khurus: Making khurus 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) Khurus: Making khurus 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) Lipuda can mominal size over P.V. C. sheet I mxt mx400micron, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water/spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. Each Lipuda can be a supplementation of the providing and fixing on wall face Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to 11 mm: 110 mm diameter (minimum wall thickness 2.2mm) Rm 3.25 This makes a supplementation of the providing and fixing on wall face Unplasticised - UPVC moulded fittings accessories for Unplasticised Rigid PVC rain water pipes conforming to 11 in mm: 110 mm bend (minimum wall thickness 2.2mm) Lipuda can be a providing and fixing on wall face Unplasticised - UPVC moulded fittings accessories for Unplasticised Rigid PVC rain water pipes conforming to 11 in mm: 110 mm bend (minimum wall thickness 2.2mm)						
Made by block making machine with strong vibratory compaction, laid in required colour and pattern over and including 50mm thick compacted All Floor Office OR Roof grading: Grading roof for receiving water proofing treatment with CC. 1:24:1 Cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 61 Khurras: Making khurras 45:45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:24 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 mx 1 mx 400micron, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water/spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 10 mm bend (minimum wall thickness 2.2mm) 110 mm: 110 mm bend (minimum wall thickness 2.2mm)		and size conforming to IS:15658- 2006 and ISI marked of 60 mm thickness, M-30				
Colour and pattern over and including 50mm thick compacted						
Colour and pattern over and including 50mm thick compacted		Made by block making machine with strong vibratory compaction, laid in required				
60 Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:24: Cement concrete 1:2:4 (1 cement: 2 sand: 4 graded stone aggregate 20 mm nominal size) 61 Khurras: Making khurras 45:45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement: 2 sand: 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 mx 1 mx 400 micron, finished with 12 mm cement plaster 1:3 (1 cement: 3 sand) and a coat of neat cement rounding the dega and making and finishing the outlet complete so as to receive rain water spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 18: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm) 63 Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face w		colour and pattern over and including 50mm thick compacted				
60 Roof grading: Grading roof for receiving water proofing treatment with C.C. 1:24: Cement concrete 1:2:4 (1 cement: 2 sand: 4 graded stone aggregate 20 mm nominal size) 61 Khurras: Making khurras 45:45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement: 2 sand: 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 mx 1 mx 400 micron, finished with 12 mm cement plaster 1:3 (1 cement: 3 sand) and a coat of neat cement rounding the dega and making and finishing the outlet complete so as to receive rain water spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 18: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm) 63 Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings: Providing and fixing on wall face w		All Floor Office	SOM	352.43		
C.C. 12-34: Cement concrete 1:2-4 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size) 61 Khurras: Making khurras 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2-4 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet I mxI mx400micron, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water/spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 1 1. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II I. Shoe: Shoe (Plain) 110 mm: Shoe (minimum wall thickness 2.2mm)	60		5 4	5521.5		
aggregate 20 mm nominal size) 61 Khuras: Making khuras 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement: 2 sand: 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 mx 1 mx 400 micron, finished with 12 mm cement plaster 1:3 (1 cement: 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet completes os as to receive rain water/ spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 1S: 1:3592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) 11 I. Shoe: Shoe (Plain) 11 II. Shoe: Shoe (Plain)						
61 Khurras: Making khurras 45x45 cm (sunk area) with average minimum thickness of 5 cm cement concrete 1:2-4 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet I mxl mx400micron, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water/ spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC (upvc) Single socketed rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC moudled fittings: Providing and fixing on wall face UpVC roundledd fittings: Providing and fixing on wall face Unplasticised - UPVC moudledd fittings: accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) 11 II. Shoe: Shoe (Plain) 110 mm: Shoe (minimum wall thickness 2.2mm)			cum	1.89		
thickness of 5 cm cement concrete 1:24 (1 cement: 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1mx1mx400micron, finished with 12mm cement plaster 1:3 (1 cement: 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water's spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 18: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings' accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 1 10 mm: 110 mm bend (minimum wall thickness 2.2mm) cach 1.00 1 II. Shoe: Shoe (Plain) 1 II mm: 110 mm Shoe (minimum wall	61					
aggregate of 20 mm nominal size) over P.V.C. sheet Imx Imx400micron, finished with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water/ spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) 63 Cach 1.00 15 I. Shoe: Shoe (Plain) 10 III II Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall thickness 2.2mm)	01					
with 12mm cement plaster 1:3 (1 cement : 3 sand) and a coat of neat cement rounding the edge and making and finishing the outlet complete so as to receive rain water spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC moulded fittings! Providing and fixing on wall face Unplasticised - UPVC moulded fittings! accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) Cach 1.00 II II. Shoe: Shoe (Plain) 110 mm: 110 mm boe (minimum wall thickness 2.2mm)						
rounding the edge and making and finishing the outlet complete so as to receive rain water/ spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC mulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm Shoe (minimum wall thinkness 2.2mm)						
rain water/ spillage water on roof in a sunk area and completely rain out in a near perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to 1S: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) 1 II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00				4.00		
perfect strain meter motion into rain water pipe. 62 Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to 18: 13592 Type A including jointing with seal ring 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 1 I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) accept 1.00 11 II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall			Each	1.00		
Unplasticized rigid PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upve) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm Rm 3.25 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I l. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) acach 1.00 II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall						
PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° Ill mm: 110 mm bend (minimum wall thickness 2.2mm) acch III II. Shoe: Shoe (Plain) 110 mm Shoe (minimum wall acch III II. mm Shoe (minimum wall acch III II. Shoe Shoe (minimum wall acch III II. III. mm Shoe (minimum wall acch IIII. III. mm Shoe (minimum wall acch IIIII. III. mm Shoe (minimum wall acch IIIIII. III. III. III. III. III. III.		perfect strain meter motion into rain water pipe.				
PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° Ill mm: 110 mm bend (minimum wall thickness 2.2mm) acch III II. Shoe: Shoe (Plain) 110 mm Shoe (minimum wall acch III II. mm Shoe (minimum wall acch III II. Shoe Shoe (minimum wall acch III II. III. mm Shoe (minimum wall acch IIII. III. mm Shoe (minimum wall acch IIIII. III. mm Shoe (minimum wall acch IIIIII. III. III. III. III. III. III.						
PVC pipe: Providing and fixing on wall face Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° Ill mm: 110 mm bend (minimum wall thickness 2.2mm) acch III II. Shoe: Shoe (Plain) 110 mm Shoe (minimum wall acch III II. mm Shoe (minimum wall acch III II. Shoe Shoe (minimum wall acch III II. III. mm Shoe (minimum wall acch IIII. III. mm Shoe (minimum wall acch IIIII. III. mm Shoe (minimum wall acch IIIIII. III. III. III. III. III. III.						
Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm Rm 3.25 G3 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00	62	Unplasticized rigid				
to IS: 13592 Type A including jointing with seal ring 110 mm: 110 mm diameter (minimum wall thickness 2.2mm Rm 3.25 63 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: Shoe (minimum wall thickness 2.2mm)		PVC pipe: Providing and fixing on wall face				
110 mm: 110 mm diameter (minimum wall thickness 2.2mm Rm 3.25 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall thickness 2.2mm)		Rigid Unplasticised rigid PVC (upvc) Single socketed rain water pipes conforming				
thickness 2.2mm 8m 3.25 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall thickness 2.2mm)		to IS: 13592 Type A including jointing with seal ring				
thickness 2.2mm 8m 3.25 Unplasticised - UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall thickness 2.2mm)		110 mm; 110 mm diameter (minimum wall				
UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00		`	Rm	3.25		
UPVC fittings: Providing and fixing on wall face Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00	63					
Unplasticised - UPVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00						
fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00						
IS: 13592 Type A including jointing with seal ring I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00						
I I. Bend: Bend 87.5° 110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00						
110 mm: 110 mm bend (minimum wall thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall each 1.00	I					
thickness 2.2mm) II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall						
II II. Shoe: Shoe (Plain) 110 mm: 110 mm Shoe (minimum wall			each	1.00		
l each (iii)	II	,				
thickness 2.2mm		110 mm: 110 mm Shoe (minimum wall	1	1.00		
		thickness 2.2mm	eacn	1.00		



2.2mm) 65 PTMT grating to rain water pipes: Providing and fixing to the inlet mouth of rain water pipe PTMT (an Engineering Thermoplastic) grating square (Slit) 150 mm square with a height of 8 mm and weighting not less than 100 gms 66 Cutting holes. P.C.C. flours and roots: Cutting holes up to 15x15 em in R.C.C. flours and roots for passing drain pipe tet, and repairing the hole after insection of drain pipe ett, with cement contrete 1:24 (lement): 2 and 14 graded stone aggregate 20 mm norminal size) including finishing complete so as to make it leak proof. 67 CR masonry upto plinit: Coursed ribble masonry (1st or 2nd sort) with hard stone in foundation and plinth. 1st sort: Cement mortar 1:6 (1 cement : 6 sand) Boundary 2nd sort : Cement mortar 1:6 (1 cement : 6 sand) Boundary 2nd sort : Cement mortar 1:6 (1 cement : 6 sand) Boundary 68 Ceramic glazed floor tiles glazed floor tiles 300x300 mm or more (having thickness 6 to 7 mm) of 1 st quality conforming to 18: 15622 of approved make in any colours and shade laid on 2 mm thick Cement Mortar 1:4 (1 mm and planth or 1 stone) and planth or 1 stone and planth or 1 sto	5 W 25 W 64	UPVC pipe clips: Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4(1			
rain water pipes: Providing and fixing to the inlet mouth of rain water pipe PTMT (an Engineering Thermoplastic) grating square (Shi) 150 mm square with a height of 8 mm and weighing not less than 100 gms 66 Cutting holes R.C.f. Ghors and roofs: Cutting holes upto 15x15 em in R.C.C. floors and roofs for passing drain pipe etc. with cement concrete 1:2:4 (1 cement: 2 sand. 4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it leak proof. 67 CR musonry upto plinth: Coursed rubble masonry (1st or 2nd sort) with hard stone in foundation and plinth. 1st sort: Cement mortar 1:6 (1 cement : 6 sand) Boundary Boundary 2nd sort: Cement mortar 1:6 (1 cement : 6 sand) Boundary 2nd sort: Cement mortar 1:6 (1 cement : 6 sand) Boundary 68 Ceramic glazed 100 to tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to 1s: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1 69 Ceramic glazed vall tiles: Providing and fixing Ceramic glazed wall tiles 300x350 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to 1s: 15622 of approved make in all Colours& shades, except burgundy, bortle green, black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with eyer cement stury (2d 3 kg per span including pointing the joints with white cement and matching pigments etc., complete.			each	9.00	
R.C.C. floors and roofs for passing drain pipe etc.and repairing the hole after insertion of drain pipe etc. with eement concrete 1:2:4 (Leement: 2 sand: 4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it leak proof. 67 CR masonry upto plinth: Coursed rubble masonry (1st or 2nd sort) with hard stone in foundation and plinth. 1st sort: Cement mortar 1:6 (1 cement: 6 sand) Boundary cum 82.30 Boundary cum 16:47 2nd sort: Cement mortar 1:6 (1 cement: 6 sand) Boundary cum 43.89 Boundary cum 43.89 Boundary cum 45.78 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to 1s: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1 cement lad on 12 mm thick bed of Cement Mortar 1:3 (1 cement: 3 sand) prepared same day when mortar is still green, black laid on 12 mm thick bed of Cement Mortar 1:3 (1 cement: 3 sand) prepared same day when mortar is still green, black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green, black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green, black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green black laid on 12 mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) pr	65	rain water pipes: Providing and fixing to the inlet mouth of rain water pipe PTMT (an Engineering Thermoplastic) grating square (Slit) 150 mm square with	each	1.00	
plinti: Coursed rubble masonry (1st or 2nd sort) with hard stone in foundation and plinth. 1st sort: Cement mortar 1:6 (1 cement : 6 sand) Boundary	66	R.C.C. floors and roofs for passing drain pipe etc.and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1cement: 2 sand: 4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it	each	1.00	
Boundary cum 82.30 Boundary cum 16.47 2nd sort: Cement mortar 1:6 (1 cement: 6 sand) Boundary cum 43.89 Boundary cum 8.78 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site	ϵ	plinth: Coursed rubble masonry (1st or 2nd sort) with hard stone in foundation			
Boundary cum 43.89 Boundary cum 43.89 Boundary cum 43.89 Boundary cum 43.89 Boundary cum 8.78 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		· ·			
2nd sort: Cement mortar 1:6 (1 cement: 6 sand) Boundary Cum 43.89 Boundary 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		Boundary	cum	82.30	
Boundary Boundary Cum 43.89 Boundary Cum 8.78 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		Boundary	cum	16.47	
Boundary 68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		2nd sort : Cement mortar 1:6 (1 cement : 6 sand)			
68 Ceramic glazed floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to 1S: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to 1S: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		Boundary	cum	43.89	
floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved make in any colours and shade laid on 20 mm thick Cement Mortar 1:4 (1) 69 Ceramic glazed wall tiles: Providing and fixing Ceramic glazed wall tiles 300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 70 Electricity work as per drawing All Required in DCU at site		Boundary	cum	8.78	
300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to 1S: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the joints with white cement and matching pigments etc., complete. 7.90 All Required in DCU at site	(floor tiles: Providing and laying Ceramic glazed floor tiles 300x300 mm or more (having thickness 6 to 7mm) of 1st quality conforming to IS: 15622 of approved	sqm	2.82	
	6	300x450 mm or more (having thickness 6 to 7 mm) of 1st quality conforming to IS: 15622 of approved make in all Colours& shades, except burgundy, bottle green, black laid on 12mm thick bed of Cement Mortar 1:3 (1 Cement: 3 sand) prepared same day when mortar is still green jointed with grey cement slurry @3.3 kg per sqm including pointing the	sqm	7.90	
	7	70 Electricity work as per drawing	All Required i	n DCU at site	

G							Page 283 of 288
USHMISU TETT COM	1981 था। क जिमित	81	TOTAL COST				
		82	GST (To be quoted in % and amount)	<u>%</u>		Amount	
		83	TOTAL COST inclusive of all and GST(Rs.)				
		84	TOTAL COST inclusive of all and GST(Rs.) in words				
P	Note:	J					
1	1 Bidder quoting rates without considering the statutory payments applicable & payable to the service unit as specified in the SCC/Bid document shall be out rightly rejected.						
2	2. Bidders are	e requ	uired to quote the rates strictly as per the above SOR format and not to use any other format. Any quote rec	eived in format other	than the tendered SC	DR, they shall be summarily rejected.	
			ffers Suo-moto discount after opening of un-priced bids, such reduction / discounts shall not be considered availed at the time of award of work. No Conditional discount shall be considered.	for evaluation. How	ever, if the bidder ha	ppens to be the lowest evaluated bidder wi	ithout considering such discount, then benefit
2	4. Any error i	in que	oting taxes & duties to bidder's account. Statutory Variation in taxes & duties during contractual completion	n period shall be to F	RSGL's account.		
1	Name of auth	orize	ed person submitting the tender on behalf of the Bidder (s):				
I	Designation of	of aut	thorized person:				
1	Name of firm	/ Co	ontractor:				





Rajasthan state Gas Limited

(A JV of RSPCL and GAIL Gas Limited)
2nd Floor, Khaniz Bhawan
Tilak Marg C-Scheme
Jaipur-300205

TENDER DOCUMENT

TENDER DOCUMENT FOR CONSTRUCTION OF DE-COMPRESSION UNIT (DCU) AT RSGL SIROL, SITE GWALIOR.

<u>VOLUME – II OF II</u>

Tender No.: RSGL/GWLR/C&P/PROJ/2025-26/ NIT-05

DATED: 06-08-2025




TECHNICAL SPECIFICATIONS AND DRAWINGS

VOL: II OF II









Construction / Set up of Decompression Skid Sirol, Gwalior

Site Photos



